



MODEL NUMBER INDEX:

This Index provides a complete Model/Part number listing of all products offered by Weinschel Corporation within this catalog.

MODEL	DESCRIPTION	PAGE
AS-6	Calibrated Attenuator Set (N, 18 GHz)	.67
AS-18	Calibrated Attenuator Set (Precision N, 18 GHz)	.67
AS-19	Calibrated Attenuator Set (SMA, 26.5 GHz)	.67
AS-20	Calibrated Attenuator Set (3.5mm, 26.5 GHz)	.67
M3933	Military Qualified Attenuators	.28
RS3016	Subminiature Termination (SMA, 2 W, 18 GHz, Low Cost)	.76
1	Fixed Attenuator (Type N, 12.4 GHz)	.37
1W	Fixed RF Attenuator (Type N, 4 GHz, Low Cost)	.35
2	Fixed Coaxial Attenuator (Type N, 18 GHz)	.37
3M	Fixed Coaxial Attenuator (SMA, 12.4 GHz)	.25
3T	Fixed Coaxial Attenuator (Miniature SMA, 12.4 GHz)	.26
4H	Fixed Coaxial Attenuator (Hex, SMA, 18.6 GHz)	.24
4M	Fixed Coaxial Attenuator (SMA, 18 GHz)	.25
4W	Fixed RF Attenuator (Hex Body, SMA, 4 GHz, Low Cost)	.22
4T	Fixed Coaxial Attenuator (Miniature SMA, 18 GHz)	.26
9	Fixed Coaxial Attenuator (SMA, 26.5 GHz)	.29
18W	Fixed Coaxial Attenuator (BNC, 12.4 GHz)	.34
19	Fixed Coaxial Attenuator (GPO/SMP, 18 GHz)	.21
23	Medium Power Fixed Coaxial Attenuator (N, 10 W, 18 GHz)	.43
24	High Power Fixed Coaxial Attenuator (N, 2.92mm, TNC, 50 W, 8.5 GHz)	.51
32	High Reliability Fixed Coaxial Attenuator (SMA, 18 GHz)	.27
32J	High Reliability Fixed Coaxial Attenuator (2.92mm, 31 GHz)	.31
33	Medium Power Fixed Coaxial Attenuator (N, 25 W, 8.5 GHz)	.46
34	Medium Power Fixed Coaxial Attenuator (N, 25 W, 4 GHz)	.44
37	Medium Power Fixed Coaxial Attenuator (N, 10 W, 8.5 GHz)	.42
40	High Power Fixed Coaxial Attenuator (N, 150 W, 1.5 GHz)	.58
41	Medium Power Fixed Coaxial Attenuator (SMA, 10 W, 18 GHz)	.41
44	Lab Standard Coaxial Attenuator (N, 18 GHz)	.38
45	High Power Fixed Coaxial Attenuator (N, 250 W, 1.5 GHz)	.63
46	High Power Fixed Coaxial Attenuator (N, 25 W, 18 GHz)	.47
47	High Power Fixed Coaxial Attenuator (N, 50 W, 18 GHz)	.52
48	High Power Fixed Coaxial Attenuator (N, 100 W, 18 GHz)	.56
49	High Power Fixed Coaxial Attenuator (N, 150 W, 8.5 GHz)	.61
53	High Power Fixed Coaxial Attenuator (N, 500 W, 2.5 GHz)	.65
54A	Fixed Coaxial Attenuator (2.92mm, 40 GHz)	.32
55	Fixed Coaxial Attenuator (TNC, 18 GHz)	.36
56	Fixed Coaxial Attenuator (3.5mm, 18 GHz)	.30
57	High Power Fixed Coaxial Attenuator (N, 150 W, 5.0 GHz)	.58
58	High Power Fixed Coaxial Attenuator (N, 250 W, 5.0 GHz)	.63
59	Medium Power Fixed Coaxial Attenuator (N, 100 W, 2.5 GHz)	.54
65	High Power Fixed Coaxial Attenuator (N, 150 W, 2.5 GHz)	.59
66	High Power Fixed Coaxial Attenuator (N, 150 W, 18 GHz)	.62
67	High Power Fixed Coaxial Attenuator (N, 350 W, 12.7 GHz)	.64
68	High Power Fixed Coaxial Attenuator (N, 100 W, 4 GHz)	.55
69	Medium Power Fixed Coaxial Attenuator (SMA, 5 W, dc-18 GHz)	.39
72	Medium Power Fixed Coaxial Attenuator (N, 50 W, 4 GHz)	.49
73	High Power Fixed Coaxial Attenuator (N, 100 W, 8.5 GHz)	.57

MODEL	DESCRIPTION	PAGE
74	Medium Power Fixed Coaxial Attenuator (3.5mm, 25 W, 26.5 GHz)	.48
75A	Medium Power Fixed Coaxial Attenuator (2.92mm, 5 W, 40 GHz)	.40
77	Medium Power Fixed Coaxial Attenuator (7/16, 25 W, 5 GHz)	.45
78	Medium Power Fixed Coaxial Attenuator (7/16, 50 W, 5 GHz)	.50
79	High Power Fixed Coaxial Attenuator (7/16, 150 W, 5 GHz)	.60
82	High Power Fixed Coaxial Attenuator (N, 1,000 W, 3 GHz)	.626
83	Bulkhead Fixed Coaxial Attenuator (3.5mm, 26.5 GHz)	.33
84	Fixed Coaxial Attenuator (2.4mm, 40 GHz)	.30
85	High Power Fixed Coaxial Attenuator (TNC, 50 W, 18 GHz)	.53
86	High Power Fixed Coaxial Attenuator (2.92mm, 50 W, 18 GHz)	.53
87	Fixed Coaxial Attenuators (2.92mm, 32 GHz)	.31
115A	Manual Step Attenuator (N, TNC, SMA, 0-9 dB)	.119
116A	Manual Step Attenuator (N, TNC, SMA, 0-60 dB)	.119
117A	Manual Step Attenuator (N, TNC, SMA, 0-69 dB)	.119
118A	Manual Step Attenuator (N, TNC, SMA, 0-90 dB)	.119
119A	Manual Step Attenuator (N, TNC, SMA, 0-99 dB)	.119
150	Programmable Step Attenuator (3.5mm, 18 GHz)	.152
150T	SmartStep Programmable Step Attenuator (3.5mm, 18 GHz)	.157
151	Programmable Step Attenuator (3.5mm, 4 GHz)	.152
151T	SmartStep Programmable Step Attenuator (3.5mm, 4 GHz)	.157
152	Programmable Step Attenuator (3.5mm, 26.5 GHz)	.152
152T	SmartStep Programmable Step Attenuator (3.5mm, 26.5 GHz)	.157
917	Coaxial In-Line Phase Shifter (2.92mm, 20 GHz)	.125
940-60	Continuously Variable Attenuator (N, SMA, 4.0 GHz)	.111
940-114	Continuously Variable Attenuator (N, SMA, 2.0 GHz)	.111
940Z	Attenuator Stand	.112
980-X	Coaxial In-Line Phase Shifter (SMA, 3/7/12 GHz)	.123
980-XK	Coaxial In-Line Phase Shifter with Knob (SMA, 3/7/12 GHz)...New	.123
981	Coaxial Phase Shifters (3.5mm, 18 GHz)...New	.126
1404N	Precision Coaxial Termination (N, 18 GHz)	.77
1406A	Subminiature Coaxial Termination (SMA, 18 GHz)	.78
1408	Subminiature Coaxial Termination (SMA, 18 GHz)	.78
1418	Medium Power Coaxial Termination (N, 10 W, 18 GHz)	.87
1419	Medium Power Coaxial Termination (SMA, 10 W, 18 GHz)	.84
1424	Medium Power Coaxial Termination (N, TNC, 5 W, 12.4 GHz)	.81
1425	Medium Power Coaxial Termination (N, TNC, 10 W, 12.4 GHz)	.86
1426	High Power Coaxial Termination (N, 50 W, 8.5 GHz)	.94
1427	Medium Power Coaxial Termination (N, 25 W, 10 GHz)	.89
1428	High Power Coaxial Termination (N, 150 W, 1.5 GHz)	.100
1429	Medium Power Coaxial Termination (N, 25 W, 18 GHz)	.90
1430	Medium Power Coaxial Termination (N, 50 W, 18 GHz)	.95
1431	High Power Coaxial Termination (N, 100 W, 18 GHz)	.99
1432	High Power Coaxial Termination (N, 150 W, 8.5 GHz)	.103
1433	High Power Coaxial Termination (N, 250 W, 5.0 GHz)	.104
1434	High Power Coaxial Termination (N, 500 W, 2.5 GHz)	.105
1435	High Power Coaxial Termination (N, 150 W, 5 GHz)	.100
1437RA	Subminiature Termination (SMA, 2 W, 6 GHz, Low Cost)	.76
1439	High Power Coaxial Termination (N, 150 W, 2.5 GHz)	.102
1440	Medium Power Coaxial Termination (N, 100 W, 4 GHz)	.97
1441	Medium Power Coaxial Termination (N, 50 W, 4 GHz)	.93
1442	Medium Power Coaxial Termination (N, 100 W, 8.5 GHz)	.98
1443	Medium Power Coaxial Termination (SMA, 5 W, 18 GHz)	.82
1444	Medium Power Termination (3.5mm, 25 W, 26.5 GHz)	.91
1445A	Medium Power Coaxial Termination (2.92mm, 5 W, 40 GHz)	.83
1446	Medium Power Coaxial Termination (7/16, 25 W, 5 GHz)	.92
1447	Medium Power Coaxial Termination (7/16, 50 W, 5 GHz)	.92
1448	High Power Coaxial Termination (7/16, 150 W, 5 GHz)	.101
1452	Medium Power Coaxial Termination (N, 25 W, 4 GHz)	.88
1453	Medium Power Coaxial Termination (N, 10 W, 8.5 GHz)	.85
1454	Subminiature Coaxial Termination (GPO/SMP, 18 GHz)	.21
1455	General Purpose Coaxial Terminations (N, 18 GHz)	.80
1456	High Power Coaxial Termination (N, 1,000 W, 3 GHz)	.106



MODEL	DESCRIPTION	PAGE	MODEL	DESCRIPTION	PAGE
1457	Medium Power Coaxial Termination (TNC, 50 W, 18 GHz) . . .	96	4206	High Power Solid-State Programmable Attenuators	148
1458	Medium Power Coaxial Termination (3.5mm, 50 W, 22 GHz) . .	96		(SMA, 2.5 GHz, 2 W, 6-cell)	
1459	Subminiature Coaxial Termination (2.92mm, dc-40 GHz)	79	4208	High Power Solid-State Programmable Attenuators	148
1506A	Broadband Resistive Power Divider (N, 18 GHz)	193		(SMA, 2.5 GHz, 2 W, 8-cell)	
1507R	Broadband Resistive Power Splitter (Matching, SMA,	186	4216	Pin Switched Solid-State Programmable Attenuators	150
	4 GHz, Low Cost)			(SMA, 2.3 GHz, 2 W, 6-cell)	
1513	Precision Coaxial Adapters (N to N, 18 GHz)	203	4218	Pin Switched Solid-State Programmable Attenuators	150
1515	Broadband Miniature Resistive Power Divider	192		(SMA, 2.3 GHz, 2 W, 8-cell)	
	(SMA, 18 GHz)		7002	High Performance Coaxial Adapter (SMA to N, 18 GHz)	204
1515-1	Broadband Miniature Resistive Power Divider	192	7003	Inside dc Block (N, 18 GHz)	217
	(SMA, 18 GHz)		7004A	PLANAR CROWN® Universal Connector System	212
1534	Broadband Resistive Power Splitter (Matching, 2.92mm,	190		(2.92mm Bulkhead)	
	40 GHz)		7005A	PLANAR CROWN® Universal Connector System (Crowns)	212
1548	Precision Coaxial Adapter (N to SMA, 18 GHz)	205	7006	Inside dc Block (SMA, 18 GHz)	217
1549R	Broadband Resistive Power Divider (SMA, Low Cost	191	7008	SMA Planar Blindmate Connector (Pressurized, 40 GHz)	208
	4 GHz)		7010	PLANAR BULKHEAD with dc Block (10 MHz-26.5 GHz)	216
1550	4-Way Resistive Power Dividers (SMA, 2 GHz)	196	7012	Inside/Outside dc Block (500 MHz-8.6 GHz)	218
1568	OEM Precision Coaxial Panel Adapter (SMA, 26.5 GHz)	201	7034	Rear Locking Planar Blindmate Connector (Floating)... <i>New</i> . .	209
1568-1	OEM Precision Coaxial Panel Adapter (SMA, 26.5 GHz)	201	7034-1	Rear Locking Planar Blindmate Connector (Fixed)... <i>New</i>	209
1575	Broadband Resistive Power Divider (2.92mm, 40 GHz)	195	7035	Rear Locking Planar Blindmate Connector (Floating)... <i>New</i> . .	209
1579	Broadband Resistive Power Splitter (3.5mm, 26.5 GHz)	187	7035-1	Front Locking Planar Blindmate Connector (Fixed)... <i>New</i>	209
1580	Broadband Resistive Power Divider (SMA, 26.5 GHz)	194	7035R	Front Locking Planar Blindmate Connector (Floating)... <i>New</i> . .	209
1580-1	Broadband Resistive Power Divider (SMA, 26.5 GHz)	194	7035R-1	Front Locking Planar Blindmate Connector (Fixed)... <i>New</i>	209
1587	Precision Coaxial Adapter (SMA to SMA, 26.5 GHz)	202	8015	SmartStep Switch/Relay Driver	181
1588	Precision Coaxial Adapter (SMA to SMA, 26.5 GHz)	202	8210A-1	SmartStep Programmable Attenuator/Switch Controller	171
1589	Precision Coaxial Adapter (SMA to SMA, 26.5 GHz)	202		(IEEE-488)	
1593	Broadband Resistive Power Splitter (Matching, 3.5mm,	189	8210A-2	SmartStep Programmable Attenuator/Switch Controller	171
	26.5 GHz)			(RS232/RS422/RS485)	
1594	4-Way Resistive Power Dividers (SMA, 18 GHz)	196	8310	SmartStep Programmable Attenuator	174
1870A	Broadband Resistive Power Splitters (N, 18 GHz)	188	8311	SmartStep Programmable Attenuator, 6 Channel	174
3003	Manual Step Attenuator (SMA, 0-70 dB, 2.5 GHz)	114	8312	SmartStep High Power Programmable Attenuator	178
3006	Manual Step Attenuator (SMA, 0-100 dB, 2.5 GHz)	114	9003	Manual Step Attenuator (0-69 dB)	116
3007	Manual Step Attenuator (SMA, 0-10 dB, 2.5 GHz)	114	9004	Manual Step Attenuator (0-99 dB)	116
3010	Manual Step Attenuator (SMA, 0-70 dB, 2.5 GHz)	114	9009	Manual Step Attenuator (0-9 dB)	116
3014	Manual Step Attenuator (SMA, 0-110 dB, 2.5 GHz)	114	9010	Manual Step Attenuator (0-60 dB)	116
3033	RF Manual Step Attenuators (SMA, 0-10 dB, 2 GHz)	113	9011	Manual Step Attenuator (0-90 dB)	116
3053	Manual Step Attenuator (SMA, 0-10 dB, 6 GHz)... <i>New</i>	114	9012-9	Manual Step Attenuator (0-9 dB, 26.5 GHz, 2.92mm)	122
3054	Manual Step Attenuator (SMA, 0-70 dB, 6 GHz)... <i>New</i>	114	9012-70	Manual Step Attenuator (0-70 dB, 26.5 GHz, 2.92mm)	122
3200	Programmable Step Attenuators for OEM	135	9015-9	Manual Step Attenuator (0-9 dB, 40 GHz, 2.92mm)	122
	(SMA, 8-cell, 2/3 GHz)				
3200T	SmartStep Programmable Step Attenuators	141			
	(SMA, 8-cell, 2 GHz)				
3201	Programmable Step Attenuators for OEM	135			
	(SMA, 5-cell, 2 GHz)				
3201T	SmartStep Programmable Step Attenuators	141			
	(SMA, 5-cell, 2 GHz)				
3205	Programmable Step Attenuators for OEM	135			
	(SMA, 5-cell, 2/3 GHz)				
3205T	SmartStep Programmable Step Attenuators for OEM	141			
	(SMA, 4-cell, 2/3 GHz)				
3206	Programmable Step Attenuators for OEM	135			
	(SMA, 6-cell, 2/3 GHz)				
3206T	SmartStep Programmable Step Attenuators for OEM	141			
	(SMA, 6-cell, 2/3 GHz)				
3209	Programmable Step Attenuators for OEM	135			
	(SMA, 10-cell, 2 GHz)				
3209T	SmartStep Programmable Step Attenuators for OEM	141			
	(SMA, 10-cell, 2 GHz)				
3250	75 Ω RF Programmable Attenuators (SMA, 6-cell, 1 GHz)	144			
3250T	75 Ω SmartStep RF Programmable Attenuators	144			
	(SMA, 6-cell, 1 GHz)				
3330	General Purpose Attenuator (Round body)	23			
3331	General Purpose Attenuator (Hex body)	23			