

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| Part Number | Package | RoHS Compliant | EU RoHS Exemption Code | Halogen&Sb Free | Lead Free | Lead Finish | PFOS Free | MSL | Max.Temp. °C and Dwell Time |
|---------------------|----------|----------------|------------------------|-----------------|-----------|-------------|-----------|-----|-----------------------------|
| 1.5KE10-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE100-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE100A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE100C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE100CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE10A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE10C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE10CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE11-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE110-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE110A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE110C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE110CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE11A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE11C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE11CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE12-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE120-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE120A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE120C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE120CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE12A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE12C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE12CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE13-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1.5KE130-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE130A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE130C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE130CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE13A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE13C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE13CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE15-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE150-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE150A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE150C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE150CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE15A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE15C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE15CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE16-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE160-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE160A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE160C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE160CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE16A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE16C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE16CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE170-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE170A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE170C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE170CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1.5KE18-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE180-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE180A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE180C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE180CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE18A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE18C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE18CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE20-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE200-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE200A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE200C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE200CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE20A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE20C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE20CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE22-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE220-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE220A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE220C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE220CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE22A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE22C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE22CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE24-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE24A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE24C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1.5KE24CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE250-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE250A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE250C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE250CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE27-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE27A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE27C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE27CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE30-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE300-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE300A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE300C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE300CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE30A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE30C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE30CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE33-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE33A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE33C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE33CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE350-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE350A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE350C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE350CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE36-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE36A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1.5KE36C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE36CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE39-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE39A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE39C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE39CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE400-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE400A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE400C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE400CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE43-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE43A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE43C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE43CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE440-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE440A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE440C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE440CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE47-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE47A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE47C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE47CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE480-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE480A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE480C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE480CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE51-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1.5KE510-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE510A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE510C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE510CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE51A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE51C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE51CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE530-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE530A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE530C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE530CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE540-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE540A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE540C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE540CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE550-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE550A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE550C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE550CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE56-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE56A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE56C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE56CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE6.8-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE6.8A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE6.8C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE6.8CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1.5KE62-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE62A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE62C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE62CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE68-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE68A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE68C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE68CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE7.5-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE7.5A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE7.5C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE7.5CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE75-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE75A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE75C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE75CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE8.2-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE8.2A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE8.2C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE8.2CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE82-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE82A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE82C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE82CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE9.1-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE9.1A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE9.1C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| 1.5KE9.1CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE91-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE91A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE91C-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1.5KE91CA-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 10A01-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 10A02-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 10A03-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 10A04-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 10A05-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 10A06-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 10A07-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP100A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP100CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP110A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP110CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP120A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP120CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP130A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP130CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP150A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP150CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP160A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP160CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP170A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP170CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP17A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 15KP17CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP180A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP180CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP18A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP18CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP200A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP200CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP20A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP20CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP220A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP220CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP22A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP22CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP240A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP240CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP24A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP24CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP260A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP260CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP26A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP26CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP280A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP280CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP28A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP28CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP30A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP30CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 15KP33A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP33CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP36A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP36CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP40A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP40CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP43A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP43CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP45A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP45CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP48A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP48CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP51A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP51CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP54A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP54CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP58A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP58CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP60A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP60CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP64A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP64CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP70A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP70CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP75A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP75CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP78A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| 15KP78CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP85A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP85CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP90A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 15KP90CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1A1-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1A2-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1A3-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1A4-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1A5-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1A6-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1A7-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ10D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ11D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ12D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ13D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ14D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ15D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ16D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ17D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ18D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ19D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ20D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ22D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ24D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ27D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ30D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| 1EZ33D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ36D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ39D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ5.6D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ6.2D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ6.8D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ7.5D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ8.2D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1EZ9.1D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1F1-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F10-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F12-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F14-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F15-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F16-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F18-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F2-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F3-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F4-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F5-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F6-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1F7-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H1-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H1G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H2-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H2G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H3-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| 1H3G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H4-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H4G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H5-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H5G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H6-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H6G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H7-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1H7G-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N17-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N18-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N19-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY9.1G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY8.2G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY75G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY7.5G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY68G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY62G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY6.8G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY6.2G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY56G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY51G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY5.6G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY5.1G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY47G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY43G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY4.7G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| ZMY4.3G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY39G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4001-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4001GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4002-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4002GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4003-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4003GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4004-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4004GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4005-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4005GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4006-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4006GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4007-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4007GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY36G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY33G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY30G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY3.9G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY3.6G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY3.3G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY3.0G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY27G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY24G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY22G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY20G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|------------|---|---|-----------|---|-----------|---|---|---------------|
| ZMY18G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY16G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY15G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY13G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY12G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY11G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZMY10G-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX9V1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX8V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX7V5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX6V8-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX6V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX5V6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX5V1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX4V7-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX4V3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX3V9-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX3V6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4148W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N4148WX-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N4148X-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TZX3V3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX3V0-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX36-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX33-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4448W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N4448WX-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------------|---------|---|---|-----------|---|-----------|---|---|---------------|
| 1N4448X-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TZX30-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX2V7-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX2V4-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX27-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX24-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX22-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX20-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX18-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX16-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX15-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX14-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX13-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX12-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX11-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| TZX10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| SD101A-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| RB721Q-40-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| RB441Q-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG503-4000-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG503-4000-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG503-4000-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG503-4000-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG503-4000-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3470-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3470-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3470-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------------|-------|---|---|---|--|-----------|---|---|---------------|
| NTG502-3470-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3470-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3275-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3275-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3275-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3275-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG502-3275-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG403-3508-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG403-3508-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG403-3508-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG403-3508-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG403-3508-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG222-3950-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-4100-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-4100-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-4100-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-4100-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-4100-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-3697-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-3697-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-3697-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-3697-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG104-3697-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3950-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3950-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3950-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3950-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------------|-------|---|---|---|--|-----------|---|---|---------------|
| NTG103-3950-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3572-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3572-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3572-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3572-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3572-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3380-5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3380-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3380-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3380-10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| NTG103-3380-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ9.1C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ9.1B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ9.1A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ8.2C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ8.2B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ8.2A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ7.5C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ7.5B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ7.5A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ6.8C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ6.8B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ6.8A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ6.2C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ6.2B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ6.2A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ5.6C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| MTZJ5.6B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ5.6A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ5.1C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ5.1B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4933-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4933GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4934-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4934GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4935-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4935GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4936-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4936GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4937-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4937GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4942-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4942GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4944-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4944GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4946-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4946GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4947-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4947GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4948-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4948GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ5.1A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ4.7C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ4.7B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|---|---|--|-----------|---|---|---------------|
| MTZJ4.7A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ4.3C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ4.3B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ4.3A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ39D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ39C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ39B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ39A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ36D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ36C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ36B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ36A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ33D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ33C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ33B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ33A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ30D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ30C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ30B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ30A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ3.6B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ3.6A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ3.3B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ3.3A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ3.0B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ3.0A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ27D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|---|--|-----------|---|---|---------------|
| MTZJ27C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ27B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ27A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ24D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ24C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ24B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ24A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ22D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ22C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ22B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ22A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ20D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ20C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ20B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ20A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.7B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.7A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.4B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.4A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.2B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.2A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.0B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ2.0A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ18C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ18B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ18A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5338B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1N5339B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5340B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5341B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5342B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5343B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5344B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5345B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5346B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5347B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5348B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5348BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5349B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5349BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5350B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5350BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5351B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5351BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5352B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5352BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5353B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5353BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5354B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5354BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5355B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5355BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5356B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5356BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|--|--|-----------|---|---|---------------|
| 1N5357B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5357BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5358B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5358BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5359B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5359BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5360B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5360BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5361B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5361BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5362B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5362BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5363B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5363BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5364B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5364BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5365B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5365BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5366B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5366BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5367B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5367BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5368B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5368BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5369B-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5369BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5370BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| 1N5371BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5372BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5373BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5374BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5375BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5376BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5377BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5378BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5379BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5380BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5381BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5382BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5383BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5384BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5385BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5386BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5387BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5388BE-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5391-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5391GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5392-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5392GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5393-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5393GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5395-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5395GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5397-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| 1N5397GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5398-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5398GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5399-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5399GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5400-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5400GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5401-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5401GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5402-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5402GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5404-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5404GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5406-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5406GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5407-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5407GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5408-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5408GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ16C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5817-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5818-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5819-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5820-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5821-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5822-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ16B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|---|--|-----------|---|---|---------------|
| 1N5913BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ16A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5914BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ15C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5915BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ15B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5916BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ15A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5917BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ13C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5918BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ13B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5919BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ13A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5920BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ12C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5921BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ12B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5922BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ12A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5923BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ11C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5924BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ11B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5925BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ11A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5926BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|---|--|-----------|---|---|---------------|
| MTZJ10D-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5927BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ10C-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5928BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ10B-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5929BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MTZJ10A-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5930BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL759-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5931BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL758-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5932BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL757-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5933BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL756-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5934BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL755-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5935BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL754-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5936BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL753-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5937BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL752-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5938BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL751-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5939BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL750-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----------|---|----|---|--|-----------|---|---|---------------|
| 1N5940BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL749-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5941BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL748-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5942BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5943BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5944BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5945BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5946BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5947BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5948BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5949BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5950BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5951BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5952BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5953BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5954BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5955BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5956BP-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MLL747-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MLL746-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MJ431-BP | TO-3 | X | 7a | X | | Matte Tin | X | 1 | 260°C for 10s |
| MJ423-BP | TO-3 | X | 7a | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5276-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5275-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5274-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5273-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|-----------|---|---|---|--|-----------|---|---|---------------|
| MCL5272-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5271-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5270-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5269-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5268-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5267-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5266-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5265-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5264-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5263-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5262-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5261-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5260-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5259-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5258-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5257-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5256-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5255-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5254-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5253-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5252-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5251-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5250-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5249-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5248-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5247-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5246-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|-----------|---|---|-----------|---|-----------|---|---|---------------|
| MCL5245-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5244-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5243-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5242-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5241-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5240-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5239-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5238-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5237-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5236-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5235-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5234-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5233-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5232-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5231-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5230-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N914W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MCL5229-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5228-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5227-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5226-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5225-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5224-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5223-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5222-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL5221-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL4448-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-------------|---|----|-----------|---|-----------|---|---|---------------|
| MCL4148-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL103C-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL103B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MCL103A-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1S20-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1S30-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1S40-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1S50-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1S60-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1S80-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1SA0-TP/AP/BP | R-1 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| LSH9-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS181-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS184-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS193-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS196-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS226-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------------|---|----|-----------|---|-----------|---|---|---------------|
| LSH7-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS355-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS357-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS389-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS400-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1SS404-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 2A01-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2A02-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2A03-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2A04-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2A05-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2A06-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2A07-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ10D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ11D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ12D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ13D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ14D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ15D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ16D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ17D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ18D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ19D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ20D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ22D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ24D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|-----------|---|-----------|---|---|---------------|
| 2EZ27D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ30D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ33D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ36D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ39D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ43D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ47D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ5.6D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ51D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ56D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ6.2D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ6.8D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ62D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ68D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ7.5D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ75D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ8.2D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2EZ9.1D5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP005M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP01M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP02M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP04M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP06M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP08M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2KBP10M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2N2219A-BP | TO-39 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N2222A-BP | TO-18 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| 2N2905A-BP | TO-39 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N2907A-BP | TO-18 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N3055-BP | TO-3 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2N3501-BP | TO-39 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N3773-BP | TO-3 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2N3904-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N3906-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N4124-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N4400-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N4401-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N4402-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N4403-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N5321-BP | TO-39 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N5401-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N5551-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N6036-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N6045-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2N6107-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2N6388-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2N6517-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N6519-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N6520-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N7002-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N7002DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2N7002W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1012-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1013-O-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| 2SA1013-R-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1013-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1015-GR-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1015-O-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1015-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1036-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1037-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1162-GR-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1162-O-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1162-Y-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1201-O-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1201-Y-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1213-O-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1213-Y-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1576A-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1577-P-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1577-Q-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1577-R-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1585S-Q-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1585S-R-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1774-Q-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1774-R-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1774-S-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA1980-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA733-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA733-K-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA733-P-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|--------|---|--|-----------|---|-----------|---|---|---------------|
| 2SA733-Q-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA733-R-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA812-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA933AS-Q-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA933AS-R-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SA933AS-S-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1073-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1073-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1132-P-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1132-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1132-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1140-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1140-S-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1188-P-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1188-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1188-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1197-P-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1197-Q-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1197-R-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1260-P-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1260-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1260-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1308-P-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1308-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB1308-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB772-GR-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB772-O-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|----------|---|--|-----------|---|-----------|---|---|---------------|
| 2SB772-R-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SB772-Y-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1623-L6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1623-L7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1740S-Q-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1740S-R-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1740S-S-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1815-BL-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1815-GR-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1815-O-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1815-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC1959-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2001-K-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2001-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2001-M-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2216-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2383-O-BP | TO-92MOD | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2383-R-BP | TO-92MOD | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2383-Y-BP | TO-92MOD | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2389S-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2411-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2412-Q-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2412-R-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2412-S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2482-O-BP | TO-92MOD | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2482-Y-BP | TO-92MOD | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2712-BL-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| 2SC2712-GR-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2712-O-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2712-Y-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2881-O-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC2881-Y-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC3279-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC3279-M-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC3279-N-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC3279-P-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4081-A-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4081-B-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4081-C-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4097-P-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4097-Q-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4097-R-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4115S-Q-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4115S-R-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4115S-S-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4116-BL-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4116-GR-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4116-O-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4116-Y-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4617-Q-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4617-R-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4617-S-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4672-P-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC4672-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| 2SC5343-G-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC5343-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC5343-O-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC5343-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC945-BL-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC945-GR-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC945-O-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SC945-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD1898-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD2012-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2SD874-Q-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD874-R-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD874-S-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD880-GR-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2SD880-Q-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2SD880-Y-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 2SD882-GR-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD882-O-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD882-R-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2SD882-Y-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 2W005-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W005G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W01-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W01G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W02-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W02G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W04-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 2W04G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W06-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W06G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W08-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W08G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W10-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 2W10G-BP | WOL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP102A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP102CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP108A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP108CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP120A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP120CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP132A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP132CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP144A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP144CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP150A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP150CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP156A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP156CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP160A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP160CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP168A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP168CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP170A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP170CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 30KP180A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP180CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP198A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP198CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP216A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP216CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP240A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP240CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP258A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP258CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP260A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP260CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP270A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP270CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP280A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP280CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP288A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP288CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP28A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP28CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP30A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP30CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP33A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP33CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP36A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP36CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP39A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 30KP39CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP42A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP42CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP43A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP43CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP45A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP45CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP48A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP48CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP51A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP51CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP54A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP54CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP58A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP58CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP60A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP60CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP64A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP64CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP66A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP66CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP70A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP70CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP71A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP71CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP72A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP72CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| 30KP75A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP75CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP78A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP78CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP84A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP84CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP90A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP90CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP96A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30KP96CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 30S1-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S10-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S2-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S3-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S4-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S5-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S6-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 30S8-BP | T-18 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ11D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ12D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ13D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ14D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ15D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ16D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ17D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ18D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ19D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|--|--|-----------|---|---|---------------|
| 3EZ20D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ22D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ24D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ27D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ28D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ30D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ33D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ36D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3EZ39D5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP10-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP100-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP100A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP100C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP100CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP10A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP10C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP10CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP11-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP110-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP110A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP110C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP110CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP11A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP11C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP11CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP12-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP120-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 3KP120A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP120C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP120CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP12A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP12C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP12CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP13-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP130-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP130A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP130C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP130CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP13A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP13C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP13CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP14-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP14A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP14C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP14CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP15-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP150-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP150A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP150C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP150CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP15A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP15C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP15CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP16-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 3KP160-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP160A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP160C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP160CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP16A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP16C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP16CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP17-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP170-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP170A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP170C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP170CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP17A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP17C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP17CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP18-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP18A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP18C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP18CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP20-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP20A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP20C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP20CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP22-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP22A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP22C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP22CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 3KP24-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP24A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP24C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP24CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP26-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP26A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP26C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP26CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP28-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP28A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP28C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP28CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP30-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP30A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP30C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP30CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP33-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP33A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP33C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP33CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP36-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP36A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP36C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP36CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP40-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP40A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP40C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 3KP40CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP43-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP43A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP43C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP43CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP45-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP45A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP45C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP45CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP48-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP48A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP48C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP48CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP5.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP5.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP5.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP5.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP51-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP51A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP51C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP51CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP54-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP54A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP54C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP54CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP58-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP58A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 3KP58C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP58CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.5-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.5A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.5C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP6.5CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP60-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP60A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP60C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP60CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP64-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP64A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP64C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP64CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.5-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.5A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.5C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP7.5CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP70-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 3KP70A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP70C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP70CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP75-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP75A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP75C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP75CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP78-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP78A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP78C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP78CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.5-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.5A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.5C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP8.5CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP85-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP85A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP85C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP85CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP9.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP9.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP9.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP9.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| 3KP90-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP90A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP90C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3KP90CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5913B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5914B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5915B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5916B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5917B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5918B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5919B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5920B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5921B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5922B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5923B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5924B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5925B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5926B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5927B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5928B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5929B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5930B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5931B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5932B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5933B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5934B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5935B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| 3SMAJ5936B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5937B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5938B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5939B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5940B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5941B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5942B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMAJ5943B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5913B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5914B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5915B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5916B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5917B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5918B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5919B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5920B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5921B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5922B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5923B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5924B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5925B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5926B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5927B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5928B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5929B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5930B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5931B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| 3SMBJ5932B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5933B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5934B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5935B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5936B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5937B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5938B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5939B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5940B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5941B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 3SMBJ5942B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ100A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ110A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ11A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ11CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ120A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ12A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ12CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ130A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ13A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ13CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ14A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ14CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ150A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ15A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ15CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ160A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5.0SMLJ16A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ16CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ170A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ17A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ17CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ18A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ18CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ20A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ20CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ22A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ22CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ24A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ24CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ26A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ26CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ28A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ28CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ30A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ30CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ33A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ33CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ36A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ36CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ40A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ40CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ43A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ43CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5.0SMLJ45A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ45CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ48A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ51A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ54A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ58A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ60A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ64A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ70A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ75A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ78A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ85A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5.0SMLJ90A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP10-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP100-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP100A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP100C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP100CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP10A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP10C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP10CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP11-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP110-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP110A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP110C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP110CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP11A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5KP11C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP11CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP12-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP12A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP12C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP12CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP13-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP13A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP13C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP13CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP14-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP14A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP14C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP14CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP15-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP15A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP15C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP15CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP16-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP16A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP16C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP16CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP17-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP17A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP17C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP17CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP18-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5KP18A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP18C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP18CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP20-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP20A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP20C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP20CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP22-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP22A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP22C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP22CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP24-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP24A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP24C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP24CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP26-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP26A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP26C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP26CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP28-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP28A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP28C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP28CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP30-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP30A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP30C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP30CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5KP33-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP33A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP33C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP33CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP36-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP36A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP36C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP36CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP40-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP40A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP40C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP40CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP43-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP43A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP43C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP43CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP45-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP45A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP45C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP45CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP48-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP48A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP48C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP48CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP5.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP5.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP5.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5KP5.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP51-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP51A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP51C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP51CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP54-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP54A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP54C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP54CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP58-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP58A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP58C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP58CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.5-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.5A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.5C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP6.5CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP60-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP60A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP60C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP60CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP64-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP64A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| 5KP64C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP64CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.5-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.5A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.5C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP7.5CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP70-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP70A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP70C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP70CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP75-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP75A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP75C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP75CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP78-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP78A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP78C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP78CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.5-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| 5KP8.5A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.5AC-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP8.5C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP85-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP85A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP85C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP85CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP9.0-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP9.0A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP9.0C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP9.0CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP90-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP90A-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP90C-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 5KP90CA-TP/AP/BP | R-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 60S05-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 60S1-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 60S10-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 60S2-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 60S4-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 60S6-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 60S8-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A05-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A05G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A1-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A10-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A10G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| 6A1G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A2-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A2G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A4-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A4G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A6-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A6G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A8-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 6A8G-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C10-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C11-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C12-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C13-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C15-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C18-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C20-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C22-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C24-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C27-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C2V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C30-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C33-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C36-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C39-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C3V0-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C3V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| AZ23C3V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C3V9-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C43-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C47-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C4V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C4V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C51-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C5V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C5V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C6V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C6V8-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C7V5-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C8V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| AZ23C9V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| B5817WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| B5818WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| B5819WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BA157-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| BA158-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| BA159-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| BAR43-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAR43A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAR43C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAR43S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS116-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| BAS16TW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16V-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16WX-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS16X-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS19-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS19WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS20-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS20WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS21WX-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-04-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-04T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-05-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-05T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-06-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40-06T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40BRW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40DW-04-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| BAS40DW-05-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40DW-06-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40TW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40V-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS40WX-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAS516-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-04-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-04T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-05-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-05T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-06-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70-06T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70BRW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70DW-04-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70DW-05-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70DW-06-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70TW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70WT-04-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70WT-05-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70WT-06-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAS70WX-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| LSH7-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT42W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT42WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH7-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT43W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT43WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT46W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT54-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54ADW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54AT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54AWT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54BRW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54CDW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54CT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54CWT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54SDW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54ST-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54SWT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| BAT54TW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54V-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT54WX-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT60B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAT720-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH6-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV170-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV199-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV199DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV19W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV19WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV20W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV20WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV21W-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV21WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV23A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| BAV23C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV23S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV70-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV70DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV70T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV70WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV74-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV99-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV99BRW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV99DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV99T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAV99WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAW156-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAW56-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAW56DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAW56T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BAW56WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC327-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC327-16-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC327-25-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC327-40-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC328-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC328-16-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|--------|---|--|-----------|---|-----------|---|---|---------------|
| BC328-25-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC328-40-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC337-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC338-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC546-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC546B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC547-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC547A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC547B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC547C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC548-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC548A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC548B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC548C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC556-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC556B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC557-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC557A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC557B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC557C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC558-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC558B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC639-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC807-16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC807-25-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC807-40-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC817-16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BC817-25-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC817-40-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC846A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC846AW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC846B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC846BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC846S-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847AT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847AW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847BS-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847BT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847BV-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847CT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847CW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC847PN-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC848A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC848AW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC848B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC848BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC848C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC848CW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC856A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC856AW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BC856B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC856BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857AW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857BV-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857CW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC857S-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC858A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC858AW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC858B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC858BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC858C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC858CW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC868-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC868-10-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC868-16-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC868-25-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC869-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC869-16-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BC869-25-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCW66H-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCW68G-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCW68H-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX51-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| BCX51-10-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX51-16-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX55-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX55-10-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX55-16-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX56-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX56-10-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX56-16-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BCX70G-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD135-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD136-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD137-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD138-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD139-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD140-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD233-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD235-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD237-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD433-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD434-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD435-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD436-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BD437-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BDW93B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| BDX33D-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| BF420-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BF421-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|-------------|---|----|-----------|---|-----------|---|---|---------------|
| BF422-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BF423-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BR805DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BR810DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BR81DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BR82DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BR84DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BR86DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BR88DL-BP | BR-8D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| BUT11A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH5-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH4-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| LSH3-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH3-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH36-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH36-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH36-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH33-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH33-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH33-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH30-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH30-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH30-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH2-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH27-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH27-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH27-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH24-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B10S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B11S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B12S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B13S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B15S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZT52B16S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B18S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B20S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B22S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B24S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B27S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B30S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B33S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B36S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B39S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B4V3S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B4V3S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B4V7S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B5V1S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B5V6S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B6V2S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B6V8S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B7V5S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B8V2S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52B9V1S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C10-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C10S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C10T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C11-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C11S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C11T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C12-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZT52C12S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C12T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C13-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C13S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C13T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C15-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C15S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C15T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C16-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C16S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C16T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C18-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C18S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C18T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C20-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C20S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C20T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C22-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C22S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C22T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C24-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C24S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C24T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C27-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C27S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C27T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C2V4-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZT52C2V4S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C2V4T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C2V7-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C2V7S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C2V7T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C30-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C30S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C30T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C33-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C33S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C33T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C36-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C36S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C36T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C39-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C39S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C39T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V0-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V0S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V0T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V3-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V3S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V3T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V6-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V6S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V6T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V9-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZT52C3V9S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C3V9T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C4V3-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C4V3S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C4V3T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C4V7-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C4V7S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C4V7T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C5V1-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C5V1S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C5V1T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C5V6-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C5V6S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C5V6T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C6V2-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C6V2S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C6V2T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C6V8-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C6V8S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C6V8T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C7V5-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C7V5S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C7V5T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C8V2-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C8V2S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C8V2T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C9V1-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| BZT52C9V1S-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZT52C9V1T-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LSH24-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH24-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH22-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH22-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH22-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH20-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH20-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH20-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH18-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH18-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH18-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH16-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH16-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH16-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH15-3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH15-2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH15-1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH12-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|-------------|---|---|---|--|-----------|---|---|---------------|
| LSH12-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-C3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-C2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-C1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-B3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-B2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-B1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-A3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-A2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSH11-A1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LSDB3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5276-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5275-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5273-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5272-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5269-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5268-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5267-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5266-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5265-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5264-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5263-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5262-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5261-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5260-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5259-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5258-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-------------|---|---|-----------|---|-----------|---|---|---------------|
| LS5257-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5256-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5255-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5254-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5253-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5252-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5251-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5250-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5249-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5248-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5247-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5246-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5245-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5244-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5243-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5242-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5241-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5240-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5239-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5238-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5237-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5236-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5235-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5234-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5233-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5232-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C10-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZX384C11-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C12-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C13-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C16-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C18-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C20-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C22-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C24-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C27-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C2V4-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C2V7-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C30-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C33-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C36-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C39-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C3V0-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C3V6-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C3V9-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C4V3-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C4V7-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C5V1-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C5V6-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C6V2-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C6V8-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C7V5-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C8V2-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX384C9V1-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|-------------|---|---|---|--|-----------|---|---|---------------|
| LS5231-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5230-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5229-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5228-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5227-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5226-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5225-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5224-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5223-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5222-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS5221-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4713-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4711-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4707-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4705-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4704-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4703-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4702-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4701-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4700-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4699-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4698-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4697-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4696-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4695-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4694-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4693-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|-------------|---|---|---|--|-----------|---|---|---------------|
| LS4692-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4691-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4690-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4689-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4688-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4687-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4686-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4685-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4684-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4683-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4682-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4681-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4680-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4679-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4678-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS4148-TP | QUADRO MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS103C-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS103B-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LS103A-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ9V1C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ9V1B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ9V1A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ8V2C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ8V2B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ8V2A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ7V5C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ7V5B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|----------|---|---|-----------|---|-----------|---|---|---------------|
| LLZ7V5A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ6V8C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ6V8B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ6V8A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ6V2C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ6V2B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ6V2A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ5V6C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ5V6B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ5V6A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ5V1C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ5V1B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ5V1A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ56-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ51-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ4V7C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ4V7B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ4V7A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ4V3C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ4V3B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ4V3A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ47-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ43-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V9B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V9A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B10-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B11-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZX84B12-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B13-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B15-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B18-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B20-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B22-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B24-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B27-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B30-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B33-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B36-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B39-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B4V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B4V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B5V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B5V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B6V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B6V8-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B7V5-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B8V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84B9V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C10-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C10W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C11-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C11W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C12-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZX84C12W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C13-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C13W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C15-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C15W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C16W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C18-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C18W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C20-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C20W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C22-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C22W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C24-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C24W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C27-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C27W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C2V4-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C2V4W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C2V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C2V7W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C30-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C33-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C33W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C36-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C36W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C39-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| BZX84C39W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V0-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V0W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V3W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V6W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V9-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3V9W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C3W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C43-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C47-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C4V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C4V3W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C4V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C4V7W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C51-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C5V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C5V1W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C5V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C5V6W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C6V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C6V2W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C6V8-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C6V8W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C7V5-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C7V5W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|----------|---|---|-----------|---|-----------|---|---|---------------|
| BZX84C8V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C8V2W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C9V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| BZX84C9V1W-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V6B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V6A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V3B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V3A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V0B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ3V0A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39G-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39F-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39E-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ39A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ36D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ36C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ36B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ36A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ33D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ33C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ33B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ33A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ30D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ30C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|----------|---|----|-----------|---|-----------|---|---|---------------|
| LLZ30B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ30A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ2V7B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ2V7A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ2V4B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ2V4A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ27D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ27C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ27B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ27A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ24D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ24C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ24B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| CMPSH-3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| CMPSH-3A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| CMPSH-3C-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| CMPSH-3S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| D965-R-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| D965-T-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DAN222-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DAP222-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DB101-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB102-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB103-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB104-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB105-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB106-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|----------|---|----|---|--|-----------|---|---|---------------|
| DB107-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB151-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB152-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB153-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB154-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB155-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB156-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB157-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB201-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB202-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB203-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB204-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB205-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB206-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DB207-BP | DB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ24A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ22D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ22C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ22B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4001-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4002-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4003-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4004-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4005-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4006-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4007-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ22A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-----------|---|---|---|--|-----------|---|---|---------------|
| LLZ20D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ20C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ20B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ20A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ18C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ18B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ18A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ16C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ16B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ16A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ15C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ15B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ15A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ13C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ13B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ13A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ12C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ12B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ12A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ11C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ11B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ11A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ10D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ10C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ10B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLZ10A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS9.1B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-----------|---|---|---|--|-----------|---|---|---------------|
| LLUDZS8.2B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS7.5B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS6.8B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS6.2B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS5.6B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS5.1B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS4.7B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS4.3B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS36B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS33B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS30B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS3.9B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS3.6B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS27B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS24B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS22B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS20B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS18B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS16B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS15B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS13B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS12B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS11B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLUDZS10B-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLSD103C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLSD103B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLSD103A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|----------|---|----|---|--|-----------|---|---|---------------|
| LLSD101C-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLSD101B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLSD101A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LLDB3-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LL85-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LL60P-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LL60-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LL48-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H9-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4933-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4934-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4935-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4936-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4937-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| H7-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-------|---|---|---|--|-----------|---|---|---------------|
| H7-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H7-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H6-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H5-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-------|---|---|---|--|-----------|---|---|---------------|
| H4-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H4-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H3-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H36-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H36-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H36-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H33-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H33-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H33-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H30-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H30-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H30-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H2-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H2-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H2-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H2-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H2-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H2-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|---|---|--|-----------|---|---|---------------|
| H2-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H27-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H27-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H27-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H24-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H24-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H24-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H22-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H22-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H22-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H20-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H20-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H20-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H18-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H18-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H18-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H16-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H16-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H16-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H15-3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H15-2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H15-1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|----------|---|----|---|---|-----------|---|---|---------------|
| DL5817-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL5818-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL5819-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| H12-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H12-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-C3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-C2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-C1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-B3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-B2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-B1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-A3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-A2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| H11-A1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34M-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34K-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34J-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34G-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34D-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GL34A-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| FMMT591-TP | SOT-23 | X | | X | X | Matte Tin | X | 1 | 260°C for 10s |
| FMMT491-TP | SOT-23 | X | | X | X | Matte Tin | X | 1 | 260°C for 10s |
| ERD9.1FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD9.1FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|--------|---|---|---|--|-----------|---|---|---------------|
| ERD9.1FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD9.1FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD8.2FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD8.2FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD8.2FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD8.2FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD75FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD7.5FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD7.5FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD7.5FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD7.5FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD68FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD62FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.8FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.8FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.8FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.8FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.2FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.2FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.2FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD6.2FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD56FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD51FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.6FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.6FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.6FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.6FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|--------|---|---|---|--|-----------|---|---|---------------|
| ERD5.1FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.1FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.1FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD5.1FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD47FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD43FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.7FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.7FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.7FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.7FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.3FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.3FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.3FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD4.3FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD39FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD36FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD33FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD30FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.9FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.9FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.9FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.6FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.6FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.6FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.3FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.3FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.3FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|--------|---|----|---|--|-----------|---|---|---------------|
| ERD3.0FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.0FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD3.0FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD27FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD24FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD22FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD20FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD2.7FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD2.7FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD2.7FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD2.4FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD2.2FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD2.0FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD18FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD16FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD15FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD13FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD12FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD12FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD12FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLFR106-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLFR107-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSF11-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSF12-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSF13-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSF14-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSF16-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|----------|---|----|---|--|-----------|---|---|---------------|
| DLSF18-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSR1010-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSR106-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DLSR108-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ERD12FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD11FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD11FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD11FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD11FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD10FB3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD10FB2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD10FB1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ERD10FB-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ9.1B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ8.2B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ7.5B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ6.8B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ6.2B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ5.6B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ5.1B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ4.7B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ4.3B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ39B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ36B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ33B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ30B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ3.9B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|----|-----------|---|-----------|---|---|---------------|
| DLZ3.6B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ27B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ24B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DMMT3904-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DMMT3906-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DR750-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DR751-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DR7510-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DR752-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DR754-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DR756-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DR758-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DTA114ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA114EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA114EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA114TCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA114TE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA114TUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA114YCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA123JCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA123JE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA123JUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA124ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA124EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA124EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA143ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA143EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| DTA143EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA143ZCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA143ZE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA143ZUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA144ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA144EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTA144EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC113ZUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114TCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114TE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114TUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114YCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114YE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC114YUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC123JCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC123JUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC124ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC124EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC124EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC143TUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC143ZCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC144ECA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC144EE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC144EUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| DTC144TCA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC144TE-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DTC144TUA-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C10-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C11-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C12-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C13-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C14-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C15-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C16-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C17-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C18-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C20-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C22-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C24-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C27-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C28-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C2V4-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C2V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C30-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C33-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C36-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C39-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C3V0-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C3V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C3V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C3V9-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| DZ23C43-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C47-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C4V3-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C4V7-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C51-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C56-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C5V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C5V6-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C62-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C68-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C6V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C6V8-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C75-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C7V5-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C8V2-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| DZ23C9V1-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| EM513-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| EM516-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| EM518-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER10A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER10B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER10D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER10G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1A-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1C-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1D-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| ER1G-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1J-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1K-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1M-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER1Q-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2A-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2D-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2G-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2J-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2K-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER2M-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER300-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER301-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER301A-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER302-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER303-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER304-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER306-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3A-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3AB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3A-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3B-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3BB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3B-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3C-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3CB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| ER3D-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3DB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3D-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3G-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3GB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3G-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3J-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3JB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3J-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3K-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER3M-HT-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER6A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER6B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER6D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER6G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER8A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER8B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER8D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER8G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ER8J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ22B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ20B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ18B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ16B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ15B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ13B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ12B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|------------|---|---|---|--|-----------|---|---|---------------|
| DLZ11B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DLZ10B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL982B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL979B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL978B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL975B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL974B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL973B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL972B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL971B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL970B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL969B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL968B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL967B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL966B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL965B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL964B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL963B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL962B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL961B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL960B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL959B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL958B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL957B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL914-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL85C9V1-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 45s |
| DL85C8V2-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 44s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|------------|---|---|---|--|-----------|---|---|---------------|
| DL85C7V5-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 43s |
| DL85C75-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 42s |
| DL85C6V8-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 41s |
| DL85C6V2-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 40s |
| DL85C68-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 39s |
| DL85C62-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 38s |
| DL85C5V6-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 37s |
| DL85C5V1-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 36s |
| DL85C56-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 35s |
| DL85C51-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 34s |
| DL85C4V7-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 33s |
| DL85C4V3-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 32s |
| DL85C47-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 31s |
| DL85C43-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 30s |
| DL85C3V9-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 29s |
| DL85C3V6-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 28s |
| DL85C3V3-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 27s |
| DL85C3V0-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 26s |
| DL85C39-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 25s |
| DL85C36-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 24s |
| DL85C33-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 23s |
| DL85C30-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 22s |
| DL85C2V7-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 21s |
| DL85C27-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 20s |
| DL85C24-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 19s |
| DL85C22-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 18s |
| DL85C20-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 17s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| DL85C18-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 16s |
| DL85C16-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 15s |
| DL85C15-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 14s |
| DL85C13-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 13s |
| DL85C12-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 12s |
| DL85C11-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 11s |
| DL85C10-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL759-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL758-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL757-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL756-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL755-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL754-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL753-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL752-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL751-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL750-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL748-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL747-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL746-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL6263-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5942B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5941B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5940B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ES1A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1AE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1B-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| ES1BE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1CE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1D-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1DE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1G-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1GE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1J-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1JE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1K-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1KE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1M-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES1ME-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2B-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2D-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2G-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2J-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2K-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ES2M-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| ESDB101-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ESDB102-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ESDB103-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL5939B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5938B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| FR101-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR101GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR102-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| FR102GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR103-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR103GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR104-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR104GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR105-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR105GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR106-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR106GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR107-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR107GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR10M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR151-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR151GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR151S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR152-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR152GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR152S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR153-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR153GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR153S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| FR154-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR154GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR154S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR155-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR155GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR155S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR156-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR156GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR156S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR157-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR157GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR157S-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1A-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1D-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1G-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1J-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1K-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1M-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1Q-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR1V-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR201-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR201GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR202-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR202GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR203-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR203GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| FR204-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR204GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR205-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR205GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR206-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR206GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR207-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR207GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2504-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FR2A-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2D-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2G-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2J-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2K-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR2M-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR301-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR301GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR302-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR302GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR303-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR303GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR304-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR304GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR305-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR305GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR306-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| FR306GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR307-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR307GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3A-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3AB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3B-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3BB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3D-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3DB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3G-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3GB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3J-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3JB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3K-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3KB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3M-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR3MB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR501-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR502-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR503-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR504-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR505-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR506-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR507-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR601-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR601GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR602-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|----|-----------|--|-----------|---|---|---------------|
| FR602GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR603-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR603GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR604-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR604GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR605-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR605GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR606-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR606GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR607-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR607GP-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR6M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FR8M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FRA254GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRA801G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|----|-----------|--|-----------|---|---|---------------|
| FRA802G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRA803G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRA804G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRA805G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRA806G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRA807G-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FRB2504-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| FS1A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1AE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1B-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1BE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1B-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1D-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1DE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1D-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1G-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1GE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1G-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1J-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1JE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1J-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1K-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1KE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1K-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1M-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS1ME-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|---------------|---|----|-----------|--|-----------|---|---|---------------|
| FS1M-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2B-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2B-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2D-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2D-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2G-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2G-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2J-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2J-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2K-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2K-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2M-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FS2M-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FSM11PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FSM12PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FSM13PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FSM14PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FSM15PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| FSM16PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| G2SB20-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| G2SB60-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| G2SB80-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ10005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1001-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1002-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|-----|---|----|--|--|-----------|---|---|---------------|
| GBJ1004-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1006-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1008-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1010-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ15005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1501-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1502-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1504-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1506-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1508-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ1510-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ20005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2001-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2002-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2004-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2006-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2008-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2010-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ25005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2501-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2502-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2504-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2506-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2508-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2510-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ2512-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ35005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|-----|---|----|--|--|-----------|---|---|---------------|
| GBJ3501-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ3502-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ3504-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ3506-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ3508-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ3510-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ6005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ601-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ602-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ604-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ606-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ608-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ610-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ8005-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ801-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ802-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ804-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ806-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ808-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBJ810-BP | GBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL005-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL01-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL02-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL04-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL06-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL08-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBL10-BP | GBL | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|-----|---|----|--|--|-----------|---|---|---------------|
| GBU10A-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU10B-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU10D-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU10G-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU10J-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU10K-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU10M-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4A-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4B-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4D-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4G-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4J-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4K-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU4M-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6A-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6B-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6D-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6G-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6J-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6K-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU6M-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU8A-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU8B-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU8D-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU8G-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU8J-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GBU8K-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| GBU8M-BP | GBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL5937B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5936B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5935B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5934B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5933B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5932B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5931B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| GPA801-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA801DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA802-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA802DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA803-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA803DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA804-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA804DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA805-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA805DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA806-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA806DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA807-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GPA807DT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| GS1A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1AE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1AG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1B-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|------|---|----|-----------|--|-----------|---|---|---------------|
| GS1BE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1BG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1B-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1D-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1DE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1DG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1D-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1G-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1GE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1GG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1G-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1J-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1JE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1JG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1J-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1K-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1KE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1KG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1K-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1M-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1ME-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1MG-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS1M-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2B-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2B-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| GS2D-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2D-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2G-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2G-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2J-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2J-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2K-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2K-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2M-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| GS2M-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| DL5930B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5929B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5928B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5927B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5926B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5925B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5924B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5923B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5922B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5921B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5920B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5919B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5918B-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5711-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5546B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5545B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5544B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|----------|---|---|---|--|-----------|---|---|---------------|
| DL5543B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5542B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5541B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5540B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5539B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5538B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5537B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5536B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5535B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5534B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5533B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5532B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5531B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5530B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5529B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5528B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5527B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5526B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5525B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5524B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5523B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5522B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5521B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5520B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5519B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5518B-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5276-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|----------|---|---|---|--|-----------|---|---|---------------|
| DL5275-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5274-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5273-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5272-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5271-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5270-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5269-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5268-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5267-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5266-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5265-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5264-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5263-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5262-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5261-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5260-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5259-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5258-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5257-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5256-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5255-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5254-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5253-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5252-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5251-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5250-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5249-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|----------|---|---|---|--|-----------|---|---|---------------|
| DL5248-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5247-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5246-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5245-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5244-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5243-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5242-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5241-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5240-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5239-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5238-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5237-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5236-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5235-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5234-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5233-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5232-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5231-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5230-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5229-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5228-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5227-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5226-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5225-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5224-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5223-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL5222-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|------------|---|----|-----------|--|-----------|---|---|---------------|
| DL5221-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4761-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4760-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4759-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4758-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4757-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4756-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4755-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4754-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4753-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| HER101-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER101G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER101S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER102-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER102G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER102S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER103-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER103G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER103S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER104-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER104G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER104S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER105-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER105G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER105S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER106-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER106G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| HER106S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER107-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER107G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER107S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER108-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER108G-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER108S-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER151-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER152-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER153-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER154-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER155-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER156-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER157-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER158-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER201-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER201G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER202-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER202G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER203-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER203G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER204-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER204G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER205-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER205G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER206-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER206G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| HER207-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER207G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER208-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER208G-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER301-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER301G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER302-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER302G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER303-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER303G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER304-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER304G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER305-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER305G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER306-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER306G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER307-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER307G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER308-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER308G-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER501-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER502-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER503-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER504-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER505-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER506-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER507-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|----|-----------|---|-----------|---|---|---------------|
| HER508-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER601-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER602-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER603-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER604-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER605-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER606-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER607-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HER608-TP/AP/BP | R-6 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| HM4033-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KBJ4005G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ401G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ402G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ404G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ406G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ408G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ410G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ6005G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ601G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ602G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ604G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ606G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ608G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBJ610G-BP | KBJ | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP005M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP01M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP02M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|------|---|----|--|--|-----------|---|---|---------------|
| KBP04M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP06M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP08M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP10M-BP | KBPM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP2005-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP2005G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP201-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP201G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP202-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP202G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP204-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP204G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP206-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP206G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP208-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP208G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP210-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP210G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP3005-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP3005G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP301-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP301G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP302-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP302G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP304-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP304G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP306-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|-----------|---|-----------|---|---|---------------|
| KBP306G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP308-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP308G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP310-BP | KBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBP310G-BP | GBP | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4A-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4B-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4D-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4G-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4J-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4K-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU4M-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8A-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8B-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8D-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8G-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8J-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8K-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KBU8M-BP | KBU | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616A-G-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616A-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616-G-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD1616-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD471A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|----|-----------|---|-----------|---|---|---------------|
| KSD471A-G-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD471A-O-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KSD471A-Y-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA1267-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA1267-GR-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA1267-O-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA1267-Y-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA2014-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA2014-GR-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA2014-O-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTA2014-Y-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC3199-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC3199-BL-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC3199-GR-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC3199-O-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC3199-Y-BP | TO-92S | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC4075-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC4075-BL-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC4075-GR-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC4075-O-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| KTC4075-Y-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| LCE10A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE11A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE12A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE13A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE14A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE15A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|------------|---|----|---|--|-----------|---|---|---------------|
| LCE16A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE17A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE18A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE20A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE22A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE24A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE26A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE28A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE6.5A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE7.0A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE7.5A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE8.0A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE8.5A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LCE9.0A-TP/AP/BP | DO-201AE | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4752-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LL5817-TP | MINIMELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LL5818-TP | MINIMELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| LL5819-TP | MINIMELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| DL4751-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4750-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4749-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4748-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4747-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4746-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4745-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4744-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4743-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|------------|---|---|---|--|-----------|---|---|---------------|
| DL4742-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4741-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4740-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4739-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4738-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4737-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4736-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4735-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4734-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4733-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4732-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4731-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4730-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4729-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4728-TP | GLASS MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4713-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4711-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4707-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4705-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4704-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4703-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4702-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4701-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4700-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4699-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4698-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4697-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|----------|---|---|---|--|-----------|---|---|---------------|
| DL4696-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4695-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4694-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4693-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4692-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4691-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4690-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4689-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4688-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4687-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4686-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4685-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4684-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4683-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4682-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4681-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4680-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4679-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4678-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4454-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4448-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4446-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4154-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4151-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4150-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DL4148-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DC34-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|--------|---|---|---|--|-----------|---|---|---------------|
| DB6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DB4-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| DB3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C9V1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C8V2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C7V5-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C75-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C6V8-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C6V2-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C68-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C62-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C5V6-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C5V1-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C56-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C51-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C4V7-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C4V3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C47-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C43-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C3V9-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C3V6-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C3V3-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C3V0-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C39-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C36-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C33-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C30-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|--------|---|---|---|--|-----------|---|---|---------------|
| BZX85C2V7-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C27-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C24-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C22-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C20-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C18-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C16-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C15-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C13-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C12-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C11-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX85C10-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C9V1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C8V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C7V5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C75-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C6V8-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C6V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C68-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C62-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C5V6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C5V1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C56-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C51-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C4V7-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C4V3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C47-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|---------|---|----|-----------|--|-----------|---|---|---------------|
| BZX79C43-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C3V9-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C3V6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C3V3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C3V0-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C39-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C36-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C33-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C30-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C2V7-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C2V4-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C27-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C24-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C22-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C20-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C18-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C16-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C15-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| LM317DT-TP/BP | D2-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| LM317T-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C13-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C12-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C11-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX79C10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C9V1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C91-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C8V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|---|---|--|-----------|---|---|---------------|
| BZX55C82-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C7V5-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C75-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C6V8-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C6V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C68-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C62-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C5V6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C5V1-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C56-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C51-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C4V7-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C4V3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C47-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C43-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C3V9-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C3V6-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C3V3-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C3V0-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C39-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C36-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C33-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C30-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C2V7-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C2V4-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C2V2-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C2V0-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|----------|---|---|---|--|-----------|---|---|---------------|
| BZX55C27-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C24-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C22-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C20-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C18-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C16-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C15-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C13-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C12-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C11-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C100-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZX55C10-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C9V1-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C8V2-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C7V5-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C75-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C6V8-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C6V2-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C68-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C62-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C5V6-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C5V1-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C56-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C51-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C4V7-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C4V3-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C47-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-------------|---|---|---|--|-----------|---|---|---------------|
| BZV55C43-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C3V9-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C3V6-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C3V3-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C3V0-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C39-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C36-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C33-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C30-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C2V7-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C2V4-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C2V2-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C2V0-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C27-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C24-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C22-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C20-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C18-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C16-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C15-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C13-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C12-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C11-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZV55C10-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C9V1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C8V2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C7V5-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-------------|---|---|---|--|-----------|---|---|---------------|
| BZT55C75-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C6V8-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C6V2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C68-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C62-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C5V6-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C5V1-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C56-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C51-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C4V7-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C4V3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C47-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C43-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C3V9-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C3V6-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C3V3-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C3V0-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C39-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C36-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C33-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C30-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C2V7-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C2V4-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C2V2-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C2V0-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C27-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C24-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-------------|---|---|---|--|-----------|---|---|---------------|
| BZT55C22-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C20-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C18-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C16-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C15-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C13-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C12-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C11-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZT55C10-TP | Quadro MELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C9V1-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C8V2-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C7V5-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C75-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C6V8-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C6V2-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C68-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C62-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C5V6-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C5V1-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C56-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C51-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C4V7-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C4V3-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C47-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C43-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C3V9-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C3V6-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-----------|---|---|---|--|-----------|---|---|---------------|
| BZM55C3V3-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C3V0-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C39-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C36-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C33-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C30-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C2V7-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C2V4-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C2V2-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C2V0-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C27-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C24-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C22-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C20-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C18-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C16-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C15-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C13-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C12-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C11-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BZM55C10-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV303-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV302-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV301-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV300-TP | MICROMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV21-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV20-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|---|---|--|-----------|---|---|---------------|
| BAV19-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV103-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV102-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV101-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAV100-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT86-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT85-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT48-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT46-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT45-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT43-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAT42-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAS85-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAS48-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| BAS32L-TP | MINIMELF | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS953-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS265-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS244-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS136-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1SS133-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N982B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N979B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N978B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N975B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N974B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N973B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N972B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| 1N971B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| M1-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| M2-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| M28S-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| M28S-B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| M28S-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| M28S-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| M3-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| M4-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| M5-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| M6-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| M7-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MB05M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB05S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1005-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB101-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1010-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB102-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB104-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB106-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB108-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB10M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB10S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1505-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1505W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB151-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1510-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|--------|---|----|--|--|-----------|---|---|---------------|
| MB1510W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB151W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB152-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB152W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB154-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB154W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB156-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB156W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB158-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB158W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB1S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB2505-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB2505W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB251-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB2510-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB2510W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB251D-BP | MB-35D | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB251W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB252-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB252W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB254-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB254W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB256-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB256W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB258-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB258W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|--------|---|----|--|--|-----------|---|---|---------------|
| MB2M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB2S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB3505-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB3505W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB351-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB3510-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB3510W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB351W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB352-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB352W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB354-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB354W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB356-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB356W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB358-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB358W-BP | MB-35W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB4M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB4S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB5005-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB501-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB5010-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB502-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB504-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB506-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB508-BP | MB-35 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB6M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB6S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|---------|---|----|-----------|--|-----------|---|---|---------------|
| MB805-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB81-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB810-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB82-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB84-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB86-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB88-BP | BR-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB8M-BP | MB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MB8S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR0520-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MBR0530-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MBR0540-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MBR0560-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10100-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10100CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10100F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10100FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10150-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10150CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR10150FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1020-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1020F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1020FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1030-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1030CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1030F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1030FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|----|--|--|-----------|---|---|---------------|
| MBR1035-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1035CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1040-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1040CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1040F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1040FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1045-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1045CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1045FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1050CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1050F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1050FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1060-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1060CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1060F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1060FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1080-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1080CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1080F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1080FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1090F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR15100-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR15100CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1520-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1520CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1530-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1530CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|---------|---|----|--|--|-----------|---|---|---------------|
| MBR1535-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1535CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1540-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1540CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1545-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1545CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1560-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1560CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1580-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1580CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR16100CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR16100FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1620-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1620CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1620FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1630-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1630CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1630FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1635-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1635CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1640-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1640CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1640FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1645-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1645CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1650FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1660-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|---------|---|----|--|--|-----------|---|---|---------------|
| MBR1660CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1660FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR1680FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20100-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20100CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20100FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20120CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20120FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20150CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20150FCT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2020-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20200CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR20200FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2020CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2020FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2030-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2030CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2030FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2035-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2035CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2040-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2040CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2040FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2045-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2045CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2045FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2050FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|---------|---|----|--|--|-----------|---|---|---------------|
| MBR2060-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2060CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2060FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2080-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2080CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2080FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2520CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2530CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2535CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2535FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2540CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2545CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2545FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2550FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2560CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR2560FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR30100FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR30100PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR30150CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR30150FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR30150PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3020FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3020PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3030CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3030FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3030PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3035CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|---------|---|----|--|--|-----------|---|---|---------------|
| MBR3035PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3040CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3040FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3040PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3045CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3045FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3045PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3060CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3060FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3060PT-BP | TO-247 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR3080FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR545-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR545F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR720-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR730-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR735-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR740-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR745-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR760-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR8100-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR870-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR880-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBR890-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB10100CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB10200CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1030CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1035CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|---------|---|----|--|--|-----------|---|---|---------------|
| MBRB1040CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1045CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1050CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1060CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB15100CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1520CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1530CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1535CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1540CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1545CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1560CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1580CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1620CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1630CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1635CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1640CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1645CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB1660CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB20100CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB20200CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2020CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2030CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2035CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2040CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2045CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2060CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2080CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| MBRB2520CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2530CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2535CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2540CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2545CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB2560CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB3030CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB3040CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB3060CT-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB8100-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB820-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB830-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB840-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB850-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB860-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRB880-TP/BP | D2-PACK | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MBRX02520-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX02530-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX02540-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX02550-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX02560-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX0520-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX0530-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX0540-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX0560-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MBRX120-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MBRX130-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| MBRX140-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MBRX160-TP | SOD-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC551-30-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC7805CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC7806CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC7808CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC78L05BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78L05F-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78L06BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78L06F-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78L08BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78L08F-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78L09BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC78M05ACDT-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC78M05CDT-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC78M06ACDT-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC78M06CDT-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC78M08ACDT-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC78M08CDT-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC7905CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC7906CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC7908CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC7909CT-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MC79L05BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC79L05F-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC79L06BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC79L06F-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|--------|---|---|-----------|---|-----------|---|---|---------------|
| MC79L08BP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MC79L08F-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MCCD2004S-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N970B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N969B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N968B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N967B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N966B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N965B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N964B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N963B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N962B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N961B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N960B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N959B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N958B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N957B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N914B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N914A-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N914-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N759-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N758-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N757-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N756-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N755-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N754-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N753-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|---|---|--|-----------|---|---|---------------|
| 1N752-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N751-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N750-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N749-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N748-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N747-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N746-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6263-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N60P-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6016B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6015B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6014B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6013B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6012B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6011B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6010B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6009B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6008B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6007B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6006B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6005B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6004B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6003B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6002B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6001B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N6000B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N60-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|----|-----------|--|-----------|---|---|---------------|
| 1N5999B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5998B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5997B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5996B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5995B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5994B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5993B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5992B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5991B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5990B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1201-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1202-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1203-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1204-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1205-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1206-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1207-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1601-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1602-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1603-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1604-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1605-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1606-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MGR1607-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5989B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5988B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MJD122-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| MJD127-TP/BP | D-PACK | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MJE13001-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MJE13002-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MJE13002B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MJE13003-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MJE13003A-BP | TO-126 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MJE13003B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MJE13005-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MJE13007-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MJE13007F-BP | ITO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5987B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5985B-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5942B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5941B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5940B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5939B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5938B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5937B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5936B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5935B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5934B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5933B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5932B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5931B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1501-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1501A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1503-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMBD1503A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1504-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1504A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1505-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD1505A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD301-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4148-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4148CA-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4148CC-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4148SE-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4148TW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4148WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448DW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HADW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HAQW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HCDW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HCQW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HSDW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HTA-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HTC-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HTS-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448HTW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448V-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD4448WT-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD6050-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMBD7000-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBD914-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT2222A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT2222AT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT2907A-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT2907AT-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT3904-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT3904T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT3906-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT3906T-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT4401-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT4403-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT5401-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBT5551-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA05-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA06-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA13-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA14-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA28-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA42-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA43-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA55-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA56-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTA92-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBTH10-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5221B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5221BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMBZ5222B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5222BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5223B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5223BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5225B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5225BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5226B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5226BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5227B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5227BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5228B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5228BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5229B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5229BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5230B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5230BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5231B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5231BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5232B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5232BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5234B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5234BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5235B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5235BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5236B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5236BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5237B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMBZ5237BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5239B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5239BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5240B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5240BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5241B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5241BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5242B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5242BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5243B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5243BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5245B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5245BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5246B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5246BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5248B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5248BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5250B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5250BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5251B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5251BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5252B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5252BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5254B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5254BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5255B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5255BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMBZ5256B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5256BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5257B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5257BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5258B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5258BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5259B-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMBZ5259BW-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDL914-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT2222A-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT2227-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT3904-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT3904V-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT3906-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT3906V-TP | SOT-563 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT3946-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT4401-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT4403-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT4413-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT5401-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMDT5551-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS8050-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS8550-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9012-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9012-H-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9012-L-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9013-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMS9013-H-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9013-L-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9014-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9015-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMS9018-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSD914-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSS8050-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSS8550-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST2222A-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST2907A-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST3904-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST3906-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST4401-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST4403-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST5401-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMST5551-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSTA42-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSTA92-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4678-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4679-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4680-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4681-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4682-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4683-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4684-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4685-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4686-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMSZ4687-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4688-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4689-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4690-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4691-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4692-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4693-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4694-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4695-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4696-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4697-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4698-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4699-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4700-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4701-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4702-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4703-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4704-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4705-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4707-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4711-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ4713-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5221B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5221C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5222B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5222C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5223B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMSZ5223C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5225B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5225C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5226B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5226C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5227B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5227C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5228B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5228C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5229B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5229C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5230B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5230C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5231B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5231C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5232B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5232C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5234B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5234C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5235B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5235C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5236B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5236C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5237B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5237C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5239B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5239C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMSZ5240B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5240C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5241B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5241C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5242B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5242C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5243B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5243C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5245B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5245C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5246B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5246C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5248B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5248C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5250B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5250C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5251B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5251C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5252B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5252C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5254B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5254C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5255B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5255C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5256B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5256C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5257B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|--|-----------|---|-----------|---|---|---------------|
| MMSZ5257C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5258B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5258C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5259B-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMSZ5259C-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5221B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5222B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5223B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5225B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5226B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5227B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5228B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5229B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5230B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5231B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5232B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5234B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5235B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5236B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5237B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5239B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5240B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5241B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5242B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5243B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5245B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5246B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| MMXZ5248B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5250B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5251B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5252B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5254B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5255B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5256B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5257B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5258B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MMXZ5259B-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MP1005-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP101-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP1010-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP102-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP104-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP106-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP108-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP1505-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP1505W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP151-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP1510-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP1510W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP151W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP152-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP152W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP154-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP154W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|--------|---|----|--|--|-----------|---|---|---------------|
| MP156-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP156W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP158-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP158W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP2505-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP2505W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP2505WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP251-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP2510-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP2510W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP2510WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP251W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP251WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP252-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP252W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP252WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP254-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP254W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP254WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP256-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP256W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP256WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP258-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP258W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP258WGP-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP3505-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP3505W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|--------|---|----|--|--|-----------|---|---|---------------|
| MP351-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP3510-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP3510W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP351W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP352-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP352W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP354-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP354W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP356-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP356W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP358-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP358W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP4005-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP4005W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP401-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP4010-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP4010W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP401W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP402-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP402W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP404-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP404W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP406-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP406W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP408-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP408W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP5005-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| MP5005W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP501-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP5010-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP5010W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP501W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP502-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP502W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP504-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP504W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP506-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP506W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP508-BP | MP-50 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MP508W-BP | MP-50W | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MPS2222-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2222A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2222-H-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2222-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2907-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2907A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2907A-H-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2907A-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2907-H-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS2907-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPS3702-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA05-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA06-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA13-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|------------------|---|----|-----------|---|-----------|---|---|---------------|
| MPSA14-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA42-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA43-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA44-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA55-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA56-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA63-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA64-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA92-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA93-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSA94-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MPSH10-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| MR750-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR750FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR751-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR7510-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR7510FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR751FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR752-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR752FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR754-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR754FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR756-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR756FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR758-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MR758FR-BP | LEADED BUTTON | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5930B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|---|---|--|-----------|---|---|---------------|
| 1N5929B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5928B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5927B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5926B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5925B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5924B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5923B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5922B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5921B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5920B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5919B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5918B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5917B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5916B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5915B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5914B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5913B-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5711-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5276-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5275-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5274-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5273-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5272-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5271-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5270-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5269-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5268-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|---|---|--|-----------|---|---|---------------|
| 1N5267-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5266-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5265-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5264-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5263-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5262-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5261-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5260-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5259-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5258-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5257-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5256-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5255-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5254-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5253-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5252-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5251-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5250-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5249-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5248-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5247-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5246-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5245-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5244-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5243-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5242-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5241-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|--------|---|---|---|--|-----------|---|---|---------------|
| 1N5240-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5239-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5238-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5237-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5236-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5235-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5234-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5233-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5232-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5231-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5230-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5229-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5228-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5227-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5226-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5225-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5224-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5223-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5222-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N5221-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4761-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4760-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4759-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4758-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4757-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4756-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4755-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|--------|---|----|-----------|--|-----------|---|---|---------------|
| 1N4754-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4753-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4752-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4751-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4750-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4749-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4748-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4747-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4746-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4745-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4744-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4743-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4742-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| MUR105-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR105GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR110-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR1100-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR110GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR115-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR115GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR120-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR120GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR140-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR140GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR160-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR160GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| MUR180-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|----------|---|----|---|--|-----------|---|---|---------------|
| MUR405-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR410-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR4100-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR415-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR420-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR440-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR460-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| MUR480-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4741-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4740-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4739-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4738-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4737-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4736-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4735-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4734-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4733-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4732-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4731-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4730-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4729-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4728-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4717-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4716-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4715-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4714-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4713-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|---|---|--|-----------|---|---|---------------|
| 1N4711-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4707-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4705-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4704-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4703-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4702-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4701-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4700-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4699-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4698-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4697-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4696-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4695-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4694-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4693-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4692-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4691-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4690-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4689-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4688-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4687-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4686-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4685-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4684-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4683-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4682-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4681-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE10-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE100-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE100A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE100C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE100CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE10A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE10C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE10CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE11-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE110-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE110A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE110C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE110CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE11A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE11C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE11CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE12-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE120-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE120A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE120C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE120CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE12A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE12C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE12CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE13-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE130-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE130A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE130C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE130CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE13A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE13C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE13CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE15-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE150-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE150A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE150C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE150CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE15A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE15C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE15CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE16-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE160-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE160A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE160C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE160CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE16A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE16C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE16CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE170-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE170A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE170C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE170CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE18-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE180-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE180A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE180C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE180CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE18A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE18C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE18CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE20-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE200-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE200A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE200C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE200CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE20A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE20C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE20CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE22-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE220-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE220A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE220C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE220CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE22A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE22C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE22CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE24-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE24A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE24C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE24CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE250-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE250A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE250C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE250CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE27-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE27A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE27C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE27CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE30-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE300-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE300A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE300C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE300CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE30A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE30C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE30CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE33-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE33A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE33C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE33CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE350-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE350A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE350C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE350CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE36-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE36A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE36C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE36CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE39-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE39A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE39C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE39CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE400-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE400A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE400C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE400CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE43-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE43A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE43C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE43CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE440A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE440CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE47-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE47A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE47C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE47CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE480A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE480CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE51-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE510A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE510CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE51A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE51C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE51CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE530A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE530CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE540A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE540CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE550A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE550CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE56-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE56A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE56C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE56CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE6.8-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE6.8A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE6.8C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE6.8CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE62-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE62A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE62C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE62CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE68-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE68A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE68C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE68CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE7.5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE7.52A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE7.5C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE7.5CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE75-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE75A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P4KE75C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE75CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE8.2-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE8.2A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE8.2C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE8.2CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE82-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE82A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE82C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE82CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE9.1-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE9.1A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE9.1C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE9.1CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE91-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE91A-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE91C-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P4KE91CA-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE10-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE100-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE100A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE100C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE100CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE10A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE10C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE10CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE11-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE110-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE110A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE110C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE110CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE111A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE111C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE111CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE112-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1120-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1120A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1120C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1120CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE112A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE112C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE112CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE113-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1130-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1130A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1130C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE1130CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE113A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE113C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE113CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE114-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE114A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE114C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE114CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE15-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE150-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE150A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE150C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE150CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE15A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE15C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE15CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE16-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE160-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE160A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE160C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE160CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE16A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE16C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE16CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE17-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE170-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE170A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE170C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE170CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE17A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE17C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE17CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE18-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE180-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE180A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE180C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE180CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE18A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE18C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE18CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE190-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE190A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE190C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE190CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE20-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE200-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE200A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE200C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE200CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE20A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE20C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE20CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE22-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE22A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE22C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE22CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE24-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE24A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE24C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE24CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE26-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE26A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE26C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE26CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE28-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE28A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE28C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE28CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE30-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE30A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE30C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE30CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE33-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE33A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE33C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE33CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE36-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE36A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE36C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE36CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE40-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE40A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE40C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE40CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE43-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE43A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE43C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE43CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE45-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE45A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE45C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE45CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE48-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE48A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE48C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE48CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE5.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE5.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE5.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE5.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE51-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE51A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE51C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE51CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE54-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE54A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE54C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE54CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE58-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE58A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE58C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE58CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE6.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE6.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE60-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE60A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE60C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE60CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE64-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE64A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE64C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE64CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE7.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE70-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE70A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE70C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE70CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE75-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE75A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE75C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P5KE75CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE78-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE78A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE78C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE78CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE8.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE85-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE85A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE85C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE85CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE9.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE9.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE9.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE9.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE90-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE90A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE90C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P5KE90CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE10-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE100-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE100A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE100C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE100CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE10A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE10C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE10CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE11-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE110-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE110A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE110C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE110CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE11A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE11C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE11CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE12-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE120-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE120A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE120C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE120CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE12A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE12C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE12CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE13-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE130-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE130A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE130C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE130CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE13A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE13C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE13CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE15-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE150-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE150A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE150C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE150CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE15A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE15C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE15CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE16-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE160-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE160A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE160C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE160CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE16A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE16C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE16CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE170-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE170A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE170C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE170CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE18-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE180-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE180A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE180C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE180CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE18A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE18C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE18CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE20-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE200-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE200A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE200C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE200CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE20A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE20C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE20CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE22-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE220-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE220A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE220C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE220CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE22A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE22C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE22CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE24-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE24A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE24C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE24CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE250-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE250A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE250C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE250CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE27-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE27A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE27C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE27CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE30-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE300-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE300A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE300C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE300CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE30A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE30C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE30CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE33-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE33A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE33C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE33CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE350-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE350A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE350C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE350CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE36-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE36A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE36C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE36CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE39-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE39A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE39C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE39CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE400-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE400A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE400C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE400CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE43-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE43A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE43C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE43CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE440-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE440A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE440C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE440CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE47-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE47A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE47C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE47CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE480-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE480-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE480A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE480A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE51-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE510-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE510-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE510A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE510A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE51A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE51C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE51CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE540-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE540-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE540A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE540A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE56-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE56A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE56C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE56CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE6.8-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE6.8A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE6.8C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE6.8CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE62-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE62A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE62C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE62CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE68-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE68A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE68C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE68CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE7.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE7.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE7.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE7.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------------|-------|---|----|--|--|-----------|---|---|---------------|
| P6KE75-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE75A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE75C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE75CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE8.2-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE8.2A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE8.2C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE8.2CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE82-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE82A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE82C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE82CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE9.1-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE9.1A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE9.1C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE9.1CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE91-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE91A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE91C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| P6KE91CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB305-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB31-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB310-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB32-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB34-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB36-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB38-BP | PB-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|----------|---|----|-----------|---|-----------|---|---|---------------|
| PB605-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB61-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB610-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB62-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB62F-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB64-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB66-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PB68-BP | PB-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF251-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF252-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF253-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF254-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF255-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF351-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF352-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF353-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF354-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF355-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF501-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF502-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF503-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF504-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PF505-BP | PRESSFIT | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| PN2222-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| PN2222A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| PN2222-H-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| PN2222-L-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| PN2907A-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| PTZ10B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ11B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ12B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ13B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ15B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ16B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ18B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ20B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ22B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ24B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ27B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ3.6B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ3.9B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ30B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ33B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ36B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ4.3B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ4.7B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ5.1B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ5.6B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ6.2B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ6.8B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ7.5B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ8.2B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PTZ9.1B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| PXT2222A-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| R1200-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R1200F-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R1500-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R1500F-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R1800-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R1800F-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R2000-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R2000F-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R2500-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R2500F-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R3000-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R3000F-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R4000-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R4000F-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R5000-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| R5000F-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA157E-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RA158E-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RA159E-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RA251-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA251GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA252-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA252GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA253-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA253GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA254-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA254GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|----|---|----|--|--|-----------|---|---|---------------|
| RA255-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA255GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA256-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA256GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA257-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA257GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA351-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA351GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA352-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA352GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA353-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA353GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA354-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA354GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA355-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA355GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA356-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA356GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA357-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA357GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA501-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA501GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA502-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA502GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA503-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA503GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA504-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| RA504GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA505-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA505GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA506-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA506GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA507-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RA507GP-BP | RA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB151-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB152-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB153-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB154-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB155-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB156-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB157-BP | RB-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RB420D-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N4680-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| RB480K-TP | SOT-343 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB481K-TP | SOT-343 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB500V-40-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB501V-40-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB520G-30-TP | SOD-723 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB520S-30-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB520S-40-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB521G-30-TP | SOD-723 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB521S-30-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB551V-30-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB706F-40-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| RB715F-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB715W-TP | SOT-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB717F-TP | SOT-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N4679-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| RB751G-40-TP | SOD-723 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB751S-40-TP | SOD-523 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RB751V-40-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RBM05S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RBM1S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RBM2S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RBM4S-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RKZ10B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ11B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ12B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ13B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ15B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ16B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ18B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ2.0BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ2.2BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ2.4BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ2.7B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ20B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ22B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ24B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ27BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ3.0B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|---------|---|----|-----------|---|-----------|---|---|---------------|
| RKZ3.3B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ3.6B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ3.9B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ30BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ33BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ36BKG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ4.3B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ4.7B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ5.1B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ5.6B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ6.2B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ6.8B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ7.5B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ8.2B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RKZ9.1B2KG-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| RL101-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL101GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL102-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL102GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL103-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL103GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL104-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL104GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL105-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL105GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL106-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL106GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| RL107-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL107GP-TP/AP/BP | A-405 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL201-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL201GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL202-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL202GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL203-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL203GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL204-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL204GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL205-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL205GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL206-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL206GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL207-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL207GP-TP/AP/BP | DO-15 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RL251-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL251GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL252-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL252GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL253-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL253GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL254-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL254GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL255-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL255GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL256-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|----|-----------|--|-----------|---|---|---------------|
| RL256GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL257-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RL257GP-TP/AP/BP | R-3 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RM1200E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RM1500E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RM1800E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RM2000E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| RS1001-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1001M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1002-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1002M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1003-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1003M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1004-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1004M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1005-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1005M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1006-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1006M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1007-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS1007M-BP | RS-10M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS101-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS102-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS103-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS104-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS105-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS106-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|--------|---|----|--|--|-----------|---|---|---------------|
| RS107-BP | RS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS201M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS202M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS203M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS204M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS205M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS206M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS207M-BP | RS-2M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3000-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3501M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3502M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3503M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3504M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3505M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3506M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS3507M-BP | RS-20M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS401GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS401L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS401M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS402GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS402L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS402M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS403GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS403L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS403M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS404GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS404L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------|-------|---|----|--|--|-----------|---|---|---------------|
| RS404M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS405GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS405L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS405M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS406GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS406L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS406M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS407GL-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS407L-BP | RS-4L | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS407M-BP | RS-4M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS501-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS502-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS503-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS504-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS505-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS506-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS507-BP | RS-5 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS601-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS601M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS602-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS602M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS603-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS603M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS604-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS604M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS605-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS605M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|-------|---|----|-----------|--|-----------|---|---|---------------|
| RS606-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS606M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS607-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS607M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS801-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS801M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS802-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS802M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS803-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS803M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS804-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS804M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS805-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS805M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS806-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS806M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS807-BP | RS-6 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| RS807M-BP | RS-6M | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| S10A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S10B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S10D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S10G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S10J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S10K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S10M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| S1B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1B40L-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| S1B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1D-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1D-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1G-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1G-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1J-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1J-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1K-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1K-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1M-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S1M-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2A-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2A-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2B40-TP/BP | MBS-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| S2B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2D-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2D-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2G-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2G-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2J-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2J-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2K-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2K-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S2M-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|------|---|----|-----------|--|-----------|---|---|---------------|
| S2M-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3A-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3AB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3B-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3BB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3D-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3DB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3G-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3GB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3J-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3JB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3K-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3KB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3M-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S3MB-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5AL-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5BL-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5D-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5DL-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5GL-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5JL-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5KL-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|-------|---|----|-----------|---|-----------|---|---|---------------|
| S5M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S5ML-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S6M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8050-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8050-B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8050-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8050-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8550-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8550-B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8550-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8550-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S8A-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8B-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8D-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8G-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8J-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8K-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S8M-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| S9012-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9012-G-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9012-H-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|-----------|---|-----------|---|---|---------------|
| S9012-I-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9013-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9014-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9014-B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9014-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9014-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9015-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9015-B-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9015-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9015-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9018-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9018-G-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9018-H-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| S9018-I-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SA10-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA100-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA100A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA100C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA100CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA10A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA10C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA10CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA11-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA110-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA110A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA110C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA110CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA11A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA11C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA11CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA12-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA120-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA120A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA120C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA120CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA12A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA12C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA12CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA13-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA130-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA130A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA130C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA130CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA13A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA13C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA13CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA14-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA14A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA14C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA14CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA15-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA150-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA150A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA150C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA150CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA15A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA15C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA15CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA16-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA160-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA160A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA160C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA160CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA16A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA16C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA16CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA17-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA170-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA170A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA170C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA170CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA17A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA17C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA17CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA18-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA18A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA18C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA18CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA20-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA20A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA20C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA20CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA22-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA22A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA22C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA22CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA24-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA24A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA24C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA24CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA26-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA26A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA26C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA26CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA28-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA28A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA28C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA28CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA30-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA30A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA30C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA30CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA33-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA33A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA33C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA33CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA36-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA36A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA36C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA36CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA40-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA40A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA40C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA40CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA43-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA43A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA43C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA43CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA45-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA45A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA45C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA45CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA48-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA48A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA48C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA48CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA5.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA5.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA5.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA5.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA51-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA51A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA51C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA51CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA54-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA54A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA54C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA54CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA58-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA58A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA58C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA58CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA6.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA60-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA60A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA60C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA60CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA64-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA64A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA64C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA64CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA7.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA7.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA70-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA70A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA70C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA70CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA75-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA75A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA75C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA75CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA78-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA78A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA78C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA78CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.5A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.5C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA8.5CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA85-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA85A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA85C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-------|---|----|--|--|-----------|---|---|---------------|
| SA85CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA9.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA9.0A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA9.0C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA9.0CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA90-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA90A-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA90C-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SA90CA-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC10-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC12-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC15-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC18-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC22-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC26-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC30-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC36-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC45-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC5.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC50-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC6.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC7.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC8.0-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SAC8.5-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SB2010-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SB220-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SB230-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|---------|---|----|--|--|-----------|---|---|---------------|
| SB240-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SB250-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SB260-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SB280-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL10100-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL10100CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL10100F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1020-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1020CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1020F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1025L-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1030-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1030CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1030F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1030L-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1040-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1040CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1040F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1050-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1050CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1050F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1060-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1060CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1060F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1080-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1080CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1080F-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------|---|----|--|--|-----------|---|---|---------------|
| SBL1620CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1630CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1635CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1640CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1645CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1650CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL1660CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL20100CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2020CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2030CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2030FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2040CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2040FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2045-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2045FCT-BP | ITO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2050CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2060CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL2080CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL3030CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL3040CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL3045CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL4030PT-BP | TO-3P | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL4040PT-BP | TO-3P | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL4045CT-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL4045PT-BP | TO-3P | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL820-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL830-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|----|-----------|---|-----------|---|---|---------------|
| SBL840-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL850-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SBL860-BP | TO-220 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4678-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| SD101AW-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD101AWS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD101B-TP/AP/BP | DO-35 | X | 5 | | | Matte Tin | X | 1 | 260°C for 10s |
| SD101BW-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD101BWS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD101C-TP/AP/BP | DO-35 | X | 5 | | | Matte Tin | X | 1 | 260°C for 10s |
| SD101CW-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD101CWS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103A-TP/AP/BP | DO-35 | X | 5 | | | Matte Tin | X | 1 | 260°C for 10s |
| SD103ATW-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103AW-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103AWS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103B-TP/AP/BP | DO-35 | X | 5 | | | Matte Tin | X | 1 | 260°C for 10s |
| SD103BW-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103BWS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103C-TP/AP/BP | DO-35 | X | 5 | | | Matte Tin | X | 1 | 260°C for 10s |
| SD103CW-TP | SOD-123 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD103CWS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD107WS-TP | SOD-323 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SD8100-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SD820-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SD830-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SD840-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| SD850-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SD860-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SD880-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SDB101-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB102-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB103-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB104-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB105-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB106-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB107-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB151-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB152-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB153-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB154-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB155-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB156-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB157-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB201-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB202-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB203-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB204-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB205-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB206-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SDB207-TP/BP | SDB-1 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF11-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF12-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF13-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|----------|---|----|--|--|-----------|---|---|---------------|
| SF14-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF15-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF16-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF17-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF18-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF19-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF21-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF21G-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF22-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF22G-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF23-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF23G-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF24-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF24G-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF25-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF25G-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF26-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF26G-TP/AP/BP | DO-15 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF31-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF31G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF32-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF32G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF33-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF34-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF34G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF35-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF35G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|----------|---|----|--|--|-----------|---|---|---------------|
| SF36-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF36G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF38-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF38G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF41G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF42G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF44G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF45G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF46G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF48G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF51-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF51G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF52-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF52G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF53-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF54-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF54G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF55-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF55G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF56-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF56G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF57-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF58G-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF61-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF62-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF63-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF64-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------------|---|----|-----------|---|-----------|---|---|---------------|
| SF65-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SF66-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SFM11PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM12PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM13PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM14PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM15PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM16PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM17PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SFM18PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SI2301-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SI2302-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SK1010-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK102-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK103-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1035-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK104-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1045-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK105-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK106-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK108-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK110-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK110-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1150-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK12-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1200-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK12-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|------|---|----|-----------|--|-----------|---|---|---------------|
| SK13-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK13-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK14-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK14-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK15-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1510-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK152-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK153-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1535-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK154-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK1545-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK155-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK156-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK158-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK15-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK16-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK16-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK18-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK18-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK210-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK210-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK2150-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK22-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK225L-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK22-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK23-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK23-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|------|---|----|-----------|--|-----------|---|---|---------------|
| SK24-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK24-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK25-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK25-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK26-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK26-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK28-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK28-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK310-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK310A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK310A-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK310B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK310B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK32-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK32A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK32A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK32B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK32B-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK33-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK33A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK33A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK33B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK33B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK34-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK34A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK34A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK34B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|------|---|----|-----------|--|-----------|---|---|---------------|
| SK34B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK35-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK35A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK35A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK35B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK35B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK36-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK36A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK36A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK36B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK36B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK38-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK38A-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK38A-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK38B-TP | HSMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK38B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK510-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK510B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK510L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK52-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK52B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK52L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK53-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK53B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK53L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK54-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK54B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|------|---|----|-----------|--|-----------|---|---|---------------|
| SK54L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK55B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK55L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK56-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK56B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK56L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK58-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK58B-LT-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK58L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK610-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK610L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK62-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK62L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK63-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK63L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK64-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK645-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK645L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK64L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK65-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK65L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK66-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK66L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK68-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK68L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK810-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK810L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|---------------|---------------|---|----|-----------|--|-----------|---|---|---------------|
| SK82-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK82L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK83-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK835-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK835L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK83L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK84-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK845-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK845L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK84L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK86-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK86L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK88-TP | HSMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SK88L-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4001PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4002PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4003PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4004PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4005PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4006PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM4007PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM5817PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM5818PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SM5819PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ10D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ11D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ12D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMA2EZ13D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ14D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ15D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ16D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ17D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ18D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ19D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ20D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ22D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ24D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ27D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ30D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ33D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ36D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ39D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ43D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ47D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ5.6D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ51D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ56D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ6.2D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ6.8D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ62D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ68D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ7.5D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ75D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA2EZ8.2D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMA2EZ9.1D5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C10-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C11-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C12-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C13-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C15-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C16-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C18-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C20-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C22-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C24-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C27-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C30-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C33-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C36-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C39-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C3V3-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C3V6-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C3V9-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C4V3-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C4V7-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C5V1-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C5V6-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C6V2-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C6V8-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C7V5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMA5C8V2-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMA5C9V1-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ10-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ100-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ100A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ100C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ100CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ10A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ10C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ10CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ11-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ110-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ110A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ110C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ110CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ11A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ11C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ11CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ12-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ120-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ120A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ120C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ120CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ12A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ12C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ12CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ13-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ130-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ130A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ130C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ130CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ13A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ13C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ13CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ14-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ14A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ14C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ14CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ15-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ150-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ150A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ150C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ150CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ15A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ15C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ15CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ16-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ160-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ160A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ160C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ160CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ16A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ16C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ16CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ17-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ170-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ170A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ170C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ170CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ17A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ17C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ17CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ18-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ180A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ180CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ18A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ18C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ18CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ20-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ200A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ200CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ20A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ20C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ20CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ22-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ220A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ220CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ22A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ22C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ22CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ24-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ24A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ24C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ24CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ250A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ250CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ26-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ26A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ26C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ26CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ28-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ28A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ28C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ28CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ30-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ300A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ300CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ30A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ30C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ30CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ33-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ33A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ33C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ33CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ350A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ350CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ36-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ36A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ36C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ36CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ40-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ400A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ400CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ40A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ40C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ40CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ43-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ43A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ43C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ43CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ440A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ440CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ45-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ45A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ45C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ45CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4728A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4729A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4730A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4731A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4732A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4733A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4734A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4735A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4736A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4737A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ4738A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4739A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4740A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4741A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4742A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4743A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4744A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4745A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4746A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4747A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4748A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4749A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4750A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4751A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4752A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4753A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4754A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4755A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4756A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4757A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4758A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4759A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4760A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4761A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4762A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4763A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ4764A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ48-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ48A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ48C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ48CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5.0-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5.0A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5.0C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5.0CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ51-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ51A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ51C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ51CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ54-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ54A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ54C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ54CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ58-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ58A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ58C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ58CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5918B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5919B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5920B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5921B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5922B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5923B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5924B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ5925B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5926B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5927B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5928B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5929B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5930B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5931B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5932B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5933B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5934B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5935B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5936B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5937B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5938B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5939B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5940B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5941B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ5942B-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.0-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.0A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.0C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.0CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.5-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.5A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.5C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ6.5CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ60-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ60A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ60C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ60CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ64-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ64A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ64C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ64CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.0-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.0A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.0C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.0CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.5-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.5A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.5C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ7.5CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ70-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ70A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ70C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ70CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ75-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ75A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ75C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ75CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ78-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ78A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ78C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ78CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJ8.0-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.0A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.0C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.0CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.5-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.5A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.5C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ8.5CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ85-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ85A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ85C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ85CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ9.0-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ9.0A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ9.0C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ9.0CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ90-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ90A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ90C-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJ90CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE100A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE100CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE10A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE10CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE110A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE110CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE11A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJP4KE11CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE120A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE120CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE12A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE12CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE130A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE130CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE13A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE13CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE150A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE150CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE15A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE15CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE160A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE160CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE16A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE16CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE170A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE170CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE180A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE180CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE18A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE18CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE200A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE200CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE20A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE20CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJP4KE220A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE220CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE22A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE22CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE24A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE24CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE250A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE250CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE27A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE27CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE300A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE300CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE30A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE30CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE33A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE33CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE350A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE350CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE36A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE36CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE39A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE39CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE400A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE400CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE43A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE43CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE440A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMAJP4KE440CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE47A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE47CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE480A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE480CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE510A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE510CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE51A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE51CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE530A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE530CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE540A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE540CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE550A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE550CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE56A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE56CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE6.8A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE6.8CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE62A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE62CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE68A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE68CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE7.5A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE7.5CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE75A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE75CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMAJP4KE8.2A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE8.2CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE82A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE82CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE9.1A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE9.1CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE91A-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAJP4KE91CA-TP | SMA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ10-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ12-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ15-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ16-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ18-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ20-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ22-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ24-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ27-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ30-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ33-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ36-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ39-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ5V1-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ5V6-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ6V2-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ6V8-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ7V5-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMAZ8V2-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMAZ9V1-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ10-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ100-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ100A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ100C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ100CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ10A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ10C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ10CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ11-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ110-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ110A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ110C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ110CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ11A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ11C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ11CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ12-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ120-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ120A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ120C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ120CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ12A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ12C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ12CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ13-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ130-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ130A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ130C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ130CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ13A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ13C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ13CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ14-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ14A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ14C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ14CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ15-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ150-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ150A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ150C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ150CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ15A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ15C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ15CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ16-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ160-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ160A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ160C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ160CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ16A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ16C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ16CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ17-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ170-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ170A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ170C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ170CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ17A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ17C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ17CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ18-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ180A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ180CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ18A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ18C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ18CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ20-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ200A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ200CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ20A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ20C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ20CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ22-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ220A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ220CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ22A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ22C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ22CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ24-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ24A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ24C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ24CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ250A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ250CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ26-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ26A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ26C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ26CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ28-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ28A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ28C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ28CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ30-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ300A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ300CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ30A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ30C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ30CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ33-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ33A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ33C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ33CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ350A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ350CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ36-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ36A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ36C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ36CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ40-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ400A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ400CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ40A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ40C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ40CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ43-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ43A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ43C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ43CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ440A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ440CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ45-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ45A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ45C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ45CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ48-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ48A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ48C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ48CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5.0A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5.0C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5.0CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ51-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ51A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMBJ51C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ51CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5333B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5334B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5335B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5336B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5337B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5338B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5339B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5340B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5341B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5342B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5343B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5344B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5345B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5346B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5347B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5348B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5349B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5350B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5351B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5352B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5353B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5354B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5355B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5356B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5357B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMBJ5358B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5359B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5360B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5361B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5362B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5363B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5364B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5365B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5366B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5367B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5368B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5369B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ54-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ54A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ54C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ54CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ58-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ58A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ58C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ58CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5913B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5914B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5915B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5916B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5917B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5918B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5919B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ5920B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5921B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5922B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5923B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5924B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5925B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5926B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5927B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5928B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5929B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5930B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5931B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5932B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5933B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5934B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5935B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5936B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5937B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5938B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5939B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5940B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5941B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5942B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5955B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ5956B-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.0A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ6.0C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.0CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.5-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.5A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.5C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ6.5CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ60-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ60A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ60C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ60CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ64-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ64A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ64C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ64CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.0A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.0C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.0CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.5-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.5A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.5C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ7.5CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ70-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ70A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ70C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ70CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ75-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJ75A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ75C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ75CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ78-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ78A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ78C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ78CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.0A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.0C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.0CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.5-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.5A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.5C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ8.5CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ85-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ85A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ85C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ85CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ9.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ9.0A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ9.0C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ9.0CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ90-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ90A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ90C-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJ90CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJP6KE100A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE100CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE10A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE10CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE110A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE110CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE11A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE11CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE120A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE120CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE12A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE12CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE130A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE130CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE13A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE13CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE150A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE150CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE15A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE15CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE160A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE160CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE16A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE16CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE170A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE170CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE180A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJP6KE180CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE18A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE18CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE200A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE200CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE20A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE20CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE220A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE220CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE22A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE22CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE24A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE24CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE250A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE250CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE27A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE27CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE300A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE300CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE30A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE30CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE33A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE33CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE350A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE350CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE36A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE36CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJP6KE39A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE39CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE400A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE400CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE43A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE43CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE440A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE440CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE47A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE47CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE480A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE480CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE510A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE510CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE51A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE51CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE530A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE530CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE540A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE540CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE550A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE550CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE56A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE56CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE6.8A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE6.8CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE62A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMBJP6KE62CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE68A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE68CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE7.5A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE7.5CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE75A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE75CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE8.2A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE8.2CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE82A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE82CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE9.1A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE9.1CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE91A-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBJP6KE91CA-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC10-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC12-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC15-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC18-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC22-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC26-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC30-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC36-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC45-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC5.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC50-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC6.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|-----------|--|-----------|---|---|---------------|
| SMBSAC7.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC8.0-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMBSAC8.5-TP | SMB | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE100A-TP | SMC | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE100CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE10A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE10CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE110A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE110CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE11A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE11CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE120A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE120CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE12A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE12CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE130A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE130CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE13A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE13CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE150A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE150CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE15A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE15CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE160A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE160CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE16A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE16CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ1.5KE170A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE170CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE180A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE180CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE18A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE18CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE200A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE200CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE20A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE20CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE220A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE220CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE22A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE22CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE24A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE24CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE250A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE250CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE27A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE27CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE300A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE300CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE30A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE30CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE33A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE33CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE350A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ1.5KE350CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE36A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE36CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE39A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE39CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE400A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE400CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE43A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE43CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE440A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE440CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE47A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE47CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE480A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE480CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE510A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE510CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE51A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE51CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE530A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE530CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE540A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE540CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE550A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE550CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE56A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE56CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ1.5KE6.8A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE6.8CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE62A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE62CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE68A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE68CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE7.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE7.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE75A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE75CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE8.2A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE8.2CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE82A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE82CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE9.1A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE9.1CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE91A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ1.5KE91CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ10-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ100-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ100A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ100C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ100CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ10A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ10C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ10CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ11-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ110-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ110A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ110C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ110CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ11A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ11C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ11CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ12-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ120-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ120A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ120C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ120CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ12A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ12C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ12CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ13-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ130-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ130A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ130C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ130CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ13A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ13C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ13CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ14-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ14A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ14C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ14CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ15-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ150-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ150A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ150C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ150CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ15A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ15C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ15CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ16-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ160-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ160A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ160C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ160CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ16A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ16C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ16CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ17-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ170-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ170A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ170C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ170CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ17A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ17C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ17CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ18-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ180-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ180A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ180C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ180CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ18A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ18C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ18CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ20-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ200-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ200A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ200C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ200CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ20A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ20C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ20CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ22-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ220-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ220A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ220C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ220CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ22A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ22C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ22CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ24-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ24A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ24C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ24CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ250A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ250CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ26-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ26A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ26C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ26CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ28-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ28A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ28C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ28CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ30-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ300A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ300CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ30A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ30C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ30CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ33-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ33A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ33C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ33CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ350A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ350CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ36-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ36A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ36C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ36CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ40-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ400A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ400CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ40A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ40C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ40CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ43-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ43A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ43C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ43CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ440A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ440CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ45-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ45A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ45C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ45CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ48-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ48A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ48C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ48CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ5.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ5.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ5.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ5.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ51-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ51A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ51C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ51CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ54-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ54A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ54C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ54CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ58-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ58A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ58C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ58CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.5-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.5C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ6.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ60-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ60A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ60C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ60CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ64-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ64A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ64C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ64CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.5-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMCJ7.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.5C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ7.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ70-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ70A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ70C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ70CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ75-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ75A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ75C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ75CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ78-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ78A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ78C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ78CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.5-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.5C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ8.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ85-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ85A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ85C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ85CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|---------------|---|----|--|--|-----------|---|---|---------------|
| SMCJ9.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ9.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ9.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ9.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ90-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ90A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ90C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMCJ90CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMD22PL-TP | POWERLITE-123 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMD24PL-TP | POWERLITE-123 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMD26PL-TP | POWERLITE-123 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ10-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ100-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ100A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ100C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ100CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ10A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ10C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ10CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ11-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ110-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ110A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ110C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ110CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ11A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ11C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ11CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMLJ12-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ120-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ120A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ120C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ120CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ12A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ12C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ12CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ13-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ130-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ130A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ130C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ130CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ13A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ13C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ13CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ14-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ14A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ14C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ14CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ15-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ150-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ150A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ150C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ150CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ15A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ15C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMLJ15CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ16-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ160-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ160A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ160C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ160CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ16A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ16C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ16CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ17-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ170-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ170A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ170C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ170CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ17A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ17C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ17CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ18-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ18A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ18C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ18CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ20-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ20A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ20C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ20CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ22-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ22A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMLJ22C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ22CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ24-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ24A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ24C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ24CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ26-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ26A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ26C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ26CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ28-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ28A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ28C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ28CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ30-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ30A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ30C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ30CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ33-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ33A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ33C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ33CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ36-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ36A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ36C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ36CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ40-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMLJ40A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ40C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ40CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ43-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ43A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ43C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ43CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ45-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ45A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ45C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ45CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ48-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ48A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ48C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ48CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ5.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ5.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ5.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ5.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ51-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ51A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ51C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ51CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ54-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ54A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ54C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ54CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMLJ58-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ58A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ58C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ58CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.5-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.5C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ6.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S05-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S1-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S10-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S2-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S4-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S6-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ60S8-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ64-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ64A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ64C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ64CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|-----|---|----|--|--|-----------|---|---|---------------|
| SMLJ7.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.5-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.5C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ7.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ70-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ70A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ70C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ70CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ75-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ75A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ75C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ75CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ78-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ78A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ78C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ78CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.5-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.5A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ8.5C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| SMLJ8.5CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ85-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ85A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ85C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ85CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ9.0-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ9.0A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ9.0C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ9.0CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ90-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ90A-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ90C-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SMLJ90CA-TP | SMC | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SR1010-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR102-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR103-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR104-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR105-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR106-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR108-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR2010-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR202-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR203-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR204-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR206-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR208-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR240M-TP | MELF | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|----------|---|----|-----------|--|-----------|---|---|---------------|
| SR3010-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR302-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR303-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR304-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR305-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR306-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR308-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR3150-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SR5010-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR502-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR503-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR504-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR506-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR508-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR5150-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SR5200-TP/AP/BP | DO-201AD | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SR802-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR803-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR804-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR805-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR806-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR808-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SR810-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SRA251-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA252-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA253-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA254-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------|------|---|----|-----------|--|-----------|---|---|---------------|
| SRA255-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA256-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA257-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA351-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA352-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA353-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA354-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA355-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA356-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA357-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA501-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA501GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA502-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA502GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA503-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA503GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA504-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA504GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA505-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA505GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA506-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA506GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA507-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SRA507GP-BP | SRA | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| SS110-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS110E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS110G-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|--------------|------|---|----|-----------|--|-----------|---|---|---------------|
| SS110-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS1150-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS12-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS1200-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS12E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS12G-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS12-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS13-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS13E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS13G-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS13-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS14-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS14E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS14G-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS14-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS15-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS15E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS15-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS16-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS16E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS16G-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS16-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS18-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS18E-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS18G-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS18-LT-TP | SMAG | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS210-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| SS210-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS22-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS22-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS23-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS23-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS24-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS24-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS25-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS25-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS26-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS26-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS28-TP | HSMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS28-LT-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| SS8050-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SS8050-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SS8050-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SS8550-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SS8550-C-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| SS8550-D-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TIP100-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP101-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP102-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP105-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP106-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP107-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP110-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP111-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------|--------|---|----|-----------|--|-----------|---|---|---------------|
| TIP112-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP115-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP116-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP117-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP120-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP122-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP125-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP126-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP127-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP29-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP29A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP29B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP29C-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP30-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP30A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP30B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP30C-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP31-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP31A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP31B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP31C-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP32-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP32A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP32B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP32C-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP41-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP41A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|--------|---|----|-----------|---|-----------|---|---|---------------|
| TIP41B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP41C-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP42-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP42A-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP42B-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TIP42C-BP | TO-220 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| TL431ALP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TL431AU-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TL431BLP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TL431BU-TP | SOT-23 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TL431LP-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TL431X-TP | SOT-89 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| TPT5609-BP | TO-92L | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| 1N4627-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4626-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4625-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4624-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4623-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4622-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4621-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4620-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4619-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4618-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4617-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4616-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1n4615-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1n4614-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|-------|---|----|-----------|--|-----------|---|---|---------------|
| 1N4454-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4448-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4154-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4151-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4150-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4148M-TP/AP/BP | DO-34 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4148-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4125-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4124-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4123-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4122-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4121-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4120-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4119-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4118-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4117-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| UF1A-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF1B-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF1D-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF1G-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF1J-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF1K-TP | SMB | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4001-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4001GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4002-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4002GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4003-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-------------------|---------------|---|----|-----------|---|-----------|---|---|---------------|
| UF4003GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4004-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4004GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4005-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4005GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4006-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4006GP-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF4007-TP/AP/BP | DO-41 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5400-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5400GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5401-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5401GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5402-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5402GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5404-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5404GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5406-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5406GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5407-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5407GP-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UF5408-TP/AP/BP | DO-201AD | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UFM11PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UFM12PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UFM13PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UFM14PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UFM15PL-TP | POWERLITE-123 | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| UMH11N-TP | SOT-363 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------|------|---|----|-----------|--|-----------|---|---|---------------|
| US1A-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1AE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1B-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1BE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1C-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1CE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1D-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1DE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1G-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1GE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1J-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1JE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1K-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1KE-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1M-TP | SMA | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| US1ME-TP | SMAE | X | 7a | Available | | Matte Tin | X | 1 | 260°C for 10s |
| W005G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W005M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W01G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W01M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W02G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W02M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W04G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W04M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W06G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W06M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W08G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|----|---|--|-----------|---|---|---------------|
| W08M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W10G-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| W10M-BP | WOM | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4116-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4115-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4114-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4113-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4112-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4111-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4110-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4109-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4108-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4107-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4106-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4105-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4104-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4103-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4102-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4101-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4100-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N4099-TP/AP/BP | DO-35 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3828A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3828-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3827A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3827-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3826A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3826-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|------------------|--------|---|----|---|--|-----------|---|---|---------------|
| 1N3825A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3825-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3824A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3824-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3823A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3823-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3822A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3822-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3821A-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N3821-TP/AP/BP | DO-41G | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| 1N34A-TP/AP/BP | DO-7 | X | 5 | X | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY1-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY10-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY11-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY12-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY13-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY15-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY16-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY18-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY20-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY22-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY24-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY27-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY3.9-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY30-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY33-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY36-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|-----------------|-------|---|----|-----------|---|-----------|---|---|---------------|
| ZPY39-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY4.3-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY4.7-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY43-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY47-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY5.1-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY5.6-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY51-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY56-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY6.2-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY6.8-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY62-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY68-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY7.5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY75-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY8.2-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZPY9.1-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZTX450-AP/BP | TO-92 | X | | Available | X | Matte Tin | X | 1 | 260°C for 10s |
| ZY10-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY11-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY12-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY13-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY15-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY16-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY18-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY20-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY22-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

MCC's EU RoHS and Green (Halogen Antimony Free) Parts List

| | | | | | | | | | |
|----------------|-------|---|----|--|--|-----------|---|---|---------------|
| ZY24-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY27-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY3.9-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY30-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY33-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY36-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY39-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY4.3-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY4.7-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY43-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY47-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY5.1-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY5.6-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY51-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY56-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY6.2-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY6.8-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY62-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY68-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY7.5-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY75-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY8.2-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |
| ZY9.1-TP/AP/BP | DO-41 | X | 7a | | | Matte Tin | X | 1 | 260°C for 10s |

Notes:

"X"----Current standard version can meet the requirement

"Available"-----Can meet the requirement upon request but the current standard version is not compliant.