

Product Search Data Sheet

BLM15BB221SN1#

Note: This datasheet may be out of date. Please download the latest datasheet of BLM15BB221SN1# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=BLM15BB221SN1%23

"#" indicates a package specification code.

In Production RoHS REACH

< List of part numbers with package codes > BLM15BB221SN1B BLM15BB221SN1D BLM15B

BLM15BB221SN1J

Appear	rance & Shape		Pa	ckaging Information	on
	0.25±0.1		Packaging	Specifications	Standard Packing Quantity
		0.5±0.05	В	Bulk(Bag)	1000
	1.0±0.05	0.5±0.05	D	180mm Paper Tape	10000
-	4		J	330mm Paper Tape	50000
	ata	(in mm)	work nearly a	te beads BLM series is desi s a resistor at noise frequer reduces the possibility of re	ncies,
Applications			leaves signal wave forms undistorted. BLM series is effective in circuits without stable ground lines because BLM series does not need a connection to ground.		
er Usage	For general		BLM_B series can minimize attenuation of the signal waveform due to its sharp impedance characteristics. Various impedances are available to match signal frequency.		

The nickel barrier structure of the external electrodes provides excellent solder heat resistance.

Attention

Oth

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

- without advance notice. Please check with our sales representatives or product engineers before ordering.
- 2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





BLM15BB221SN1#

Note: This datasheet may be out of date. Please download the latest datasheet of BLM15BB221SN1# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=BLM15BB221SN1%23

"#" indicates a package specification code.



Specifications

Shape	SMD		
Size Code (in inch)	0402		
Length	1.0mm		
Length Tolerance	±0.05mm		
Width	0.5mm		
Width Tolerance	±0.05mm		
Thickness	0.5mm		
Thickness Tolerance	±0.05mm		
Operating Temperature Range	-55°C to 125°C		
Mass(typ.)	0.001g		
Number of Circuit	1		
Rated Current (at 85°C)	200mA		
Rated Current (at 125°C)	200mA		
DC Resistance(max.)	0.8Ω		
Impedance (at 100MHz)	220Ω		
Impedance (at 100MHz) Tolerance	±25%		
Size Code (in mm)	1005		

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.




Product Search Data Sheet

BLM15BB221SN1#

Note: This datasheet may be out of date. Please download the latest datasheet of BLM15BB221SN1# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=BLM15BB221SN1%23

"#" indicates a package specification code.





Equivalent Circuit

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3