

S912ZVC12F0VKH (Active)

MagniV 16-bit MCU, S12Z core, 128KB Flash, 32MHz, -40/+105degC, Automotive Qualified, QFP 64



Package :
HLQFP

plastic, thermal enhanced low profile quad flat package; 64 terminals; 0.50 mm pitch; 10 mm x 10 mm x 1.4 mm body

Buy Options | Environmental Information | Quality Information | Shipping Information

Environmental Information

Material Declaration	PbFree	EU RoHS	Halogen Free	RHF Indicator	2nd Level Interconnect	REACH SVHC	Weight (mg)
S912ZVC12F0VKH (935320591557)	Yes	Yes Certificate Of Analysis (CoA)	Yes	D	e3	REACH SVHC	373.6
S912ZVC12F0VKHR (935320591528)	Yes	Yes Certificate Of Analysis (CoA)	Yes	D	e3	REACH SVHC	373.6

Quality Information

Material Declaration	Safe Assure Functional Safety	Moisture Sensitivity Level (MSL)	Peak Package Body Temperature (PPT) (C°)	Maximum Time at Peak Temperatures (s)
		Lead Free Soldering	Lead Free Soldering	Lead Free Soldering
S912ZVC12F0VKH (935320591557)	ISO 26262	3	260	40
S912ZVC12F0VKHR (935320591528)	ISO 26262	3	260	40

Shipping Information

Part Number	Harmonized Tariff (US) Disclaimer	Export Control Classification Number (US)
S912ZVC12F0VKH (935320591557)	854231	3A991A2
S912ZVC12F0VKHR (935320591528)	854231	3A991A2

ABOUT NXP

Investors
Press, News, Blogs
Careers

RESOURCES

Mobile Apps
Contact Us

FOLLOW US



News 25 Feb 2019

NXP Launches First MCU-based Solution Qualified for Amazon's Alexa Voice Service (AVS)

[Read More](#)

