



Automotive Recommended Part List (ARPL) Updated: 08-Nov-2018

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8028	-40C to 125C	High Performance RRIO	10-MINI_SO-N/A	AD8028WARMZ-R7	001
	AD8040	-40C to 125C	Quad Low Power R-R I/O Amp.	14-TSSOP_4.4-4.4_MM	AD8040WARUZ-REEL7	002
	AD8065	-40C to 105C	1X 145MHz FastFET amp lw noise, 5V-24V	5-SOT_23-N/A	AD8065WARTZ-R7	003
	AD8132	-40C to 125C	Low Power Diff amp, Hgh BW, fst slw	8-MINI_SO-N/A	AD8132WARMZ-R7	004
	AD8137	-40C to 125C	Low Power Diff ADC Driver	8-LFCSP-3X3X0.75	AD8137WYCPZ-R7	005
	AD8145	-40C to 105C	3X diff-sngl end vid rcvr amp hgh CMRR	32-LFCSP-5X5X0.75	AD8145WYCPZ-R7	006
	AD8202	-40C to 150C	High Cmn mode Vltg Diff Amp DIE	0-CHIP-N/A	AD8202W-KGD-R7	007
		-40C to 125C	High Cmn mode Vltg Diff Amp (die only)	0-CHIP-N/A	AD8202WYC-P7	008
		-40C to 125C	HighCmn mode Vltg Diff Amp	8-MINI_SO-N/A	AD8202WYRMZ	009
		-40C to 125C	HighCmn mode Vltg Diff Amp	8-MINI_SO-N/A	AD8202WYRMZ-RL	010
		-40C to 125C	High Cmn mode Vltg Diff Amp	8-SOIC_N-150_MIL	AD8202WYRZ	011
	AD8205	-40C to 125C	High Cmn mode Vltg Diff Amp	8-SOIC_N-150_MIL	AD8202WYRZ-RL	012
		-40C to 150C	42V Single Supply Diff Amp	8-SOIC_N-150_MIL	AD8205WHRZ	013
		-40C to 150C	42V Single Supply Diff Amp	8-SOIC_N-150_MIL	AD8205WHRZ-RL	014
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ	015
		-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ-R7	016
	AD8206	-40C to 125C	High CMN Mode Sngl Supply Bidir Diff Amp	8-SOIC_N-150_MIL	AD8205WYRZ-RL	017
		-40C to 150C	Single Supply High Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WHRZ	018
		-40C to 150C	Single Supply High Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WHRZ-RL	019
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ	020
		-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ-R7	021
	AD8207	-40C to 125C	Sngl Supply Hgh Cmn Mode Diff Amp	8-SOIC_N-150_MIL	AD8206WYRZ-RL	022
		-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ	023
		-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ-R7	024
	AD8208	-40C to 125C	Zero Drift High Voltage Difference Amp	8-SOIC_N-150_MIL	AD8207WBRZ-RL	025
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ	026
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ-R7	027
		-40C to 125C	High Voltage Precision Diff Amp	8-MINI_SO-N/A	AD8208WBRMZ-RL	028
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ	029
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ-R7	030
		-40C to 125C	High Voltage Precision Diff Amp	8-SOIC_N-150_MIL	AD8208WBRZ-RL	031
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8208WHRMZ	032
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8208WHRMZ-RL	033
		-40C to 150C	High Temp/Voltage Precision DiffAmp	8-SOIC_N-150_MIL	AD8208WHRZ	034
	AD8209	-40C to 150C	High Temp/Voltage Precision DiffAmp	8-SOIC_N-150_MIL	AD8208WHRZ-RL	035
		-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8209WHRMZ	036
	AD8209A	-40C to 150C	HighTemp Voltage Precision DiffAmp	8-MINI_SO-N/A	AD8209WHRMZ-RL	037
		-40C to 125C	High Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ	038
		-40C to 125C	High Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ-R7	039
			-40C to 125C	High Vltg Precision Diff Amp w/EMI Fltr	8-MINI_SO-N/A	AD8209AWBRMZ-RL

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8210	-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ	041
		-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ-R7	042
		-40C to 125C	High Vltg, 2-directional crnt shunt mntr	8-SOIC_N-150_MIL	AD8210WYRZ-RL	043
	AD8211	-40C to 125C	High Voltage Current Shunt Amp	5-SOT_23-N/A	AD8211WYRJZ-R7	044
		-40C to 125C	High Voltage Current Shunt Amp	5-SOT_23-N/A	AD8211WYRJZ-RL	045
	AD8212	-40C to 125C	Hgh Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ	046
		-40C to 125C	Hgh Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ-R7	047
		-40C to 125C	Hgh Vltg Current Shunt Mntr, Adj gain	8-MINI_SO-N/A	AD8212WYRMZ-RL	048
	AD8213	-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ	049
		-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ-R7	050
		-40C to 150C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WHRMZ-RL	051
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ	052
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ-R7	053
		-40C to 125C	Dual, Hgh Vltg, current shunt monitor	10-MINI_SO-N/A	AD8213WYRMZ-RL	054
	AD8214	-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ	055
		-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ-R7	056
		-40C to 125C	Current Shunt Threshold Detector	8-MINI_SO-N/A	AD8214WYRMZ-RL	057
	AD8215	-40C to 125C	Hgh Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ	058
		-40C to 125C	Hgh Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ-R7	059
		-40C to 125C	Hgh Vltg+/- .3% gn err crnt shunt mntr	8-SOIC_N-150_MIL	AD8215WYRZ-RL	060
	AD8216	-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ	061
		-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ-R7	062
		-40C to 125C	3 MHz, bi-directional 65V Diff Amp	8-SOIC_N-150_MIL	AD8216WYRZ-RL	063
	AD8220	-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ	064
		-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ-R7	065
		-40C to 125C	FET Input Instrumentation Amplifier	8-MINI_SO-N/A	AD8220WARMZ-RL	066
	AD8231	-40C to 125C	Low Volt Low Drift Signal Condition Amp	16-LFCSP-4X4X0.75	AD8231WACPZ-RL	067
	AD8417	-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WBRMZ	068
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WBRMZ-RL	069
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WBRZ	070
		-40C to 125C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WBRZ-RL	071
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WHRMZ	072
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-MINI_SO-N/A	AD8417WHRMZ-RL	073
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WHRZ	074
		-40C to 150C	80V CMN Mode BiDir Current Sense Amp	8-SOIC_N-150_MIL	AD8417WHRZ-RL	075
	AD8418	-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-MINI_SO-N/A	AD8418WBRMZ	076
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-MINI_SO-N/A	AD8418WBRMZ-RL	077
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-SOIC_N-150_MIL	AD8418WBRZ	078
		-40C to 125C	Zero Drift ,Precision Current Sense AMP	8-SOIC_N-150_MIL	AD8418WBRZ-RL	079
	AD8418A	-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWBRMZ	080

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8418A	-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWBRMZ-RL	081
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWBRZ	082
		-40C to 125C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWBRZ-RL	083
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWHRMZ	084
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-MINI_SO-N/A	AD8418AWHRMZ-RL	085
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWHRZ	086
		-40C to 150C	High Common Mode Cur Sense, -3V to 80V	8-SOIC_N-150_MIL	AD8418AWHRZ-RL	087
	AD8538	-40C to 125C	Single Low Power AutoZero Amp	5-TSOT-N/A	AD8538WAUJZ-R7	088
	AD8544	-40C to 125C	QUAD, LOW PWR RAIL/RAIL	14-SOIC_N-150_MIL	AD8544WARZ-R7	089
		-40C to 125C	QUAD, LOW PWR RAIL/RAIL	14-SOIC_N-150_MIL	AD8544WARZ-RL	090
	AD8601	-40C to 125C	Single, Lw Cst, 8MHz, RR1	5-SOT_23-N/A	AD8601WARTZ-R7	091
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WARTZ-RL	092
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WDRTZ-REEL	093
		-40C to 125C	Single, Lw Cst, 8MHz, RR10, 5V Op Amp	5-SOT_23-N/A	AD8601WDRTZ-REEL7	094
	AD8602	-40C to 125C	Precision CMOS R-R OPAMP	8-SOIC_N-150_MIL	AD8602WARZ-R7	095
		-40C to 125C	Precision CMOS R-R OPAMP	8-SOIC_N-150_MIL	AD8602WARZ-RL	096
	AD8617	-40C to 125C	2X,MicronPower, Lw Cst, RR10, 5V OpAmp	8-MINI_SO-N/A	AD8617WARMZ-REEL	097
		-40C to 125C	2X,MicronPower,Lw Cst,RR10,5V OpAmp	8-SOIC_N-150_MIL	AD8617WARZ-R7	098
		-40C to 125C	2X,MicronPower,Lw Cst,RR10,5V OpAmp	8-SOIC_N-150_MIL	AD8617WARZ-RL	099
	AD8619	-40C to 125C	Low Voltage Low Pwr CMOS OPAMP	14-TSSOP_4.4-4.4_MM	AD8619WARUZ-R7	100
		-40C to 125C	Low Voltage Low Pwr CMOS OPAMP	14-TSSOP_4.4-4.4_MM	AD8619WARUZ-RL	101
		-40C to 125C	Quad Low Voltage Low Pwr CMOS OPAMP	14-SOIC_N-150_MIL	AD8619WARZ-R7	102
		-40C to 125C	Quad Low Voltage Low Pwr CMOS OPAMP	14-SOIC_N-150_MIL	AD8619WARZ-RL	103
	AD8628	-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-SOT_23-N/A	AD8628WARTZ-R7	104
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-SOT_23-N/A	AD8628WARTZ-RL	105
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8628WARZ-R7	106
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-TSOT-N/A	AD8628WAUJZ-R7	107
		-40C to 125C	Single, Zero drift, RR10, 5V OpAmp	5-TSOT-N/A	AD8628WAUJZ-RL	108
	AD8629	-40C to 125C	Dual, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8629WARZ-R7	109
		-40C to 125C	Dual, Zero drift, RR10, 5V OpAmp	8-SOIC_N-150_MIL	AD8629WARZ-RL	110
	AD8630	-40C to 125C	Quad, Zero drift, RR10, 5V Op Amp	14-SOIC_N-150_MIL	AD8630WARZ-R7	111
		-40C to 125C	Quad, Zero drift, RR10, 5V Op Amp	14-SOIC_N-150_MIL	AD8630WARZ-RL	112
	AD8639	-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ	113
		-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ-R7	114
		-40C to 125C	Dual, Zero drift, RR10, 16V Op Amp	8-SOIC_N-150_MIL	AD8639WARZ-RL	115
	AD8646	-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-MINI_SO-N/A	AD8646WARMZ-R7	116
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-MINI_SO-N/A	AD8646WARMZ-RL	117
		-40C to 125C	Dual, 24MHz, RR10, 5V Op	8-SOIC_N-150_MIL	AD8646WARZ-R7	118
		-40C to 125C	Dual, 24MHz, RR10, 5V Op Amp	8-SOIC_N-150_MIL	AD8646WARZ-RL	119
	AD8648	-40C to 125C	Quad, 24MHz, RR10, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8648WARUZ	120

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	AD8648	-40C to 125C	Quad, 24MHz, RRIO, 5V Op Amp	14-TSSOP_4.4-4.4_MM	AD8648WARUZ-RL	121
	AD8655	-40C to 125C	Low Noise, R-R out, DigiTrim Cmos Op Amp	8-MINI_SO-N/A	AD8655WARMZ-RL	122
	AD8656	-40C to 125C	2X, Lw Noise, Prcsn, RRIO, 5V Op Amp	8-MINI_SO-N/A	AD8656WARMZ-REEL	123
	AD8666	-40C to 125C	Dual LowCostNoise 16V R-R CMOS Amp	8-SOIC_N-150_MIL	AD8666WARZ-R7	124
		-40C to 125C	Dual LowCostNoise 16V R-R CMOS Amp	8-SOIC_N-150_MIL	AD8666WARZ-RL	125
	AD8668	-40C to 125C	16V Quad Low Noise AMP	14-TSSOP_4.4-4.4_MM	AD8668WARUZ-R7	126
		-40C to 125C	16V Quad Low Noise AMP	14-TSSOP_4.4-4.4_MM	AD8668WARUZ-RL	127
	AD8691	-40C to 125C	Single Low Noise CMOS Amplifier	5-TSOT-N/A	AD8691WAUJZ-R7	128
		-40C to 125C	Single Low Noise CMOS Amplifier	5-TSOT-N/A	AD8691WAUJZ-RL	129
	AD8692	-40C to 125C	DUAL, PRECISION CMOS RAIL-RAIL OP AMP	8-MINI_SO-N/A	AD8692WARMZ-REEL	130
	ADA4096-2	-40C to 125C	30V,Micropower, OVP, RRIO OpAmp	8-MINI_SO-N/A	ADA4096-2WARMZ-R7	131
		-40C to 125C	30V,Micropower, OVP, RRIO OpAmp	8-MINI_SO-N/A	ADA4096-2WARMZ-RL	132
	ADA4432-1	-40C to 125C	High Spd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4432-1WBPCZ-R7	133
		-40C to 125C	High Spd Shrt Bat. Protect Video Filter	6-SOT_23-N/A	ADA4432-1WBRJZ-R7	134
	ADA4830-1	-40C to 125C	HighSpd Shrt Bat.Protect Video Filter	8-LFCSP-3X3X0.75	ADA4830-1WBPCZ-R7	135
	ADA4830-2	-40C to 125C	High Spd 18V Shrt Bat Protected Diff AMP	16-LFCSP-3X3X0.75	ADA4830-2WBPCZ-R7	136
	ADA4851-1	-40C to 125C	Sngl, lw cst, hgh spd 130MHz amp R/R	6-SOT_23-N/A	ADA4851-1WYRJZ-R7	137
	ADA4851-2	-40C to 125C	2X, lw cst, hgh spd amp 130MHz R/R out	8-MINI_SO-N/A	ADA4851-2WYRMZ-R7	138
	ADA4851-4	-40C to 125C	4X, lw cst, hgh spd amp 130MHz R/R out	14-TSSOP_4.4-4.4_MM	ADA4851-4WYRUZ-R7	139
	ADA4853-3	-40C to 105C	R/R OTPT Vid OpAmp w/Ultra LPDis	16-LFCSP-3X3X0.75	ADA4853-3WYCPZ-R7	140
	ADA4891-1	-40C to 125C	High Spd CMOS RR Video Amp	5-SOT_23-N/A	ADA4891-1WARJZ-R7	141
	ADA4891-2	-40C to 125C	High Spd CMOS RR Video Amp	8-MINI_SO-N/A	ADA4891-2WARMZ-R7	142
	ADA4891-4	-40C to 125C	Lw Cst CMOS Hgh Spd RR Amp Quad	14-TSSOP_4.4-4.4_MM	ADA4891-4WARUZ-R7	143
	ADA8282	-40C to 125C	Quad Channel LNA & PGA AFE	32-LFCSP-5X5X0.75	ADA8282WBPCZ	144
		-40C to 125C	Quad Channel LNA & PGA AFE	32-LFCSP-5X5X0.75	ADA8282WBPCZ-R7	145
	LT1999	-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-10#W/PBF	146
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-10#WTRPBF	147
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-10F#W/PBF	148
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-10F#WTRPBF	149
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-20#W/PBF	150
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-20#WTRPBF	151
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-20F#W/PBF	152
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-20F#WTRPBF	153
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-50#W/PBF	154
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-50#WTRPBF	155
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-50F#W/PBF	156
		-40C to 125C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999HMS8-50F#WTRPBF	157
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-10#W/PBF	158
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-10#WTRPBF	159
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-10F#W/PBF	160

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Amplifiers	LT1999	-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-10F#AVTRPBF	161
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-20#AVPBF	162
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-20#AVTRPBF	163
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-20F#AVPBF	164
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-20F#AVTRPBF	165
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-50#AVPBF	166
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-50#AVTRPBF	167
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-50F#AVPBF	168
		-40C to 85C	Hi V, Bi-dir C Sense Amp	8-MINI_SO-N/A	LT1999IMS8-50F#AVTRPBF	169
	LT6106	-40C to 125C	L Cost, 36V Hi Side C Sense Amp	5-TSOT-N/A	LT6106HS5#AVTRMPBF	170
		-40C to 125C	L Cost, 36V Hi Side C Sense Amp	5-TSOT-N/A	LT6106HS5#AVTRPBF	171
		-40C to 85C	L Cost, 36V Hi Side C Sense Amp	5-TSOT-N/A	LT6106IS5#AVTRMPBF	172
		-40C to 125C	L Cost, 36V Hi Side C Sense Amp	5-TSOT-N/A	LT6106IS5#AVTRPBF	173
Analog to Digital Converters	AD2S1205	-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205WSTZ	174
		-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205WSTZ-RL	175
		-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205YSTZ	176
		-40C to 125C	12-bit, 1000RPS Resolver-Digital Convert	44-LQFP-10X10X1.4	ADW71205YSTZ-RL	177
	AD2S1210	-40C to 125C	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	48-LQFP-7X7X1.4	AD2S1210WDSTZ	178
		-40C to 125C	16-BIT PROG RESOLVER-DIGITAL CONERTER IC	48-LQFP-7X7X1.4	AD2S1210WDSTZRL7	179
	AD7147	-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-1500R	180
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-1RL	181
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-500R7	182
		-40C to 85C	Capacitance to Digital Converter	24-LFCSP-4X4X0.75	AD7147WPACPZ-RL	183
	AD7190	-40C to 105C	2ch UltraLow Noise 24Bit Sigma Delta/PGA	24-TSSOP_4.4-4.4_MM	AD7190WBRUZ	184
		-40C to 105C	2ch UltraLow Noise 24Bit Sigma Delta/PGA	24-TSSOP_4.4-4.4_MM	AD7190WBRUZ-RL	185
	AD7280A	-40C to 105C	LI+ BATTERY MONITORING Upgrade	48-LQFP-7X7X1.4	AD7280AWBSTZ	186
		-40C to 105C	LI+ BATTERY MONITORING Upgrade	48-LQFP-7X7X1.4	AD7280AWBSTZ-RL	187
	AD7357	-40C to 125C	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7357WYRUZ	188
		-40C to 125C	14-Bit Dual Diff Simult 5 MSPS ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7357WYRUZ-RL	189
	AD7401A	-40C to 150C	Isolated 16-Bit Sigma -Delta Modula I.C.	16-SOIC_W-300_MIL	ADW70015Z-0RL	190
	AD7879	-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879-1WARUZ-RL	191
		-40C to 85C	Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879-1WARUZ-RL7	192
		-40C to 85C	Touch Screen Controller	16-LFCSP-4X4X0.75	AD7879WACPZ-R5	193
-40C to 85C		Touch Screen Controller	16-LFCSP-4X4X0.75	AD7879WACPZ-RL	194	
-40C to 85C		Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879WARUZ-RL	195	
-40C to 85C		Touch Screen Controller	16-TSSOP_4.4-4.4_MM	AD7879WARUZ-RL7	196	
AD7904	-40C to 125C	8-Bit 4,CH 1 Msps Analog-Digital Conv	16-TSSOP_4.4-4.4_MM	AD7904WYRUZ-REEL7	197	
AD7908	-40C to 125C	8-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7908WYRUZ-REEL7	198	
AD7914	-40C to 125C	10-Bit 4,CH 1 Msps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7914WYRUZ-REEL7	199	
AD7918	-40C to 125C	10-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7918WYRUZ-REEL7	200	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Analog to Digital Converters	AD7923	-40C to 125C	12-BIT 4,Ch 200 Ksps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7923WYRUZ-REEL7	201	
	AD7924	-40C to 125C	12-Bit 4,CH 1 Msps ADC I.C.	16-TSSOP_4.4-4.4_MM	AD7924WYRUZ-REEL7	202	
	AD7927	-40C to 85C	12-BIT 8,Ch 200 Ksps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7927WYRUZ-REEL7	203	
	AD7928	-40C to 125C	12-Bit 8, Ch 1 Msps Analog-Digital Conv	20-TSSOP_4.4-4.4_MM	AD7928WBRUZ-REEL	204	
	AD7999	-40C to 125C	8-BIT 4-CHANNEL I2C ADC IN SOT IC	8-SOT_23-N/A	AD7999WYRJZ-1RL	205	
	AD8284	-40C to 105C	4-Ch Muxed Input Radar Analog Front End	64-TQFP_EP-10X10X1.0	AD8284WCSVZ	206	
		-40C to 105C	4-Ch Muxed Input Radar Analog Front End	64-TQFP_EP-10X10X1.0	AD8284WCSVZ-RL	207	
	AD9203	-40C to 85C	10-bit, low power 40MSPS ADC	28-TSSOP_4.4-4.4_MM	AD9203WARUZ	208	
		-40C to 85C	10-bit, low power 40MSPS ADC	28-TSSOP_4.4-4.4_MM	AD9203WARUZRL7	209	
	ADAR7251	-40C to 125C	4CH 16bit Continuous Time ADC w/PGA	48-LFCSP_SS-7X7X0.75	ADAR7251WBSCSZ	210	
		-40C to 125C	4CH 16bit Continuous Time ADC w/PGA	48-LFCSP_SS-7X7X0.75	ADAR7251WBSCSZ-RL	211	
	ADT7311	-40C to 150C	0.5°C Accurate Temp Sensor-SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ	212	
		-40C to 150C	0.5°C Accurate Temp SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ-RL	213	
		-40C to 150C	0.5°C Accurate Temp SPI Interface	8-SOIC_N-150_MIL	ADT7311WTRZ-RL7	214	
	ADT7312	-55C to 175C	0.5°C ACC DIGITAL TEMP SENSOR SPI I/face	0-CHIP-N/A	ADT7312WCZ-PT7	215	
	LTC1863	-40C to 85C	12-bit, 8-Ch 200ksps ADCs	16-SSOP-5.30_MM	LTC1863IGN#WPBF	216	
		-40C to 85C	12-bit, 8-Ch 200ksps ADCs	16-SSOP-5.30_MM	LTC1863IGN#WTRPBF	217	
	LTC1863L	-40C to 85C	uP, 3V, 12-bit, 8-Ch 175ksps ADCs	16-SSOP-5.30_MM	LTC1863LIGN#WPBF	218	
		-40C to 85C	uP, 3V, 12-bit, 8-Ch 175ksps ADCs	16-SSOP-5.30_MM	LTC1863LIGN#WTRPBF	219	
	LTC1867	-40C to 85C	16-B, 8-Ch 200ksps ADCs	16-SSOP-5.30_MM	LTC1867AIGN#WPBF	220	
		-40C to 85C	16-B, 8-Ch 200ksps ADCs	16-SSOP-5.30_MM	LTC1867AIGN#WTRPBF	221	
		-40C to 85C	16-B, 8-Ch 200ksps ADCs	16-SSOP-5.30_MM	LTC1867IGN#WPBF	222	
		-40C to 85C	16-B, 8-Ch 200ksps ADCs	16-SSOP-5.30_MM	LTC1867IGN#WTRPBF	223	
	LTC1867L	-40C to 85C	uP, 3V, 16-B, 8-Ch 175ksps ADCs	16-SSOP-5.30_MM	LTC1867LAIGN#WPBF	224	
		-40C to 85C	uP, 3V, 16-B, 8-Ch 175ksps ADCs	16-SSOP-5.30_MM	LTC1867LAIGN#WTRPBF	225	
		-40C to 85C	uP, 3V, 16-B, 8-Ch 175ksps ADCs	16-SSOP-5.30_MM	LTC1867LIGN#WPBF	226	
		-40C to 85C	uP, 3V, 16-B, 8-Ch 175ksps ADCs	16-SSOP-5.30_MM	LTC1867LIGN#WTRPBF	227	
	LTC2312-12	-40C to 125C	12-B, 500ksps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2312HTS8-12#WTRMPBF	228	
		-40C to 125C	12-B, 500ksps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2312HTS8-12#WTRPBF	229	
		-40C to 85C	12-B, 500ksps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2312ITS8-12#VTRMPBF	230	
		-40C to 85C	12-B, 500ksps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2312ITS8-12#VTRPBF	231	
	LTC2313-12	-40C to 125C	12-B, 2.5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2313HTS8-12#WTRMPBF	232	
		-40C to 125C	12-B, 2.5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2313HTS8-12#WTRPBF	233	
		-40C to 85C	12-B, 2.5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2313ITS8-12#VTRMPBF	234	
		-40C to 85C	12-B, 2.5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2313ITS8-12#VTRPBF	235	
	LTC2315-12	-40C to 125C	12-B, 5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2315HTS8-12#WTRMPBF	236	
		-40C to 125C	12-B, 5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2315HTS8-12#WTRPBF	237	
		-40C to 85C	12-B, 5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2315ITS8-12#VTRMPBF	238	
		-40C to 85C	12-B, 5Msps Serial Smpl ADC in TSOT	8-TSOT-N/A	LTC2315ITS8-12#VTRPBF	239	
	Application Specific	AD8283	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8283WBCPZ	240

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Application Specific	AD8283	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8283WBCPZ-RL	241
	AD8285	-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8285WBCPZ	242
		-40C to 105C	Radar Receive Path AFE	72-LFCSP-10X10X0.85	AD8285WBCPZ-RL	243
Audio/Video Products	AD1933	-40C to 105C	8 CH Audio DAC w/on chip PLL/Diff output	64-LQFP-10X10X1.4	AD1933WBSTZ	244
		-40C to 105C	8 CH Audio DAC w/on chip PLL/Diff output	64-LQFP-10X10X1.4	AD1933WBSTZ-RL	245
	AD1934	-40C to 105C	8 CH DAC w/on chip PLL	48-LQFP-7X7X1.4	AD1934WBSTZ	246
		-40C to 105C	8 CH DAC w/on chip PLL	48-LQFP-7X7X1.4	AD1934WBSTZ-RL	247
	AD1937	-40C to 125C	4ADCs/8DACs w/PLL 192 kHz, 24Bt Codec	64-LQFP-10X10X1.4	AD1937WBSTZ	248
		-40C to 125C	4ADCs/8DACs w/PLL 192 kHz, 24Bt Codec	64-LQFP-10X10X1.4	AD1937WBSTZ-RL	249
	AD1938	-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	48-LQFP-7X7X1.4	AD1938WBSTZ	250
		-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	48-LQFP-7X7X1.4	AD1938WBSTZ-RL	251
	AD1939	-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	64-LQFP-10X10X1.4	AD1939WBSTZ	252
		-40C to 105C	4-ADC 8-DAC Audio codec w/on chip PLL	64-LQFP-10X10X1.4	AD1939WBSTZ-RL	253
	AD1974	-40C to 105C	4 Channel ADC with On-Chip PLL	48-LQFP-7X7X1.4	AD1974WBSTZ	254
		-40C to 105C	4 Channel ADC with On-Chip PLL	48-LQFP-7X7X1.4	AD1974WBSTZ-RL	255
	AD2401W	-40C to 105C	Single Slave Serial Audio I/Fw/ PDM only	32-LFCSP_SS-5X5X0.75	AD2401WCCSZ	256
		-40C to 105C	Single Slave Serial Audio I/Fw/ PDM only	32-LFCSP_SS-5X5X0.75	AD2401WCCSZ-RL	257
	AD2402W	-40C to 105C	Multi-Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2402WCCSZ	258
		-40C to 105C	Multi-Slave Serial Audio I/F w/ PDM only	32-LFCSP_SS-5X5X0.75	AD2402WCCSZ-RL	259
	AD2410W	-40C to 105C	Multi-channel, Bi-directional Serial I/F	32-LFCSP_SS-5X5X0.75	AD2410WCCSZ	260
		-40C to 105C	Multi-channel, Bi-directional Serial I/F	32-LFCSP_SS-N/A	AD2410WCCSZ-RL	261
	ADA4430-1	-40C to 125C	Low Pwr Comp Video Filter w/ULP Disable	6-SOT_23-N/A	ADA4430-1WYRTZ-R7	262
	ADA4433-1	-40C to 125C	High Spd Shrt Bat. Protect Video Filter	8-LFCSP-3X3X0.75	ADA4433-1WBCPZ-R7	263
	ADAU1450	-40C to 105C	SigmaDSP 150MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1450WBCPZ	264
		-40C to 105C	SigmaDSP 150MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1450WBCPZ-RL	265
	ADAU1451	-40C to 105C	SigmaDSP 300MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1451WBCPZ	266
		-40C to 105C	SigmaDSP 300MHz Audio Processor	72-LFCSP-10X10X0.85	ADAU1451WBCPZ-RL	267
	ADAU1452	-40C to 105C	150 MHz 32bit SigmaDSP Audio Processor	72-LFCSP-10X10X0.85	ADAU1452WBCPZ	268
		-40C to 105C	300 MHz 32bit SigmaDSP Audio Processor	72-LFCSP-10X10X0.85	ADAU1452WBCPZ-RL	269
	ADAU1462	-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ150	270
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ150RL	271
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ300	272
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	72-LFCSP-10X10X0.85	ADAU1462WBCPZ300RL	273
	ADAU1463	-40C to 105C	32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ150	274
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ150RL	275
		-40C to 105C	32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ300	276
-40C to 105C		32bit SigmaDSP Audio 16K/48K	88-LFCSP-12X12X0.85	ADAU1463WBCPZ300RL	277	
ADAU1466	-40C to 105C	32bit SigmaDSP Audio 24K/80K	72-LFCSP-10X10X0.85	ADAU1466WBCPZ300	278	
	-40C to 105C	32bit SigmaDSP Audio 24K/80K	72-LFCSP-10X10X0.85	ADAU1466WBCPZ300RL	279	
ADAU1467	-40C to 105C	32bit SigmaDSP Audio 24K/80K	88-LFCSP-12X12X0.85	ADAU1467WBCPZ300	280	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADAU1467	-40C to 105C	32bit SigmaDSP Audio 24K/80K	88-LFCSP-12X12X0.85	ADAU1467WBPCZ300RL	281
	ADAU1961	-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBPCZ	282
		-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBPCZ-R7	283
		-40C to 105C	24-bit Stereo Audio Codec	32-LFCSP-5X5X0.85	ADAU1961WBPCZ-RL	284
	ADAU1962A	-40C to 105C	High Performance 12 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1962AWBSTZ	285
		-40C to 105C	High Performance 12 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1962AWBSTZ-RL	286
	ADAU1966	-40C to 105C	High Performance 16 DAC	80-LQFP-14X14X1.4	ADAU1966WBSTZ	287
		-40C to 105C	High Performance 16 DAC	80-LQFP-14X14X1.4	ADAU1966WBSTZRL	288
	ADAU1966A	-40C to 105C	High Performance 16 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1966AWBSTZ	289
		-40C to 105C	High Performance 16 chnl Audio DAC	80-LQFP-14X14X1.4	ADAU1966AWBSTZ-RL	290
	ADAU1977	-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBPCZ	291
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBPCZ-R7	292
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1977WBPCZ-RL	293
	ADAU1978	-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1978WBPCZ	294
		-40C to 105C	Hi Perf Quad-ADC for Voice/ANCMicrophone	40-LFCSP-6X6X0.75	ADAU1978WBPCZ-RL	295
	ADAU1979	-40C to 105C	Hi Perf Quad-ADC with 4Vrms input level	40-LFCSP-6X6X0.75	ADAU1979WBPCZ	296
		-40C to 105C	Hi Perf Quad-ADC with 4Vrms input level	40-LFCSP-6X6X0.75	ADAU1979WBPCZ-RL	297
	ADV7180	-40C to 85C	10-bit 4x Oversampling SDTV Decoder	32-LFCSP-5X5X0.75	ADV7180WBPCZ32Z	298
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	32-LFCSP-5X5X0.75	ADV7180WBPCZ32Z-RL	299
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	48-LQFP-7X7X1.4	ADV7180WBST48Z	300
		-40C to 85C	10-bit 4x Oversampling SDTV Decoder	48-LQFP-7X7X1.4	ADV7180WBST48Z-RL	301
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	64-LQFP-10X10X1.4	ADV7180WBSTZ	302
		-40C to 125C	10-bit 4x Oversampling SDTV Decoder	64-LQFP-10X10X1.4	ADV7180WBSTZ-REEL	303
	ADV7181D	-40C to 85C	10-bit SD/HD Video Decoder	64-LFCSP-9X9X0.85	ADV7181DWBPCZ	304
		-40C to 85C	10-bit SD/HD Video Decoder	64-LFCSP-9X9X0.85	ADV7181DWBPCZ-RL	305
	ADV7182	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182WBPCZ	306
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182WBPCZ-RL	307
	ADV7182A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182AWBPCZ	308
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7182AWBPCZ-RL	309
	ADV7186	-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ	310
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-RL	311
		-40C to 85C	Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-T	312
-40C to 85C		Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-T-RL	313	
-40C to 85C		Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-TL	314	
-40C to 85C		Video Decoder and Display Processor	196-CSP_BGA-12X12_MM	ADV7186WBBCZ-TL-RL	315	
ADV7280	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ	316	
	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ-M	317	
	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ-M-RL	318	
	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280WBPCZ-RL	319	
ADV7280A	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBPCZ	320	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADV7280A	-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ-M	321
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ-M-RL	322
		-40C to 105C	10-bit SD Video Decoder	32-LFCSP-5X5X0.75	ADV7280AWBCPZ-RL	323
	ADV7281	-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7281WBCPZ	324
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-M	325
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-M-RL	326
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-MA	327
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-MA-RL	328
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7281WBCPZ-RL	329
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281WBCPZ-RL	329
	ADV7281A	-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281AWBCPZ-M	330
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7281AWBCPZ-M-RL	331
	ADV7282	-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282WBCPZ	332
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282WBCPZ-M	333
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282WBCPZ-M-RL	334
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282WBCPZ-RL	335
	ADV7282A	-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282AWBCPZ	336
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-M	337
		-40C to 105C	10-bit SD Diff Video Decoder	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-M-RL	338
		-40C to 105C	10-bit SD Diff Video Decoder w/ I2P Out	32-LFCSP-5X5X0.75	ADV7282AWBCPZ-RL	339
	ADV7283	-40C to 105C	10bit SD Vid Decoder w/Diff Input,Deinte	32-LFCSP-5X5X0.75	ADV7283WBCPZ	340
		-40C to 105C	10bit SD Vid Decoder w/Diff Input,Deinte	32-LFCSP-5X5X0.75	ADV7283WBCPZ-RL	341
	ADV7343	-40C to 85C	Multiformat Video Encoder	64-LQFP-10X10X1.4	ADV7343WBSTZ	342
		-40C to 85C	Multiformat Video Encoder	64-LQFP-10X10X1.4	ADV7343WBSTZ-RL	343
	ADV7390	-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7390WBCPZ	344
		-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7390WBCPZ-RL	345
	ADV7391	-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7391WBCPZ	346
		-40C to 105C	3 DAC 10-bit HDTV Video Encoder	32-LFCSP-5X5X0.75	ADV7391WBCPZ-RL	347
	ADV7480	-40C to 85C	HDMI/MHL VID Rx	100-CSP_BGA-9X9_MM	ADV7480WBBCZ	348
		-40C to 85C	HDMI/MHL VID Rx	100-CSP_BGA-9X9_MM	ADV7480WBBCZ-RL	349
	ADV7481	-40C to 85C	HDMI/MHL Rx w/ SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7481WBBCZ	350
		-40C to 85C	HDMI/MHL Rx w/ SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7481WBBCZ-RL	351
	ADV7482	-40C to 85C	HDMI Rx Plus SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7482WBBCZ	352
		-40C to 85C	HDMI Rx Plus SD Vid Rx	100-CSP_BGA-9X9_MM	ADV7482WBBCZ-RL	353
	ADV7511W	-40C to 105C	High-Definition Multimedia Interface	64-LQFP_EP-10X10X1.4	ADV7511WBSWZ	354
		-40C to 105C	High-Definition Multimedia Interface	64-LQFP_EP-10X10X1.4	ADV7511WBSWZ-RL	355
ADV7611	-40C to 85C	1 INPUT LOW POWER HDMI 1.4 RCVR	64-LQFP_EP-10X10X1.4	ADV7611WBSWZ	356	
	-40C to 85C	1 INPUT LOW POWER HDMI 1.4 RCVR	64-LQFP_EP-10X10X1.4	ADV7611WBSWZ-RL	357	
ADV7612	-40C to 85C	225 MHz HDMI receiver with 2 inputs	100-LQFP_EP-14X14X1.4	ADV7612WBSWZ	358	
ADV7613	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ	359	
	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-P	360	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Audio/Video Products	ADV7613	-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-P-RL	361
		-40C to 85C	HDMI Rx to Dual OLDI Tx	100-CSP_BGA-9X9_MM	ADV7613WBBCZ-RL	362
	ADV7680	-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBPCZ	363
		-40C to 85C	Single input- HDMI-RX & APIX-2 TX output	64-LFCSP-9X9X0.85	ADV7680WBPCZ-RL	364
	ADV7682	-40C to 85C	Dual input HDMI-RX & APIX-2 TX output	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ	365
		-40C to 85C	Dual input HDMI-RX & APIX-2 TX output	100-LQFP_EP-14X14X1.4	ADV7682WBSVZ-RL	366
	ADV7782	-40C to 85C	APIX RX plus OLDI Rx to MIPI-CSI Tx	100-CSP_BGA-9X9_MM	ADV7782WBBCZ	367
		-40C to 85C	APIX RX plus OLDI Rx to MIPI-CSI Tx	100-CSP_BGA-9X9_MM	ADV7782WBBCZ-RL	368
Battery Management	LTC2941	-40C to 85C	Bat Gas Gauge w/ I2C Int	8-MINI_SO-N/A	LTC2941IMS8E#V/PBF	369
		-40C to 85C	Bat Gas Gauge w/ I2C Int	8-MINI_SO-N/A	LTC2941IMS8E#VTRPBF	370
Digital to Analog Converters	AD5122	-40C to 125C	128tap, Dual DigiPOT, NVM, SPI	16-TSSOP_4.4-4.4_MM	AD5122WBRUZ10-RL7	371
	AD5141	-40C to 125C	256tap, Single DigiPOT, NVM, SPI/I2C	16-LFCSP-3X3X0.75	AD5141WBPCZ10-RL7	372
	AD5142	-40C to 125C	256tap, Dual DigiPOT, NVM, SPI	16-LFCSP-3X3X0.75	AD5142WBPCZ10-RL7	373
		-40C to 125C	256tap, Dual DigiPOT, NVM, SPI	16-TSSOP_4.4-4.4_MM	AD5142WBRUZ10-RL7	374
	AD5162	-40C to 125C	Dual 8-Bit SPI Digital Pot with Low TC	10-MINI_SO-N/A	AD5162WBRMZ100-RL7	375
	AD5300	-40C to 105C	8-BIT Vout DAC I.C.	6-SOT_23-N/A	AD5300WBRTZ-RL7	376
	AD5310	-40C to 85C	2.7-5V low power, 10-Bit Vout DAC	6-SOT_23-N/A	AD5310WBRTZ-REEL7	377
	AD5312	-40C to 105C	Dual 10-bit serial input DAC	10-MINI_SO-N/A	AD5312WARMZ-REEL7	378
	AD5453	-40C to 125C	14-bit Serial Iout DAC	8-LFCSP-3X3X0.75	AD5453WBPCZ-RL	379
	AD7398	-40C to 125C	Quad 12bit DAC Serial In	16-TSSOP_4.4-4.4_MM	AD7398WBRUZ-RL7	380
	AD9740	-40C to 105C	10 BIT 210 MSPS TxDAC	28-TSSOP_4.4-4.4_MM	AD9740WARUZRL	381
		-40C to 105C	10 BIT 210 MSPS TxDAC	28-TSSOP_4.4-4.4_MM	AD9740WARUZRL7	382
Interface & Isolation	ADG5412	-40C to 125C	20V Latchup Proof quad SPST	16-LFCSP-4X4X0.75	ADG5412WBPCZ-REEL7	383
		-40C to 125C	20V Latchup Proof quad SPST	16-TSSOP_4.4-4.4_MM	ADG5412WBRUZ-REEL7	384
	ADM3054	-40C to 125C	5kVrms Int Signal + Power ISO CAN Xcvr	16-SOIC_W-300_MIL	ADM3054WBRWZ-RL7	385
	ADM4853	-40C to 85C	10Mbps Half Duplex 5V RS485 Trans. I.C.	8-SOIC_N-150_MIL	ADM4853WARZ-RL7	386
	ADM487E	-40C to 85C	5v 15kV ESD Half Duplex RS-485 Transcive	8-SOIC_N-150_MIL	ADM487EWARZ	387
		-40C to 85C	5v 15kV ESD Half Duplex RS-485 Transcive	8-SOIC_N-150_MIL	ADM487EWARZ-REEL7	388
	ADN4667	-40C to 85C	3V Quad LVDS Differential Driver	16-SOIC_N-150_MIL	ADN4667WARZ-REEL7	389
	ADUM1200	-40C to 125C	3-5.5 V DC-1 Mbit/sec, 2Chnl Dgtl 2Txr,	8-SOIC_N-150_MIL	ADUM1200WSRZ	390
		-40C to 125C	3-5.5 V DC- 1 Mbit/sec, 2Chnl Dgtl 2Txr,	8-SOIC_N-150_MIL	ADUM1200WSRZ-RL7	391
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 2 xr,0Rrx	8-SOIC_N-150_MIL	ADUM1200WTRZ	392
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 2 xr,0Rrx	8-SOIC_N-150_MIL	ADUM1200WTRZ-RL7	393
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 2Txrs0Rx	8-SOIC_N-150_MIL	ADUM1200WURZ	394
		-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 2Txrs0Rx	8-SOIC_N-150_MIL	ADUM1200WURZ-RL7	395
	ADUM1201	-40C to 125C	3-5.5V DC 1Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WSRZ	396
		-40C to 125C	3-5.5V DC 1Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WSRZ-RL7	397
		-40C to 125C	3-5.5V DC 10Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WTRZ	398
-40C to 125C		3-5.5V DC 10Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WTRZ-RL7	399	
-40C to 125C		3-5.5V DC 25Mbit/sc 2Chnl Dgtl 1Txr1Rrx	8-SOIC_N-150_MIL	ADUM1201WURZ	400	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM1201	-40C to 125C	3-5.5V DC 25Mbit/sc 2Chnl Dgtl 1Txr1Rxr	8-SOIC_N-150_MIL	ADUM1201WURZ-RL7	401
	ADUM120N	-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N0WBRZ	402
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N0WBRZ-RL7	403
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N1WBRZ	404
		-40C to 125C	2ch EMC robust 3kV digital Isolator,2/0	8-SOIC_N-150_MIL	ADUM120N1WBRZ-RL7	405
		-40C to 125C	2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N0WBRZ	406
	ADUM121N	-40C to 125C	2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N0WBRZ-RL7	407
		-40C to 125C	2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ	408
		-40C to 125C	2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ-RL7	409
		-40C to 125C	2ch EMC robust 3kV digital Isolator,1/1	8-SOIC_N-150_MIL	ADUM121N1WBRZ-RL7	409
	ADUM1250	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1250WSRZ	410
		-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1250WSRZ-RL7	411
	ADUM1251	-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1251WARZ	412
		-40C to 125C	I2C isolator, 3V to 5.5V	8-SOIC_N-150_MIL	ADUM1251WARZ-RL7	413
	ADUM1300	-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WSRWZ	414
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WSRWZ-RL	415
		-40C to 125C	3-5.5V DC10Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WTRWZ	416
		-40C to 125C	3-5.5VDC 10Mbit/sc 3Chnl Dgtl 3Txr0Rxr	16-SOIC_W-300_MIL	ADUM1300WTRWZ-RL	417
	ADUM1301	-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WSRWZ	418
		-40C to 125C	3-5.5V DC 1Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WSRWZ-RL	419
		-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WTRWZ	420
		-40C to 125C	3-5.5V DC 10Mbit/sc 3Chnl Dgtl 2Txr1Rxr	16-SOIC_W-300_MIL	ADUM1301WTRWZ-RL	421
	ADUM1400	-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WSRWZ	422
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WSRWZ-RL	423
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WTRWZ	424
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 4Txr0Rxr	16-SOIC_W-300_MIL	ADUM1400WTRWZ-RL	425
	ADUM1401	-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WSRWZ	426
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WSRWZ-RL	427
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WTRWZ	428
		-40C to 125C	ym125V DC 10Mbit/sc 4Chnl Dgtl 3Txr1Rxr	16-SOIC_W-300_MIL	ADUM1401WTRWZ-RL	429
	ADUM1402	-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WSRWZ	430
		-40C to 125C	3-5.5V DC 1Mbit/sc 4Chnl Dgtl 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WSRWZ-RL	431
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WTRWZ	432
		-40C to 125C	3-5.5V DC 10Mbit/sc 4Chnl Dgtl 2Txr2 Rxr	16-SOIC_W-300_MIL	ADUM1402WTRWZ-RL	433
	ADUM140E	-40C to 125C	IC, Robust Quad ISO, 4:0 ch	16-SOIC_W-300_MIL	ADUM140E1WBRWZ	434
		-40C to 125C	IC, Robust Quad ISO, 4:0 ch	16-SOIC_W-300_MIL	ADUM140E1WBRWZ-RL	435
	ADUM141E	-40C to 125C	IC, Auto Robust Quad ISO, 3:1 ch	16-QSOP-150_MIL	ADUM141E1WBROZ	436
		-40C to 125C	IC, Auto Robust Quad ISO, 3:1 ch	16-QSOP-150_MIL	ADUM141E1WBROZ-RL7	437
		-40C to 125C	IC, Robust Quad ISO, 3:1 ch	16-SOIC_W-300_MIL	ADUM141E1WBRWZ	438
		-40C to 125C	IC, Robust Quad ISO, 3:1 ch	16-SOIC_W-300_MIL	ADUM141E1WBRWZ-RL	439
	ADUM142E	-40C to 125C	Robust,Quad Channel IsolatorW/Output	16-QSOP-150_MIL	ADUM142E1WBROZ	440

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM142E	-40C to 125C	Robust, Quad Channel Isolator W/ Output	16-QSOP-150_MIL	ADUM142E1WBRQZ-RL7	441
		-40C to 125C	IC, Robust Quad ISO, 2:2 ch	16-SOIC_W-300_MIL	ADUM142E1WBRWZ	442
		-40C to 125C	IC, Robust Quad ISO, 2:2 ch	16-SOIC_W-300_MIL	ADUM142E1WBRWZ-RL	443
	ADUM2200	-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WARWZ	444
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WARWZ-RL	445
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WBRWZ	446
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2200WBRWZ-RL	447
	ADUM2201	-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WARWZ	448
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WARWZ-RL	449
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WBRWZ	450
		-40C to 125C	5kVrms DUAL-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2201WBRWZ-RL	451
	ADUM2210	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WSRWZ	452
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WSRWZ-RL	453
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WTRWZ	454
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2210WTRWZ-RL	455
	ADUM2211	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WSRWZ	456
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WSRWZ-RL	457
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WTRWZ	458
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM2211WTRWZ-RL	459
	ADUM221N	-40C to 125C	IC, Robust Auto Dual ISO, 2:1 Channel	16-SOIC_W-300_MIL	ADUM221N0WBRWZ	460
		-40C to 125C	IC, Robust Auto Dual ISO, 2:1 Channel	16-SOIC_W-300_MIL	ADUM221N0WBRWZ-RL	461
	ADUM2250	-40C to 105C	Hot Swappable Dual I C Isolator, 5kV	16-SOIC_W-300_MIL	ADUM2250WARWZ	462
		-40C to 105C	ot Swappable Dual I C Isolator,5kV	16-SOIC_W-300_MIL	ADUM2250WARWZ-RL	463
	ADUM2251	-40C to 105C	Hot Swappable Dual I C Isolator,5kV	16-SOIC_W-300_MIL	ADUM2251WARWZ	464
		-40C to 105C	Hot Swappable Dual I C Isolator,5kV	16-SOIC_W-300_MIL	ADUM2251WARWZ-RL	465
	ADUM226N	-40C to 125C	IC, Robust Dual ISO, 2:1 channel	8-SOIC_IC-300_MIL	ADUM226N0WBRIZ	466
		-40C to 125C	IC, Robust Dual ISO, 2:1 channel	8-SOIC_IC-300_MIL	ADUM226N0WBRIZ-RL	467
	ADUM241E	-40C to 125C	IC,Robust Quad ISO 3:1 ch	16-SOIC_W-300_MIL	ADUM241E1WBRWZ	468
		-40C to 125C	IC,Robust Quad ISO 3:1 ch	16-SOIC_W-300_MIL	ADUM241E1WBRWZ-RL	469
	ADUM3160	-40C to 105C	USB Digital Isolator, 2.5kV	16-SOIC_W-300_MIL	ADUM3160WBRWZ	470
		-40C to 105C	USB Digital Isolator, 2.5kV	16-SOIC_W-300_MIL	ADUM3160WBRWZ-RL	471
	ADUM3190	-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WSRQZ	472
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WSRQZ-RL7	473
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WTRQZ	474
		-40C to 125C	2.5kV High Stability Isolated Error Amp	16-QSOP-150_MIL	ADUM3190WTRQZ-RL7	475
	ADUM3200	-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WARZ	476
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WARZ-RL7	477
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WBRZ	478
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WBRZ-RL7	479
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WCRZ	480

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3200	-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3200WCRZ-RL7	481
	ADUM3201	-40C to 125C	2Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WARZ	482
		-40C to 125C	2-Ch 3-5.5V DC-1Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WARZ-RL7	483
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WBRZ	484
		-40C to 125C	2-Ch 3-5.5V DC-10Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WBRZ-RL7	485
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WCRZ	486
		-40C to 125C	2-Ch 3-5.5V DC-25Mbit w/Enhanced ESD	8-SOIC_N-150_MIL	ADUM3201WCRZ-RL7	487
		ADUM3210	-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WARZ
	-40C to 125C		DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WARZ-RL7	489
	-40C to 125C		DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WBRZ	490
	-40C to 125C		DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WBRZ-RL7	491
	-40C to 125C		DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WCRZ	492
	-40C to 125C		DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3210WCRZ-RL7	493
	ADUM3211		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WARZ
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WARZ-RL7	495
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WBRZ	496
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WBRZ-RL7	497
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WCRZ	498
		-40C to 125C	DUAL-CH DIGITAL ISOLATORS	8-SOIC_N-150_MIL	ADUM3211WCRZ-RL7	499
	ADUM3220	-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WARZ	500
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WARZ-RL7	501
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WBRZ	502
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3220WBRZ-RL7	503
	ADUM3221	-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WARZ	504
		-40C to 125C	4A Gate Drvr 4.1V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WARZ-RL7	505
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WBRZ	506
		-40C to 125C	4A Gate Drvr 7V Nominal UVLO	8-SOIC_N-150_MIL	ADUM3221WBRZ-RL7	507
	ADUM3223	-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WARZ	508
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WARZ-RL7	509
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WBRZ	510
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WBRZ-RL7	511
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WCRZ	512
		-40C to 125C	Isolated Prec Half-Bridge Driver, 4A Out	16-SOIC_N-150_MIL	ADUM3223WCRZ-RL7	513
	ADUM3224	-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WARZ	514
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WARZ-RL7	515
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WBRZ	516
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WBRZ-RL7	517
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WCRZ	518
		-40C to 125C	3kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_N-150_MIL	ADUM3224WCRZ-RL7	519
	ADUM3300	-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3300WARWZ	520

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM3300	-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3300WARWZ-RL	521
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3300WBRWZ	522
		-40C to 125C	THREE - CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3300WBRWZ-RL	523
	ADUM3301	-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3301WARWZ	524
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3301WARWZ-RL	525
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATOR	16-SOIC_W-300_MIL	ADUM3301WBRWZ	526
		-40C to 125C	THREE-CHANNEL DIGITAL ISOLATORS	16-SOIC_W-300_MIL	ADUM3301WBRWZ-RL	527
	ADUM3400	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3400WARWZ	528
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3400WARWZ-RL	529
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3400WBRWZ	530
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3400WBRWZ-RL	531
	ADUM3401	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3401WARWZ	532
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3401WARWZ-RL	533
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3401WBRWZ	534
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3401WBRWZ-RL	535
	ADUM3402	-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3402WARWZ	536
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3402WARWZ-RL	537
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3402WBRWZ	538
		-40C to 125C	3-5.5V DC 10Mbit/s 4Chnl Dgtl 2Txr2 xr	16-SOIC_W-300_MIL	ADUM3402WBRWZ-RL	539
	ADUM3470	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WARSZ	540
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WARSZ-RL7	541
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WCRSZ	542
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3470WCRSZ-RL7	543
	ADUM3471	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WARSZ	544
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WARSZ-RL7	545
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WCRSZ	546
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3471WCRSZ-RL7	547
	ADUM3472	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WARSZ	548
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WARSZ-RL7	549
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WCRSZ	550
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3472WCRSZ-RL7	551
	ADUM3473	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WARSZ	552
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WARSZ-RL7	553
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WCRSZ	554
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3473WCRSZ-RL7	555
	ADUM3474	-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WARSZ	556
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WARSZ-RL7	557
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCRSZ	558
		-40C to 105C	4-Ch Iso w/ Int Transformer Driver	20-SSOP-5.30_MM	ADUM3474WCRSZ-RL7	559
	ADUM4223	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WARWZ	560

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	ADUM4223	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WARWZ-RL	561
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WBRWZ	562
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WBRWZ-RL	563
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WCRWZ	564
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4223WCRWZ-RL	565
	ADUM4224	-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WARWZ	566
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WARWZ-RL	567
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WBRWZ	568
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WBRWZ-RL	569
		-40C to 125C	5kV Isolated Prec Half-Bridge Driver, 4A	16-SOIC_W-300_MIL	ADUM4224WCRWZ	570
	ADUM4400	-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WARWZ	572
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WARWZ-RL	573
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WBRWZ	574
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WBRWZ-RL	575
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4400WCRWZ	576
	ADUM4401	-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WARWZ	576
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WARWZ-RL	577
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WBRWZ	578
		-40C to 105C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4401WBRWZ-RL	579
	ADUM4402	-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WARWZ	580
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WARWZ-RL	581
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WBRWZ	582
		-40C to 125C	Quad-Ch 5kV Enhanced ESD Dig Isoltr	16-SOIC_W-300_MIL	ADUM4402WBRWZ-RL	583
	ADUM5000	-40C to 105C	Isolated DC/DC Converter	16-SOIC_W-300_MIL	ADUM5000WARWZ	584
		-40C to 105C	Isolated DC/DC Converter	16-SOIC_W-300_MIL	ADUM5000WARWZ-RL	585
	ADUM5200	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5200WCRWZ	586
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5200WCRWZ-RL	587
	ADUM5201	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5201WCRWZ	588
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5201WCRWZ-RL	589
	ADUM5202	-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5202WCRWZ	590
		-40C to 105C	2-ChANNEL ISO W/INTEGRATED DC/DC	16-SOIC_W-300_MIL	ADUM5202WCRWZ-RL	591
	ADUM5230	-40C to 105C	Isolated Half-bridge Gate Driver	16-SOIC_W-300_MIL	ADUM5230WARWZ	592
		-40C to 105C	Isolated Half-bridge Gate Driver	16-SOIC_W-300_MIL	ADUM5230WARWZ-RL	593
	ADUM5401	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5401WCRWZ-1	594
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5401WCRWZ-1RL	595
	ADUM5402	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5402WCRWZ-1	596
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5402WCRWZ-1RL	597
	ADUM5403	-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5403WCRWZ-1	598
		-40C to 105C	4.5-5.5 V DC 10 Mbit/s 4chnl w/iso pwr	16-SOIC_W-300_MIL	ADUM5403WCRWZ-1RL	599
	LT1785	-40C to 85C	60V Fault Protected RS485/RS422 Trans	8-SOIC_N-150_MIL	LT1785AIS#N/PBF	600

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Interface & Isolation	LT1785	-40C to 85C	60V Fault Protected RS485/RS422 Trans	8-SOIC_N-150_MIL	LT1785AIS8#WTRPBF	601
		-40C to 85C	60V Fault Protected RS485/RS422 Trans	8-SOIC_N-150_MIL	LT1785IS8#VPBF	602
		-40C to 85C	60V Fault Protected RS485/RS422 Trans	8-SOIC_N-150_MIL	LT1785IS8#WTRPBF	603
	LTC6820	-40C to 125C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820HMS#3ZZPBF	604
		-40C to 125C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820HMS#3ZZTRPBF	605
		-40C to 85C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820IMS#3ZZPBF	606
		-40C to 85C	isoSPI Iso Communications Int	16-MINI_SO-N/A	LTC6820IMS#3ZZTRPBF	607
LED Drivers	LT3965	-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965EFE#WPBF	608
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965EFE#WTRPBF	609
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965EFE-1#WPBF	610
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965EFE-1#WTRPBF	611
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965IFE#WPBF	612
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965IFE#WTRPBF	613
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965IFE-1#VPBF	614
		-40C to 150C	8-Switch Matrix LED Dimmer	28-TSSOP_4.4-4.4_MM	LT3965IFE-1#WTRPBF	615
Linear Products	AD1582	-40C to 125C	IC, 2.5V MICROPOWER REF	3-SOT_23_3-N/A	AD1582WBRTZ-R7	616
	AD1583	-40C to 125C	IC, 3V MICROPOWER REF	3-SOT_23_3-N/A	AD1583WBRTZ-R7	617
	AD8465	-40C to 125C	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	12-LFCSP-3X3X0.75	AD8465WBCPZ-R7	618
		-40C to 125C	R/R Fst Sngl 2.5V-5.5V Supp, LVDS Comp	12-LFCSP-3X3X0.75	AD8465WBCPZ-WP	619
	AD8469	-40C to 125C	RRI Single Channel, TTL/CMOS Out COMPTR	8-MINI_SO-N/A	AD8469WBRMZ	620
		-40C to 125C	RRI Single Channel, TTL/CMOS Out COMPTR	8-MINI_SO-N/A	AD8469WBRMZ-RL	621
	ADR01	-40C to 125C	+10V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR01WARZ-R7	622
		-40C to 125C	+10V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR01WARZ-RL	623
	ADR02	-40C to 125C	5.00V, 0.1%, 10ppm/Deg C	8-SOIC_N-150_MIL	ADR02WARZ-REEL	624
		-40C to 125C	5.00V, 0.1%, 10ppm/Deg C	8-SOIC_N-150_MIL	ADR02WARZ-REEL7	625
	ADR03	-40C to 125C	2.5V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR03WARZ-R7	626
		-40C to 125C	2.5V PrecisionBandgap REF	8-SOIC_N-150_MIL	ADR03WARZ-RL	627
	ADR06	-40C to 125C	3.0V Reference	8-SOIC_N-150_MIL	ADR06WARZ-R7	628
		-40C to 125C	3.0V Reference	8-SOIC_N-150_MIL	ADR06WARZ-RL	629
	ADR291	-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	8-SOIC_N-150_MIL	ADR291WFRZ-R7	630
		-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	8-SOIC_N-150_MIL	ADR291WFRZ-RL	631
	ADR3512	-40C to 125C	1.2V 4ppm/C 0.60µCMOS V Ref	8-MINI_SO-N/A	ADR3512WCRMZ-R7	632
	ADR3525	-40C to 125C	2.5V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3525WARMZ-R7	633
		-40C to 125C	2.5V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3525WBRMZ-R7	634
	ADR3530	-40C to 125C	3.0V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3530WARMZ-R7	635
		-40C to 125C	3.0V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3530WBRMZ-R7	636
	ADR3533	-40C to 125C	3.3V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3533WARMZ-R7	637
		-40C to 125C	3.3V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3533WBRMZ-R7	638
	ADR3540	-40C to 125C	4.096V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3540WARMZ-R7	639
-40C to 125C		4.096V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3540WBRMZ-R7	640	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Linear Products	ADR3550	-40C to 125C	5.0V CMOS 8ppm/C Voltage REF	8-MINI_SO-N/A	ADR3550WARMZ-R7	641
		-40C to 125C	5.0V CMOS 5ppm/C Voltage REF	8-MINI_SO-N/A	ADR3550WBRMZ-R7	642
	ADR365	-40C to 125C	5V μ Pwr REF w/sink/source	5-TSOT-N/A	ADR365WAUJZ-R7	643
	ADR366	-40C to 125C	2.5V Out, 15ppm/degC Max TC, Vltg Ref	5-TSOT-N/A	ADR366WAUJZ-REEL7	644
	ADR392	-40C to 125C	Prec Low Drift+4.096V REF	5-TSOT-N/A	ADR392WBUJZ-R7	645
	ADR5041	-40C to 125C	2.5V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5041WARTZ-R7	646
		-40C to 125C	2.5V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5041WBRTZ-R7	647
	ADR5044	-40C to 125C	4.096V hunt Voltage Ref	3-SOT_23_3-N/A	ADR5044WARTZ-R7	648
		-40C to 125C	4.096V Shunt Voltage Ref	3-SOT_23_3-N/A	ADR5044WBRTZ-R7	649
	ADR512	-40C to 85C	+1.2V Shunt REF	3-SOT_23_3-N/A	ADR512WARTZ-R7	650
MEMS	ADXC1501	-40C to 105C	Yaw/3-axis Accel Combo	16-SOIC_CAV-300_MIL	ADXC1501AWBRGZ-RL	651
	ADXL151	-40C to 125C	PSI5 Satellite Sensor X-Axis Accel	12-LFCSP_SS-4X4X1.45	ADXL151WBBCSZ-RL	652
	ADXL185B	-40C to 125C	PSI-5 Z Axis Satellite Sensor	16-SOIC_N_EP-150_MIL	ADXL185BWBBDZUP-RL	653
	ADXL189B	-40C to 125C	PSI5 x axis Satellite Sensor	16-SOIC_N_EP-150_MIL	ADXL189BWBBDZUP-RL	654
	ADXL251	-40C to 125C	XY Dual Axis High G PSI5_SPI Sensor	12-LFCSP-4X4X1.45	ADXL251WBBCPZ-RL	655
	ADXL288	-40C to 105C	120g, Digital Output two-axis Accel	16-SOIC_N_EP-150_MIL	ADXL288WBBDZ-RL	656
	ADXL295	-40C to 105C	120g, Digital Output two-axis Accel w/HF	16-SOIC_N_EP-150_MIL	ADXL295WBBDZ-RL	657
	ADXL312	-40C to 105C	3-axis, 1.5-12g accel, Digital Output	32-LFCSP-5X5X1.45	ADXL312WACPZ	658
		-40C to 105C	3-axis, 1.5-12g accel, Digital Output	32-LFCSP-5X5X1.45	ADXL312WACPZ-RL	659
	ADXL313	-40C to 105C	.5-4g Digital Output Three-Axis Accel	32-LFCSP-5X5X1.45	ADXL313WACPZ-RL	660
		-40C to 105C	.5-4g Digital Output Three-Axis Accel	32-LFCSP-5X5X1.45	ADXL313WACPZ-RL7	661
	ADXL316	-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBBCSZ	662
		-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBBCSZ-RL	663
		-40C to 105C	Low G XL Noise Cancellation	12-LFCSP_SS-4X4X1.45	ADXL316WBBCSZ-RL7	664
	ADXL700	-40C to 105C	High Perf 3 Axis Low G ESC	16-SOIC_W-300_MIL	ADXL700WBRWZ	665
		-40C to 105C	High Perf 3 Axis Low G ESC	16-SOIC_W-300_MIL	ADXL700WBRWZ-RL	666
	ADXL701	-40C to 105C	High Perf. ESC Low G XL	16-SOIC_W-300_MIL	ADXL701WBRWZ-UP-RL	667
	ADXRS800	-40C to 105C	300 deg/s digital SPI out gyro, Yaw	16-SOIC_CAV-300_MIL	ADXRS800WBRGZ	668
		-40C to 105C	300 deg/s digital SPI out gyro, Yaw	16-SOIC_CAV-300_MIL	ADXRS800WBRGZ-RL	669
ADXRS810	-40C to 105C	SPI output gyro vertical pkg +/- 300	16-SOIC_CAV-300_MIL	ADXRS810WBRGZ-RL	670	
ADXRS910	-40C to 105C	Roll Stability Control InPlane Gyroscope	16-SOIC_CAV-300_MIL	ADXRS910WBRGZ-RL	671	
Power Management	AD8280	-40C to 105C	Lithium Ion Battery Safety Monitor	48-LQFP-7X7X1.4	AD8280WASTZ	672
		-40C to 105C	Lithium Ion Battery Safety Monitor	48-LQFP-7X7X1.4	AD8280WASTZ-RL	673
	ADM8316	-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WAY27ARJZR7	674
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WBX30ARJZR7	675
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,4.63V	5-SOT_23-N/A	ADM8316WBX46ARJZR7	676
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,4.9V	5-SOT_23-N/A	ADM8316WDW49ARJZR7	677
		-40C to 125C	WD,MRb,PPb,30msTO,102msWD,3.0V	5-SOT_23-N/A	ADM8316WDZ30ARJZR7	678
	ADM8318	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8318WCY46ARJZR7	679
	ADM8319	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8319WB31ARJZR7	680

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Power Management	ADM8320	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WBX3NARJZR7	681
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCY29ARJZR7	682
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCZ29ARJZR7	683
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8320WCZ33ARJZR7	684
	ADM8321	-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,3.0V	5-SOT_23-N/A	ADM8321WAW30ARJZR7	685
		-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,4.63V	5-SOT_23-N/A	ADM8321WAY30ARJZR7	686
		-40C to 125C	WD,ODb,PP,200msTO,1.6sWD,4.63V	5-SOT_23-N/A	ADM8321WCY46ARJZR7	687
	ADM8322	-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WB26ARJZRL7	688
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC26ARJZR7	689
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC31ARJZR7	690
		-40C to 125C	Supervisory Circuit with Watchdog	5-SOT_23-N/A	ADM8322WC46ARJZR7	691
	ADM8323	-40C to 125C	WWD,MRb,PPb,200msTO,15ms/300msWD,2.93V	5-SOT_23-N/A	ADM8323WCC29ARJZR7	692
		-40C to 125C	WWD,MRb,PPb,200msTO,15ms/300msWD,4.63V	5-SOT_23-N/A	ADM8323WCC46ARJZR7	693
	ADM8324	-40C to 125C	T_rst_min=1ms, T_wd_fast_max=768ms, Vth	5-SOT_23-N/A	ADM8324WAH29ARJZR7	694
		-40C to 125C	T_rst_min=140ms, T_wd_fast_max=1.5ms, V	5-SOT_23-N/A	ADM8324WCA29ARJZR7	695
		-40C to 125C	T_rst_min=140ms, T_wd_fast_max=1.5ms, V	5-SOT_23-N/A	ADM8324WCA46ARJZR7	696
	ADP1046A	-40C to 125C	Advanced DC-DC Digital Controller	32-LFCSP-5X5X0.75	ADP1046AWACPZ-R7	697
	LT8300	-40C to 125C	100VIN uP Iso Fly Conv w/ 150V/260mA Swi	5-TSOT-N/A	LT8300ES5#WTRMPBF	698
		-40C to 125C	100VIN uP Iso Fly Conv w/ 150V/260mA Swi	5-TSOT-N/A	LT8300ES5#WTRPBF	699
		-40C to 150C	100VIN uP Iso Fly Conv w/ 150V/260mA Swi	5-TSOT-N/A	LT8300HS5#WTRMPBF	700
		-40C to 150C	100VIN uP Iso Fly Conv w/ 150V/260mA Swi	5-TSOT-N/A	LT8300HS5#WTRPBF	701
		-40C to 125C	100VIN uP Iso Fly Conv w/ 150V/260mA Swi	5-TSOT-N/A	LT8300IS5#WTRMPBF	702
		-40C to 125C	100VIN uP Iso Fly Conv w/ 150V/260mA Swi	5-TSOT-N/A	LT8300IS5#WTRPBF	703
		LT8301	-40C to 125C	42VIN uP No-Opto Iso Fly Conv w/ 65V/1.2	5-TSOT-N/A	LT8301ES5#WTRMPBF
	-40C to 125C		42VIN uP No-Opto Iso Fly Conv w/ 65V/1.2	5-TSOT-N/A	LT8301ES5#WTRPBF	705
	-40C to 150C		42VIN uP No-Opto Iso Fly Conv w/ 65V/1.2	5-TSOT-N/A	LT8301HS5#WTRMPBF	706
	-40C to 150C		42VIN uP No-Opto Iso Fly Conv w/ 65V/1.2	5-TSOT-N/A	LT8301HS5#WTRPBF	707
	-40C to 125C		42VIN uP No-Opto Iso Fly Conv w/ 65V/1.2	5-TSOT-N/A	LT8301IS5#WTRMPBF	708
	-40C to 125C		42VIN uP No-Opto Iso Fly Conv w/ 65V/1.2	5-TSOT-N/A	LT8301IS5#WTRPBF	709
	LT8608		-40C to 125C	42V, 1.5A Sync Buck Reg w/ 2.5uA Q C	10-MINI_SO-N/A	LT8608EMSE#WPBF
		-40C to 125C	42V, 1.5A Sync Buck Reg w/ 2.5uA Q C	10-MINI_SO-N/A	LT8608EMSE#WTRPBF	711
		-40C to 150C	42V, 1.5A Sync Buck Reg w/ 2.5uA Q C	10-MINI_SO-N/A	LT8608HMSE#WPBF	712
		-40C to 150C	42V, 1.5A Sync Buck Reg w/ 2.5uA Q C	10-MINI_SO-N/A	LT8608HMSE#WTRPBF	713
		-40C to 125C	42V, 1.5A Sync Buck Reg w/ 2.5uA Q C	10-MINI_SO-N/A	LT8608IMSE#WPBF	714
		-40C to 125C	42V, 1.5A Sync Buck Reg w/ 2.5uA Q C	10-MINI_SO-N/A	LT8608IMSE#WTRPBF	715
	LT8609	-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5uA	10-MINI_SO-N/A	LT8609AEMSE#WPBF	716
		-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5uA	10-MINI_SO-N/A	LT8609AEMSE#WTRPBF	717
		-40C to 150C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5uA	10-MINI_SO-N/A	LT8609AHMSE#WPBF	718
		-40C to 150C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5uA	10-MINI_SO-N/A	LT8609AHMSE#WTRPBF	719
		-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5uA	10-MINI_SO-N/A	LT8609AIMSE#WPBF	720

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Power Management	LT8609	-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609AIMSE#WTRPBF	721
		-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609EMSE#WPBF	722
		-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609EMSE#WTRPBF	723
		-40C to 150C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609HMSE#WPBF	724
		-40C to 150C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609HMSE#WTRPBF	725
		-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609IMSE#VPBF	726
		-40C to 125C	42V, 2A/3A Peak Sync Buck Reg w/ 2.5µA	10-MINI_SO-N/A	LT8609IMSE#WTRPBF	727
	LT8612	-40C to 125C	42V, 6A Sync Buck Reg w/ 3µA Q C	28-LFCSP-3x6x0.75	LT8612EUDE#WPBF	728
		-40C to 125C	42V, 6A Sync Buck Reg w/ 3µA Q C	28-LFCSP-3x6x0.75	LT8612EUDE#WTRPBF	729
		-40C to 125C	42V, 6A Sync Buck Reg w/ 3µA Q C	28-LFCSP-3x6x0.75	LT8612IUDE#VPBF	730
		-40C to 125C	42V, 6A Sync Buck Reg w/ 3µA Q C	28-LFCSP-3x6x0.75	LT8612IUDE#WTRPBF	731
	LTC3245	-40C to 125C	Wide VIN Rng, L N, 250mA Buck-Boost Ch P	12-MINI_SO-N/A	LTC3245EMSE#WPBF	732
		-40C to 125C	Wide VIN Rng, L N, 250mA Buck-Boost Ch P	12-MINI_SO-N/A	LTC3245EMSE#WTRPBF	733
		-40C to 150C	Wide VIN Rng, L N, 250mA Buck-Boost Ch P	12-MINI_SO-N/A	LTC3245HMSE#WPBF	734
		-40C to 150C	Wide VIN Rng, L N, 250mA Buck-Boost Ch P	12-MINI_SO-N/A	LTC3245HMSE#WTRPBF	735
		-40C to 125C	Wide VIN Rng, L N, 250mA Buck-Boost Ch P	12-MINI_SO-N/A	LTC3245IMSE#VPBF	736
		-40C to 125C	Wide VIN Rng, L N, 250mA Buck-Boost Ch P	12-MINI_SO-N/A	LTC3245IMSE#WTRPBF	737
	LTC3300-1	-40C to 150C	Hi Eff Bi-dir Multicell Bat Balancer	48-lqfp_ep-7X7X1.4	LTC3300HLXE-1#WPBF	738
		-40C to 125C	Hi Eff Bi-dir Multicell Bat Balancer	48-lqfp_ep-7X7X1.4	LTC3300LXE-1#WPBF	739
	LTC3300-2	-40C to 150C	Addressable Hi Eff Bi-dir Multicell Bat	48-lqfp_ep-7X7X1.4	LTC3300HLXE-2#WPBF	740
		-40C to 125C	Addressable Hi Eff Bi-dir Multicell Bat	48-lqfp_ep-7X7X1.4	LTC3300LXE-2#WPBF	741
	LTC3407-2	-40C to 85C	2x Sync, 800mA, 2.25MHz Buck DC/DC Reg	10-MINI_SO-N/A	LTC3407EMSE-2#VPBF	742
		-40C to 85C	2x Sync, 800mA, 2.25MHz Buck DC/DC Reg	10-MINI_SO-N/A	LTC3407EMSE-2#WTRPBF	743
		-40C to 125C	2x Sync, 800mA, 2.25MHz Buck DC/DC Reg	10-MINI_SO-N/A	LTC3407IMSE-2#VPBF	744
		-40C to 125C	2x Sync, 800mA, 2.25MHz Buck DC/DC Reg	10-MINI_SO-N/A	LTC3407IMSE-2#WTRPBF	745
	LTC3605	-40C to 85C	15V, 5A Sync Buck Reg	24-LFCSP-4x4x0.75	LTC3605EUF#WPBF	746
		-40C to 85C	15V, 5A Sync Buck Reg	24-LFCSP-4x4x0.75	LTC3605EUF#WTRPBF	747
		-40C to 125C	15V, 5A Sync Buck Reg	24-LFCSP-4x4x0.75	LTC3605IUF#VPBF	748
		-40C to 125C	15V, 5A Sync Buck Reg	24-LFCSP-4x4x0.75	LTC3605IUF#WTRPBF	749
	LTC3612	-40C to 125C	3A, 4MHz Mono Sync Buck DC/DC Conv	20-LFCSP-3x4x0.75	LTC3612EUDC#WPBF	750
		-40C to 125C	3A, 4MHz Mono Sync Buck DC/DC Conv	20-LFCSP-3x4x0.75	LTC3612EUDC#WTRPBF	751
		-40C to 150C	3A, 4MHz Mono Sync Buck DC/DC Conv	20-LFCSP-3x4x0.75	LTC3612HUDC#WPBF	752
		-40C to 150C	3A, 4MHz Mono Sync Buck DC/DC Conv	20-LFCSP-3x4x0.75	LTC3612HUDC#WTRPBF	753
		-40C to 125C	3A, 4MHz Mono Sync Buck DC/DC Conv	20-LFCSP-3x4x0.75	LTC3612IUDC#VPBF	754
		-40C to 125C	3A, 4MHz Mono Sync Buck DC/DC Conv	20-LFCSP-3x4x0.75	LTC3612IUDC#WTRPBF	755
	LTC3676	-40C to 125C	Pwr M Solution for Application Processor	48-lqfp_ep-7X7X1.4	LTC3676ELXE#VPBF	756
		-40C to 150C	Pwr M Solution for Application Processor	48-lqfp_ep-7X7X1.4	LTC3676HLXE#VPBF	757
		-40C to 125C	Pwr M Solution for Application Processor	48-lqfp_ep-7X7X1.4	LTC3676LXE#VPBF	758
	LTC4444	-40C to 125C	Hi V Sync N-Ch MOSFET Drvr	8-MINI_SO-N/A	LTC4444EMS8E#VPBF	759
		-40C to 125C	Hi V Sync N-Ch MOSFET Drvr	8-MINI_SO-N/A	LTC4444EMS8E#WTRPBF	760

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Power Management	LTC4444	-40C to 150C	Hi V Sync N-Ch MOSFET Drvr	8-MINI_SO-N/A	LTC4444HMS8E#WPBF	761	
		-40C to 150C	Hi V Sync N-Ch MOSFET Drvr	8-MINI_SO-N/A	LTC4444HMS8E#VTRPBF	762	
		-40C to 125C	Hi V Sync N-Ch MOSFET Drvr	8-MINI_SO-N/A	LTC4444IMS8E#WPBF	763	
		-40C to 125C	Hi V Sync N-Ch MOSFET Drvr	8-MINI_SO-N/A	LTC4444IMS8E#VTRPBF	764	
	LTC7150S	-40C to 125C	20V, 20A Sync Buck Reg	42-BGA-6x5_MM	LTC7150SEY#WPBF	765	
		-40C to 125C	20V, 20A Sync Buck Reg	42-BGA-6x5_MM	LTC7150SIY#WPBF	766	
Power Monitor, Control & Protection	LTC2919	-40C to 125C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919HDDDB-2.5#VTRMPBF	767	
		-40C to 125C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919HDDDB-2.5#VTRPBF	768	
		-40C to 125C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919HDDDB-3.3#VTRMPBF	769	
		-40C to 125C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919HDDDB-3.3#VTRPBF	770	
		-40C to 125C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919HDDDB-5#VTRMPBF	771	
		-40C to 125C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919HDDDB-5#VTRPBF	772	
		-40C to 85C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919DDB-2.5#VTRMPBF	773	
		-40C to 85C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919DDB-2.5#VTRPBF	774	
		-40C to 85C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919DDB-3.3#VTRMPBF	775	
		-40C to 85C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919DDB-3.3#VTRPBF	776	
		-40C to 85C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919DDB-5#VTRMPBF	777	
		-40C to 85C	Prec 3x/2x In UV, OV & Neg V Mon	10-LFCSP-3x2x0.75	LTC2919DDB-5#VTRPBF	778	
	LTC4231	-40C to 125C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231HMS-1#WPBF	779	
		-40C to 125C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231HMS-1#VTRPBF	780	
		-40C to 125C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231HMS-2#WPBF	781	
		-40C to 125C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231HMS-2#VTRPBF	782	
		-40C to 85C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231IMS-1#WPBF	783	
		-40C to 85C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231IMS-1#VTRPBF	784	
		-40C to 85C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231IMS-2#WPBF	785	
		-40C to 85C	uP Hot Swap Cntr	12-MINI_SO-N/A	LTC4231IMS-2#VTRPBF	786	
	LTC4359	-40C to 125C	Ideal Diode Cntr w/ Reverse In Prot	8-MINI_SO-N/A	LTC4359HMS8#WPBF	787	
		-40C to 125C	Ideal Diode Cntr w/ Reverse In Prot	8-MINI_SO-N/A	LTC4359HMS8#VTRPBF	788	
		-40C to 85C	Ideal Diode Cntr w/ Reverse In Prot	8-MINI_SO-N/A	LTC4359IMS8#WPBF	789	
		-40C to 85C	Ideal Diode Cntr w/ Reverse In Prot	8-MINI_SO-N/A	LTC4359IMS8#VTRPBF	790	
	Processors & DSP	AD2421W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2421WCCSZ	791
			-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2421WCCSZ-RL	792
		AD2422W	-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2422WCCSZ	793
			-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2422WCCSZ-RL	794
		AD2425W	-40C to 105C	Enhanced A2B Transceiver, Master/Slave	32-LFCSP_SS-5X5X0.75	AD2425WCCSZ	795
			-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2425WCCSZ-RL	796
AD2426W		-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2426WCCSZ	797	
		-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2426WCCSZ-RL	798	
AD2427W		-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2427WCCSZ	799	
		-40C to 105C	New Auto Audio Bus Transceiver w/EMC	32-LFCSP_SS-5X5X0.75	AD2427WCCSZ-RL	800	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
Processors & DSP	AD2428W	-40C to 105C	etw Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2428WCCSZ	801
		-40C to 105C	New Single Slave Serial Audio I/F w/ PDM	32-LFCSP_SS-5X5X0.75	AD2428WCCSZ-RL	802
	ADAU1401A	-40C to 105C	SigmaDSP 28-/56-Bit Audio Processor	48-LQFP-7X7X1.4	ADAU1401AWBSTZ	803
		-40C to 105C	SigmaDSP 28-/56-Bit Audio Processor	48-LQFP-7X7X1.4	ADAU1401AWBSTZ-RL	804
	ADSP-21469W-02	-40C to 85C	SHARC Processor/5 Mbits on Chip Ram	324-CSP_BGA-19X19_MM	AD21469WBBCZ302	805
	ADSP-21477W-02	-40C to 105C	Sharc Processor , 200MHz	88-LFCSP-12X12X0.85	AD21477WYCPZ1A02	806
		-40C to 105C	Sharc Processor , 200MHz	100-LQFP_EP-14X14X1.4	AD21477WYSWZ1A02	807
	ADSP-21478W-02	-40C to 105C	SHARC, 266MHz W/3M Bits RAM LOWER POWER	100-LQFP_EP-14X14X1.4	AD21478WYSWZ2A02	808
	ADSP-21479W-02	-40C to 85C	SHARC 200MHz Proc/5Mbits RAM	88-LFCSP-12X12X0.85	AD21479WYCPZ1A02	809
		-40C to 105C	SHARC 200MHz Processor	88-LFCSP-12X12X0.85	AD21479WYCPZ1B02	810
		-40C to 85C	SHARC 266MHz Processor	100-LQFP_EP-14X14X1.4	AD21479WYSWZ2A02	811
	ADSP-21488W-02	-40C to 85C	266 MHz SHARC Audio Processor	100-LQFP_EP-14X14X1.4	AD21488WBSWZ1A02	812
		-40C to 85C	SharcProcessor,2Mbits Ram, 266MHz,NoROM	176-LQFP_EP-24X24X1.4	AD21488WBSWZ1B02	813
		-40C to 85C	300 MHz SHARC Audio Processor	100-LQFP_EP-14X14X1.4	AD21488WBSWZ2A02	814
		-40C to 85C	SharcProcessor,2Mbits Ram, 266MHz,NoROM	176-LQFP_EP-24X24X1.4	AD21488WBSWZ2B02	815
		-40C to 85C	SHARC with 3Mb on chip RAM 400MHz	176-LQFP_EP-24X24X1.4	AD21488WBSWZ4B02	816
	ADSP-21489W-02	-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz	100-LQFP_EP-14X14X1.4	AD21489WBSWZ402	817
		-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz RL	100-LQFP_EP-14X14X1.4	AD21489WBSWZ402RL	818
		-40C to 85C	SHARC with 5 Mb on chip RAM,400MHz	176-LQFP_EP-24X24X1.4	AD21489WBSWZ4B02	819
	ADSP-21571W	-40C to 105C	450MHz 2x SHARC	176-LQFP_EP-24X24X1.4	AD21571WCSWZ400	820
		-40C to 105C	500 MHz 2x SHARC	176-LQFP_EP-24X24X1.4	AD21571WCSWZ500	821
	ADSP-21573W	-40C to 105C	2x SHARC, DDR, 450 MHz	400-CSP_BGA-17X17_MM	AD21573WCBCZ400	822
		-40C to 105C	2x SHARC, DDR, 500 MHz	400-CSP_BGA-17X17_MM	AD21573WCBCZ500	823
	ADSP-21583W-10	-40C to 105C	2x3Mb SHARC(no ARM),single DDR,LPC pkgA	349-CSP_BGA-19X19_MM	AD21583WCBCZ4A10	824
	ADSP-21584W-10	-40C to 105C	ARM, 2xSHARC, DDR	349-CSP_BGA-19X19_MM	AD21584WCBCZ4A10	825
		-40C to 105C	2xSHARC(no ARM)SingleDDR LPC	349-CSP_BGA-19X19_MM	AD21584WCBCZ5A10	826
	ADSP-BF512W-02	-40C to 85C	Blackfin 400MHz Processor	168-CSP_BGA-12X12_MM	ADBF512WBBCZ402	827
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP_EP-24X24X1.4	ADBF512WBSWZ402	828
	ADSP-BF518W-02	-40C to 85C	Blackfin 400MHz Processor	168-CSP_BGA-12X12_MM	ADBF518WBBCZ402	829
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP_EP-24X24X1.4	ADBF518WBSWZ402	830
	ADSP-BF525W-02	-40C to 85C	Blackfin 533MHz Processor	208-CSP_BGA-17X17_MM	ADBF525WBBCZ502	831
	ADSP-BF531W-06	-40C to 85C	Blackfin 400MHz Processor	160-CSP_BGA-12X12_MM	ADBF531WBBCZ406	832
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP-24X24X1.4	ADBF531WBSTZ406	833
	ADSP-BF532W-06	-40C to 85C	Blackfin 400MHz Processor	160-CSP_BGA-12X12_MM	ADBF532WBBCZ406	834
		-40C to 85C	Blackfin 400MHz Processor	176-LQFP-24X24X1.4	ADBF532WBSTZ406	835
	ADSP-BF549W-04	-40C to 85C	Blackfin 533MHz,Prsr 2 PPI, USB	400-CSP_BGA-17X17_MM	ADBF549WBBCZ504	836
	ADSP-BF606W-02	-40C to 105C	Blackfin Dual Core 400MHz w/128K SRAM	349-CSP_BGA-19X19_MM	ADBF606WCBCZ402	837
	ADSP-BF607W-02	-40C to 105C	Blackfin Dual Core 500MHz w/256K SRAM	349-CSP_BGA-19X19_MM	ADBF607WCBCZ502	838
	ADSP-BF608W-02	-40C to 105C	Blackfin Dual Core 500MHz w/VGA PVP	349-CSP_BGA-19X19_MM	ADBF608WCBCZ502	839
		-40C to 105C	Blackfin Dual core Proc.w/VGA PVP	349-CSP_BGA-19X19_MM	ADBF608WCBCZ502RL	840

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM	
Processors & DSP	ADSP-BF609W-02	-40C to 105C	Blackfin Dual Core 500MHz w/HD PVP	349-CSP_BGA-19X19_MM	ADBF609WCBCZ502	841	
	ADSP-BF700W-11	-40C to 105C	Blackfin+ w/ 128K L2 SRAM	88-LFCSP-12X12X0.85	ADBF700WCCPZ211	842	
	ADSP-BF701W-11	-40C to 105C	BLK+Procw/128KB L2 SRAM&DDR/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF701WCBCZ211	843	
	ADSP-BF702W-11	-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	88-LFCSP-12X12X0.85	ADBF702WCCPZ311	844	
		-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	88-LFCSP-12X12X0.85	ADBF702WCCPZ411	845	
	ADSP-BF703W-11	-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF703WCBCZ311	846	
		-40C to 105C	BLK+Procw/256KByteSRAM&DDR2/LPDDR interf	184-CSP_BGA-12X12_MM	ADBF703WCBCZ411	847	
	ADSP-BF704W-11	-40C to 105C	Blackfin+ Processor w/ 512KB L2 SRAM	88-LFCSP-12X12X0.85	ADBF704WCCPZ311	848	
		-40C to 105C	Blackfin+ Processor w/ 512KB L2 SRAM	88-LFCSP-12X12X0.85	ADBF704WCCPZ411	849	
	ADSP-BF705W-11	-40C to 105C	BLK+Procw/512KB L2 SRAM,DDR2/LPDDR inte	184-CSP_BGA-12X12_MM	ADBF705WCBCZ311	850	
		-40C to 105C	BLK+Procw/512KB L2 SRAM,DDR2/LPDDR inte	184-CSP_BGA-12X12_MM	ADBF705WCBCZ411	851	
	ADSP-BF706W-11	-40C to 105C	Blackfin+Automotive Processorw/1MB L2 SR	88-LFCSP-12X12X0.85	ADBF706WCCPZ311	852	
		-40C to 105C	Low Power Blackfin+ Embedded Processor w	88-LFCSP-12X12X0.85	ADBF706WCCPZ411	853	
	ADSP-BF707W-11	-40C to 105C	BLK+Procw/1MByteL2 SRAM,DDR2/LPDDR inter	184-CSP_BGA-12X12_MM	ADBF707WCBCZ311	854	
		-40C to 105C	BLK+Procw/1MByteL2 SRAM,DDR2/LPDDR inter	184-CSP_BGA-12X12_MM	ADBF707WCBCZ411	855	
	ADSP-SC570W	-40C to 105C	ARM, 1x SHARC,450 MHz	176-LQFP_EP-24X24X1.4	ADSC570WCSWZ400	856	
		-40C to 105C	ARM, 1x SHARC,450MHz	176-LQFP_EP-24X24X1.4	ADSC570WCSWZ4200	857	
	ADSP-SC571W	-40C to 105C	ARM, 2x SHARC,300MHz	176-LQFP_EP-24X24X1.4	ADSC571WCSWZ300	858	
		-40C to 105C	ARM, 2x SHARC,450MHz	176-LQFP_EP-24X24X1.4	ADSC571WCSWZ400	859	
		-40C to 105C	ARM, 2x SHARC, 500MHz	176-LQFP_EP-24X24X1.4	ADSC571WCSWZ500	860	
	ADSP-SC572W	-40C to 105C	0006, 1x SHARC, DDR, 450 MHz	400-CSP_BGA-17X17_MM	ADSC572WCBCZ400	861	
		-40C to 105C	ARM, 1x SHARC, DDR,450 MHz	400-CSP_BGA-17X17_MM	ADSC572WCBCZ4200	862	
	ADSP-SC573W	-40C to 105C	ARM, 2x SHARC, DDR, BGA PKG, 300 MGz	400-CSP_BGA-17X17_MM	ADSC573WCBCZ300	863	
		-40C to 105C	ARM, 2x SHARC, DDR, BGA PKG, 450 MHz	400-CSP_BGA-17X17_MM	ADSC573WCBCZ400	864	
		-40C to 105C	ARM, 2x SHARC, DDR, BGA PKG, 500 MHz	400-CSP_BGA-17X17_MM	ADSC573WCBCZ500	865	
	ADSP-SC582W-10	-40C to 105C	ARM, 1xSHARC, DDR	349-CSP_BGA-19X19_MM	ADSC582WCBCZ4A10	866	
	ADSP-SC583W-10	-40C to 105C	ARM,2x3Mb SHARC singleDDR	349-CSP_BGA-19X19_MM	ADSC583WCBCZ3A10	867	
		-40C to 105C	ARM,2x3Mb SHARC singleDDR	349-CSP_BGA-19X19_MM	ADSC583WCBCZ4A10	868	
	ADSP-SC584W-10	-40C to 105C	ARM,2xSHARC,DDR,LPC	349-CSP_BGA-19X19_MM	ADSC584WCBCZ3A10	869	
		-40C to 105C	ARM,2xSHARC, DDR	349-CSP_BGA-19X19_MM	ADSC584WCBCZ4A10	870	
		-40C to 105C	ARM, 2xSHARC, DDR, LPC	349-CSP_BGA-19X19_MM	ADSC584WCBCZ5A10	871	
	ADSP-SC587W-10	-40C to 85C	ARM, 2xSHARC, dual DDR	529-CSP_BGA-19X19_MM	ADSC587WBBCZ5B10	872	
		-40C to 105C	ARM, 2xSHARC, dual DDR	529-CSP_BGA-19X19_MM	ADSC587WCBCZ4B10	873	
	ADUC7039	-40C to 115C	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	32-LFCSP-6X6X0.95	ADUC7039WBPCZ	874	
		-40C to 115C	Flash 64k ARM7 Dual 16-Bit ADC LIN I.C.	32-LFCSP-6X6X0.95	ADUC7039WBPCZ-RL	875	
	ADUCM330	-40C to 115C	Battery Monitor Gen III(96KB)	32-LFCSP-6X6X0.95	ADUCM330WDCPZ	876	
		-40C to 115C	Battery Monitor Gen III(96KB)	32-LFCSP-6X6X0.95	ADUCM330WDCPZ-RL	877	
	References	LT6654	-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-1.25#VTRMPBF	878
			-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-1.25#VTRPBF	879
			-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-2.048#VTRMPBF	880

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
References	LT6654	-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-2.048#WTRPBF	881
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-2.5#WTRMPBF	882
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-2.5#WTRPBF	883
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-3#WTRMPBF	884
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-3#WTRPBF	885
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-3.3#WTRMPBF	886
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-3.3#WTRPBF	887
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-4.096#WTRMPBF	888
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-4.096#WTRPBF	889
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-5#WTRMPBF	890
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AHS6-5#WTRPBF	891
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-1.25#WTRMPBF	892
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-1.25#WTRPBF	893
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-2.048#WTRMPBF	894
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-2.048#WTRPBF	895
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-2.5#WTRMPBF	896
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-2.5#WTRPBF	897
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-3#WTRMPBF	898
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-3#WTRPBF	899
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-3.3#WTRMPBF	900
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-3.3#WTRPBF	901
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-4.096#WTRMPBF	902
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-4.096#WTRPBF	903
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-5#WTRMPBF	904
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654AIS6-5#WTRPBF	905
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-1.25#WTRMPBF	906
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-1.25#WTRPBF	907
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-2.048#WTRMPBF	908
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-2.048#WTRPBF	909
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-2.5#WTRMPBF	910
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-2.5#WTRPBF	911
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-3#WTRMPBF	912
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-3#WTRPBF	913
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-3.3#WTRMPBF	914
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-3.3#WTRPBF	915
		-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-4.096#WTRMPBF	916
-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-4.096#WTRPBF	917		
-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-5#WTRMPBF	918		
-40C to 125C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BHS6-5#WTRPBF	919		
-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-1.25#WTRMPBF	920		

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
References	LT6654	-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-1.25#VTRPBF	921
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-2.048#VTRMPBF	922
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-2.048#VTRPBF	923
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-2.5#VTRMPBF	924
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-2.5#VTRPBF	925
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-3#VTRMPBF	926
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-3#VTRPBF	927
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-3.3#VTRMPBF	928
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-3.3#VTRPBF	929
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-4.096#VTRMPBF	930
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-4.096#VTRPBF	931
		-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-5#VTRMPBF	932
	-40C to 85C	Prec Wide S Hi Out Drv L N Ref	6-TSOT-N/A	LT6654BIS6-5#VTRPBF	933	
	LT6657	-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-1.25#VPBF	934
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-1.25#VTRPBF	935
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-2.5#VPBF	936
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-2.5#VTRPBF	937
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-3#VPBF	938
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-3#VTRPBF	939
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-4.096#VPBF	940
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-4.096#VTRPBF	941
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-5#VPBF	942
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657AHMS8-5#VTRPBF	943
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-1.25#VPBF	944
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-1.25#VTRPBF	945
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-2.5#VPBF	946
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-2.5#VTRPBF	947
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-3#VPBF	948
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-3#VTRPBF	949
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-4.096#VPBF	950
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-4.096#VTRPBF	951
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-5#VPBF	952
		-40C to 125C	1.5ppm/°C Drift, L N, Bufed Ref	8-MINI_SO-N/A	LT6657BHMS8-5#VTRPBF	953
RF & Microwave		AD5933	-40C to 125C	12bit 1 MSPS, Impedance Converter	16-SSOP-5.30_MM	AD5933WYRSZ-REEL7
	ADF4158	-40C to 125C	6 GHz Direct Modulation frac-N PLL	24-LFCSP-4X4X0.75	ADF4158WCCPZ	955
		-40C to 125C	6 GHz Direct Modulation frac-N PLL Synth	24-LFCSP-4X4X0.75	ADF4158WCCPZ-RL7	956
	ADF4159	-40C to 125C	13GHz Fast Ramp Direct Mod Frac N PLL	24-LFCSP-4X4X0.75	ADF4159WCCPZ	957
		-40C to 125C	13GHz Fast Ramp Direct Mod Frac N PLL	24-LFCSP-4X4X0.75	ADF4159WCCPZ-RL7	958
	ADF4169	-40C to 125C	13.5GHz Fast Ramp Direct Mod Frac-N PLL	24-LFCSP-4X4X0.75	ADF4169WCCPZ	959
-40C to 125C		13.5GHz Fast Ramp Direct Mod Frac-N PLL	24-LFCSP-4X4X0.75	ADF4169WCCPZ-RL7	960	

PRODUCT CATEGORY	GENERIC NUMBER	AMBIENT TEMP RANGE	MATERIAL DESCRIPTION	PACKAGE	MATERIAL NUMBER	ITEM
RF & Microwave	ADF5901	-40C to 105C	24GHz Tx MMIC: VCO_PGA+ dual PA	32-LFCSP-5X5X0.75	ADF5901WCCPZ	961
		-40C to 105C	24GHz Tx MMIC: VCO_PGA+ dual PA	32-LFCSP-5X5X0.75	ADF5901WCCPZ-RL7	962
	ADF5904	-40C to 105C	24GHz 4 Channel Rx non-IQ MMIC	32-LFCSP-5X5X0.75	ADF5904WCCPZ	963
		-40C to 105C	24GHz 4 Channel Rx non-IQ MMIC	32-LFCSP-5X5X0.75	ADF5904WCCPZ-RL7	964
	HMC8038	-40C to 105C	High isolation, non-reflective	16-LFCSP-4X4X0.85	HMC8038WLP4CE	965
		-40C to 105C	High isolation, non-reflective	16-LFCSP-4X4X0.85	HMC8038WLP4CETR	966
Sensors	ADA4571	-40C to 150C	AMR Angle Sensor and Sig Cond	8-SOIC_N-150_MIL	ADA4571WHRZ-R7	967
	ADA4571-2	-40C to 150C	Dual AMR MAGNETIC SENSOR	16-SOIC_N-150_MIL	ADA4571-2WHRZ-RL	968
	ADR4525	-40C to 125C	2.5V Ultra Low Noise Voltage REF	8-SOIC_N-150_MIL	ADR4525WBRZ-R7	969
Switches & Multiplexers	ADG5433	-40C to 125C	High V Latchup Proof Triple SPDT Switch	16-TSSOP_4.4-4.4_MM	ADG5433WBRUZ	970
	ADG659	-40C to 125C	+3/5V +/-5V 4/8 Chnl Analog Mux	16-TSSOP_4.4-4.4_MM	ADG659WYRUZ-REEL7	971
	ADG708	-40C to 105C	1.8-5.5V or +/-2.5V, 3 Ohm 4/8 Mux	16-TSSOP_4.4-4.4_MM	ADW54008-0REEL	972
		-40C to 105C	1.8-5.5V or +/-2.5V, 3 Ohm 4/8 Mux	16-TSSOP_4.4-4.4_MM	ADW54008-0REEL7	973
	ADG711	-40C to 85C	Low Voltage Quad SPST Switch	16-TSSOP_4.4-4.4_MM	ADG711WBRUZ-REEL	974
	ADG728	-40C to 85C	SERIAL I2C, 8-ch MUX	16-TSSOP_4.4-4.4_MM	ADG728WBRUZ-REEL7	975
	ADG736	-40C to 125C	LOW VOLTAGE DUAL SPDT I.C.	10-MINI_SO-N/A	ADW54010Z-0REEL	976
	ADG738	-40C to 105C	SERIAL SPI, 8-ch MUX	16-TSSOP_4.4-4.4_MM	ADG738WBRUZ-REEL	977

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Analog Devices Inc.:

[ADBF539WBBCZ505](#) [AD21369WBSWZ102](#) [ADBF609WCBCZ502](#) [ADBF533WBBZ506](#) [ADBF512WBSWZ402](#)
[AD21488WBSWZ4B02](#) [ADBF525WBBCZ502](#) [ADBF534WBBCZ4A03](#) [ADBF512WBBCZ402](#) [ADBF525WBBCZ402](#)
[AD21489WBSWZ402](#) [ADBF531WBBCZ406](#) [AD21479WYSWZ2B02](#) [ADBF606WCBCZ402](#) [ADBF534WBBCZ4B03RL](#)
[AD21478WYSWZ2B02](#) [AD21487WBSWZ4B04](#) [AD21469WBBCZ302](#) [AD21489WBSWZ4B02](#) [ADBF561WBBCZ505](#)
[ADBF607WCBCZ502](#) [ADBF561WBBZ505](#) [ADBF592WYCPZ402](#) [ADBF531WYBCZ406](#) [ADBF518WBSWZ402](#)
[AD21478WYSWZ2A02](#) [AD21477WYSWZ1A02](#) [ADBF544WBBCZ504](#) [AD21479WYCPZ1B02](#) [ADBF531WBSTZ406](#)
[ADBF504WYCPZ401](#) [AD21477WYCPZ1A02](#) [ADBF534WYBCZ4B03](#) [AD21479WYCPZ1A02](#) [AD21487WBSWZ4A04](#)
[ADBF549WBBCZ504](#) [ADBF533WBBCZ506](#) [ADBF532WBBCZ406](#) [AD21479WYSWZ2A02](#) [ADBF518WBBCZ402](#)
[ADBF532WBSTZ406](#) [ADBF534WBBCZ4B03](#) [ADBF549WBBCZ5M03](#)